

# AXMEDIS

Automated Production of Cross Media  
Content for Multichannel Distribution



## **AXMEDIS CONTENT PROCESSING GRID: SCRIPT LANGUAGE USER MANUALS**

## AXMEDIS COPYRIGHT NOTICE

The following terms (including future possible amendments) set out the rights and obligations licensee will be requested to accept on entering into possession of any official AXMEDIS document either by downloading it from the web site or by any other means. Any relevant AXMEDIS document includes this license. PLEASE READ THE FOLLOWING TERMS CAREFULLY AS THEY HAVE TO BE ACCEPTED PRIOR TO READING/USE OF THE DOCUMENT.

### 1. DEFINITIONS

- i. **"Acceptance Date"** is the date on which these terms and conditions for entering into possession of the document have been accepted.
- ii. **"Copyright"** stands for any content, document or portion of it that is covered by the copyright disclaimer in a Document.
- iii. **"Licensor"** is AXMEDIS Consortium as a de-facto consortium of the EC project and any of its derivations in terms of companies and/or associations, see [www.AXMEDIS.org](http://www.AXMEDIS.org)
- iv. **"Document"** means the information contained in any electronic file, which has been published by the Licensor's as AXMEDIS official document and listed in the web site mentioned above or available by any other means.
- v. **"Works"** means any works created by the licensee, which reproduce a Document or any of its part.

### 2. LICENCE

1. The Licensor grants a non-exclusive royalty free licence to reproduce and use the Documents subject to present terms and conditions (the **Licence**) for the parts that are own and proprietary property the of AXMEDIS consortium or its members.
2. In consideration of the Licensor granting the Licence, licensee agrees to adhere to the following terms and conditions.

### 3. TERM AND TERMINATION

1. Granted Licence shall commence on Acceptance Date.
2. Granted Licence will terminate automatically if licensee fails to comply with any of the terms and conditions of this Licence.
3. Termination of this Licence does not affect either party's accrued rights and obligations as at the date of termination.
4. Upon termination of this Licence for whatever reason, licensee shall cease to make any use of the accessed Copyright.
5. All provisions of this Licence, which are necessary for the interpretation or enforcement of a party's rights or obligations, shall survive termination of this Licence and shall continue in full force and effect.
6. Notwithstanding License termination, confidentiality clauses related to any content, document or part of it as stated in the document itself will remain in force for a period of 5 years after license issue date or the period stated in the document whichever is the longer.

### 4. USE

1. Licensee shall not breach or denigrate the integrity of the Copyright Notice and in particular shall not:
  - i. remove this Copyright Notice on a Document or any of its reproduction in any form in which those may be achieved;
  - ii. change or remove the title of a Document;
  - iii. use all or any part of a Document as part of a specification or standard not emanating from the Licensor without the prior written consent of the Licensor; or
  - iv. do or permit others to do any act or omission in relation to a Document which is contrary to the rights and obligations as stated in the present license and agreed with the Licensor

### 5. COPYRIGHT NOTICES

1. All Works shall bear a clear notice asserting the Licensor's Copyright. The notice shall use the wording employed by the Licensor in its own copyright notice unless the Licensor otherwise instructs licensees.

#### 6. WARRANTY

1. The Licensor warrants the licensee that the present licence is issued on the basis of full Copyright ownership or re-licensing agreements granting the Licensor full licensing and enforcement power.
2. For the avoidance of doubt the licensee should be aware that although the Copyright in the documents is given under warranty this warranty does not extend to the content of any document which may contain references or specifications or technologies that are covered by patents (also of third parties) or that refer to other standards. AXMEDIS is not responsible and does not guarantee that the information contained in the document is fully proprietary of AXMEDIS consortium and/or partners.
3. Licensee hereby undertakes to the Licensor that he will, without prejudice to any other right of action which the Licensor may have, at all times keep the Licensor fully and effectively indemnified against all and any liability (which liability shall include, without limitation, all losses, costs, claims, expenses, demands, actions, damages, legal and other professional fees and expenses on a full indemnity basis) which the Licensor may suffer or incur as a result of, or by reason of, any breach or non-fulfillment of any of his obligations in respect of this License.

#### 7. INFRINGEMENT

1. Licensee undertakes to notify promptly the Licensor of any threatened or actual infringement of the Copyright which comes to licensee notice and shall, at the Licensor's request and expense, do all such things as are reasonably necessary to defend and enforce the Licensor's rights in the Copyright.

#### 8. GOVERNING LAW AND JURISDICTION

1. This Licence shall be subject to, and construed and interpreted in accordance with Italian law.
2. The parties irrevocably submit to the exclusive jurisdiction of the Italian Courts.

#### Please note that:

- You can become affiliated with AXMEDIS. This will give you the access to a huge amount of knowledge, information and source code related to the AXMEDIS Framework. If you are interested please contact P. Nesi at nesi@dsi.unifi.it. Once affiliated with AXMEDIS you will have the possibility of using the AXMEDIS specification and technology for your business.
- You can contribute to the improvement of AXMEDIS documents and specification by sending the contribution to P. Nesi at nesi@dsi.unifi.it. You can attend AXMEDIS meetings that are open to public, for additional information see [WWW.AXMEDIS.org](http://WWW.AXMEDIS.org) or contact P. Nesi at nesi@dsi.unifi.it

## COPYRIGHT

Copyright © 2008 by AXMEDIS

For information on this book, contact:

**Prof. Paolo Nesi**

Via S. Marta 3

50136 Firenze (Italy)

Tel: +39 055 4796523

Fax: +39 055 4796469

<http://www.axmedis.com>

To report errors, please send a note to [mitolo@dsi.unifi.it](mailto:mitolo@dsi.unifi.it)

# Table of Content

|                                                                  |           |
|------------------------------------------------------------------|-----------|
| <b>AXMEDIS COPYRIGHT NOTICE .....</b>                            | <b>2</b>  |
| COPYRIGHT .....                                                  | 3         |
| <b>INTRODUCTION .....</b>                                        | <b>12</b> |
| <b>AXMEDIS OVERVIEW OF CONTENT PROCESSING CAPABILITIES .....</b> | <b>12</b> |
| <b>AXMEDIS FRAMEWORK .....</b>                                   | <b>15</b> |
| ACCESSING TO THE AXMEDIS FRAMEWORK .....                         | 16        |
| AXMEDIS CONTENT PRODUCTION .....                                 | 17        |
| AXMEDIS CONTENT PROCESSING CAPABILITIES .....                    | 19        |
| AXMEDIS CONTENT PROCESSING TOOLS .....                           | 20        |
| AXMEDIS EDITORS, THE AUTHORING TOOLS .....                       | 21        |
| CONTENT ADAPTATION FACILITIES .....                              | 22        |
| CONTENT FINGERPRINT AND DESCRIPTORS EXTRACTION .....             | 23        |
| <b>AXCS CLIENT CLASSES .....</b>                                 | <b>25</b> |
| <b>AXOM, AXMEDIS MODEL AND JAVASCRIPT CLASSES .....</b>          | <b>26</b> |
| AXMEDISOBJECT .....                                              | 26        |
| AxINFO .....                                                     | 29        |
| AxRESOURCE .....                                                 | 38        |
| AxDUBLINCORE .....                                               | 38        |
| AxMETADATA .....                                                 | 39        |
| PROTECTIONVIEWER .....                                           | 40        |
| EXAMPLES OF USAGE .....                                          | 40        |
| <b>AXCP PROCESS JAVASCRIPT CLASS .....</b>                       | <b>43</b> |
| AXCPPROCESS .....                                                | 43        |
| <b>NETWORK .....</b>                                             | <b>46</b> |
| FORM .....                                                       | 46        |
| HTTPCONNECTION .....                                             | 46        |
| FTPCONNECTION .....                                              | 47        |
| ODBCCONNECTION .....                                             | 48        |

|                                             |           |
|---------------------------------------------|-----------|
| WEBSERVICECONNECTION .....                  | 49        |
| MAIL .....                                  | 49        |
| DNS .....                                   | 52        |
| EXAMPLES OF USAGE .....                     | 52        |
| <b>SEARCHBOX JAVASCRIPT CLASSES .....</b>   | <b>54</b> |
| AXSEARCHBOX .....                           | 54        |
| DOCUMENT .....                              | 55        |
| METADATAVALUE .....                         | 56        |
| DOCUMENTMETADATA .....                      | 56        |
| QUERYPARSER .....                           | 56        |
| QUERYINFO .....                             | 57        |
| QUERYVIEW .....                             | 57        |
| QUERYSORT .....                             | 57        |
| QUERYATOMTYPE .....                         | 57        |
| QUERYATOM .....                             | 58        |
| QUERYSLICEWEIGHT .....                      | 58        |
| QUERYSPEC .....                             | 58        |
| QUERYRESULT .....                           | 60        |
| EXAMPLES OF USAGE .....                     | 60        |
| <b>LICENSE AND JAVASCRIPT CLASSES .....</b> | <b>61</b> |
| CONDITION .....                             | 63        |
| FEE .....                                   | 63        |
| GRANT .....                                 | 63        |
| PRINCIPAL .....                             | 64        |
| GRANTGROUP .....                            | 65        |
| INTERVAL .....                              | 65        |
| ISSUER .....                                | 65        |
| LICENSE .....                               | 66        |
| LICENSEMANAGER .....                        | 67        |

|                                          |           |
|------------------------------------------|-----------|
| LICENSEPATTERN.....                      | 68        |
| OMALICENSE.....                          | 68        |
| NUMBER .....                             | 68        |
| RESOURCE .....                           | 68        |
| RIGHT .....                              | 69        |
| TERRITORY .....                          | 69        |
| PAR .....                                | 70        |
| PARGRANT .....                           | 70        |
| PARGRANTGROUP .....                      | 71        |
| PARRESOURCE.....                         | 71        |
| PARRIGHT.....                            | 71        |
| PMSCLIENT .....                          | 72        |
| CONTRACT .....                           | 78        |
| RIGHTSEXPRESSIIONTRANSLATOR .....        | 78        |
| RIGHTSPARAMETERS.....                    | 79        |
| RIGHTSFEEPARAMETERS.....                 | 80        |
| RIGHTSINTERVALPARAMETERS.....            | 81        |
| RIGHTSLIMITPARAMETERS .....              | 82        |
| RIGHTSREGIONPARAMETERS .....             | 82        |
| PARGRANTPARAMETERS .....                 | 83        |
| AXTOOLINFOPARAMETERS .....               | 83        |
| PROTINFOPARAMETERS.....                  | 84        |
| OPINFOPARAMETERS.....                    | 85        |
| AXIDPARAMETERS.....                      | 86        |
| <b>SELECTION JAVASCRIPT CLASSES.....</b> | <b>88</b> |
| AxSELECTION .....                        | 88        |
| EXAMPLES OF USAGE.....                   | 89        |
| <b>FORMATTING ENGINE FUNCTIONS.....</b>  | <b>90</b> |
| FORMATMANAGER.....                       | 90        |

|                                               |            |
|-----------------------------------------------|------------|
| RESOURCELIST .....                            | 91         |
| DEVICEINFO .....                              | 91         |
| TEMPLATELIST .....                            | 92         |
| STYLELIST .....                               | 92         |
| EXAMPLES OF USAGE.....                        | 92         |
| <b>PROFILING JAVASCRIPT CLASSES .....</b>     | <b>95</b>  |
| AxUSERPROFILE .....                           | 95         |
| AxDEVICEPROFILE .....                         | 96         |
| AxNETWORKPROFILE.....                         | 97         |
| EXAMPLES OF USAGE.....                        | 98         |
| <b>METADATA MAPPER JAVASCRIPT CLASS .....</b> | <b>99</b>  |
| METADATAMAPPER.....                           | 99         |
| EXAMPLES OF USAGE.....                        | 99         |
| <b>AXEPTOOL JAVASCRIPT CLASSES .....</b>      | <b>101</b> |
| AXP2PMANAGER.....                             | 101        |
| DOWNLOADEDOBJECTLISTRESPONSE .....            | 103        |
| DOWNLOADSTATUSRESPONSE .....                  | 103        |
| PUBLISHEDOBJECTLISTRESPONSE .....             | 105        |
| PUBLICATIONSTATUSRESPONSE .....               | 106        |
| SYSTEMINFORMATIONRESPONSE .....               | 107        |
| EXAMPLES OF USAGE.....                        | 108        |
| <b>AXMEDIS JAVASCRIPT FUNCTIONS .....</b>     | <b>109</b> |
| I/O FUNCTIONS.....                            | 109        |
| FILE FUNCTIONS .....                          | 109        |
| DIR FUNCTIONS.....                            | 110        |
| PROCESS FUNCTIONS .....                       | 110        |
| MIME TYPE FUNCTIONS.....                      | 110        |
| NETWORK FUNCTIONS .....                       | 110        |
| EXAMPLES OF USAGE.....                        | 110        |

|                                                                     |            |
|---------------------------------------------------------------------|------------|
| <b>UTILITY AND OTHER JAVASCRIPT CLASSES.....</b>                    | <b>112</b> |
| ZIPARCHIVER.....                                                    | 112        |
| EXAMPLES OF USAGE.....                                              | 112        |
| <b>E4X SHORT GUIDE FOR JAVASCRIPT V. 1.6.....</b>                   | <b>113</b> |
| KNOWN BUGS AND LIMITATIONS .....                                    | 113        |
| RESOURCES .....                                                     | 113        |
| CONTEXT KEYWORDS .....                                              | 113        |
| STATEMENTS .....                                                    | 113        |
| IDENTIFIERS AND PUNCTUATORS .....                                   | 114        |
| E4X - OPERATORS & OBJECTS .....                                     | 115        |
| Operators .....                                                     | 115        |
| E4X Objects .....                                                   | 117        |
| E4X - GLOBAL METHODS AND PROPERTIES .....                           | 123        |
| Global Methods and Properties .....                                 | 123        |
| Advantages and Limitations of E4X.....                              | 124        |
| E4X by Example .....                                                | 124        |
| <b>AXMEDIS CONTENT PROCESSING FUNCTIONALITIES IN PLUG-INS .....</b> | <b>126</b> |
| AUDIO ADAPTATION PLUG-IN .....                                      | 126        |
| FFAudioTranscoding.....                                             | 126        |
| LSAudioTranscoding.....                                             | 127        |
| AUDIO DESCRIPTOR PLUG-IN .....                                      | 129        |
| LowLevelDescriptors .....                                           | 129        |
| Segmentation.....                                                   | 131        |
| TempoEstimation.....                                                | 132        |
| MusicGenreEstimation.....                                           | 133        |
| AUDIO FINGERPRINT EXTRACTION PLUG-IN .....                          | 134        |
| AxAFPExtract .....                                                  | 134        |
| AxAFPCompare .....                                                  | 135        |
| TEXT DESCRIPTORS PLUG-IN .....                                      | 137        |
| KWFromComparisons .....                                             | 137        |

|                                               |     |
|-----------------------------------------------|-----|
| KWFromSemanticAnalysis .....                  | 137 |
| TEXT TO DOCS ADAPTATION PLUG-IN.....          | 139 |
| DocumentConversion .....                      | 139 |
| TEXTFINGERPRINT .....                         | 140 |
| MD5Hash .....                                 | 140 |
| MULTIMEDIA ADAPTATION PLUG-IN.....            | 141 |
| Mp4To3gp.....                                 | 141 |
| Mp4ToISMA .....                               | 142 |
| AddMultimediaFiles .....                      | 142 |
| ToMp4.....                                    | 144 |
| ExtractMediaTrack .....                       | 145 |
| CatMultimediaFiles .....                      | 145 |
| DelayTrack.....                               | 146 |
| RemoveTrack .....                             | 147 |
| ExtractFromStartToEnd.....                    | 148 |
| Mp4ToAvi.....                                 | 149 |
| RINGTONES ADAPTATION PLUG-IN .....            | 151 |
| convert.....                                  | 151 |
| convert_to_MP3 .....                          | 151 |
| convert_to_WAV.....                           | 152 |
| resample .....                                | 152 |
| convert and resample .....                    | 153 |
| getInfo.....                                  | 154 |
| clip.....                                     | 156 |
| AUDIO RECOGNITION AND MONITORING PLUGIN ..... | 157 |
| IMAGE PROCESSING PLUGIN .....                 | 157 |
| Main functionalities .....                    | 157 |
| Conversion .....                              | 158 |
| Import .....                                  | 158 |
| Resize .....                                  | 159 |

|                      |     |
|----------------------|-----|
| Contrast .....       | 160 |
| Edge .....           | 160 |
| Emboss .....         | 161 |
| Blur .....           | 162 |
| GaussianBlur .....   | 162 |
| Median .....         | 163 |
| Mirror .....         | 164 |
| Noise .....          | 164 |
| Despeckle .....      | 165 |
| Equalize .....       | 165 |
| Enhance .....        | 166 |
| ExtractChannel ..... | 166 |
| Grayscale .....      | 167 |
| Magnify .....        | 167 |
| Minify .....         | 168 |
| Modulate .....       | 168 |
| Monochrome .....     | 169 |
| Negate .....         | 170 |
| Normalize .....      | 170 |
| OilPaint .....       | 171 |
| Quality .....        | 171 |
| Quantize .....       | 172 |
| Raise .....          | 173 |
| ReduceNoise .....    | 174 |
| Replace .....        | 174 |
| FloodFill .....      | 175 |
| Roll .....           | 176 |
| Rotate .....         | 177 |
| Scale .....          | 178 |
| Shear .....          | 179 |
| Shade .....          | 179 |

|                                                                            |            |
|----------------------------------------------------------------------------|------------|
| Spread .....                                                               | 180        |
| SetOpacity .....                                                           | 181        |
| SubImage .....                                                             | 181        |
| GetInfo .....                                                              | 182        |
| SetMaskColour .....                                                        | 183        |
| Paste .....                                                                | 184        |
| Test .....                                                                 | 185        |
| VIDEOADAPTATION .....                                                      | 186        |
| AX_ffmpegTranscoder .....                                                  | 186        |
| VIDEOFINGERPRINTEXTRACTION .....                                           | 189        |
| AxVFPEXtract .....                                                         | 189        |
| AxVFPCOMpare .....                                                         | 190        |
| PLAGIARISM .....                                                           | 192        |
| Compare.....                                                               | 192        |
| LANGUAGEGUESSER .....                                                      | 193        |
| LanguageGuesser .....                                                      | 193        |
| EXAMPLES OF AXCP RULES .....                                               | 194        |
| <b>REFERENCES AND LINKS.....</b>                                           | <b>197</b> |
| AXMEDIS TUTORIALS .....                                                    | 197        |
| AXMEDIS TOOLS FOR FREE DOWNLOAD.....                                       | 197        |
| AXMEDIS TECHNICAL NOTES .....                                              | 198        |
| AXMEDIS SOLUTIONS.....                                                     | 198        |
| AXMEDIS SHOWCASES.....                                                     | 198        |
| AXMEDIS FRAMEWORK SPECIFICATION.....                                       | 198        |
| AXMEDIS FRAMEWORK DEMONSTRATORS, CASES, TRIALS, FOR DISTRIBUTION ETC. .... | 200        |
| BROCHURES AND PRESS CUTTING (A PART) .....                                 | 201        |
| OTHER REFERENCES .....                                                     | 201        |

## INTRODUCTION

This manual aims to describe the AXMEDIS Script included in the AXMEDIS tools.

This document should be consulted together with:

AXMEDIS Framework for ALL: axmedis-de5-1-2-2-axmedis-for-all-update-v4-0-pub.pdf:

[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3108](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3108)

AXMEDIS Major Tools User Manual: axmedis-de5-0-1-2-axmedis-user-manuals-v1-4-pub.pdf:

[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3157](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3157)

AXMEDIS Framework Guidelines updated version with AXMEDIS Plug in SDK axmedis-de5-1-3-1-framework-guidelines-v2-2.pdf, [http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=2197](http://www.axmedis.org/documenti/view_documenti.php?doc_id=2197)

## AXMEDIS OVERVIEW OF CONTENT PROCESSING CAPABILITIES

A content factory can be built on the basis of AXMEDIS tools in a scalable and flexible manner. For example, tuning is possible for GRID size, type of database, number of authoring tools, number and types of tools/algorithms and libraries for processing content, licenses, integration support based on Workflow or not. An AXMEDIS content factory can be customized to satisfy the needs of small and large content producers, integrators, and distributors.

The **AXMEDIS Database Area** includes the AXMEDIS/MPEG-21 database model, supporting the storage and access to content via a large set of metadata for each AXMEDIS object grouped in what is called AXInfo. The AXMEDIS database model can be customized to your needs. The database also includes produced licenses for the objects, histories of performed actions on content, potentially available rights for each digital resource, models of contracts, etc. The AXInfo includes Dublin core plus descriptors and many other metadata for managing protection, lifecycle, etc. Any descriptors and metadata can be added in a flexible manner. Thus, different AXMEDIS factories may be based on different AXInfo and metadata, while automatic adapters can be defined and activated. The database area is based on a scalable database, a powerful AXMEDIS Database manager, and an effective **AXMEDIS Query Support** endowed with an easy to use user interface. The User may perform queries to search for objects and content located in the CMSs, in the local AXMEDIS database and in the virtual database comprised of the AXMEDIS content accessible/published via the P2P network of AXEPTools in the AXMEDIS B2B Network.

- AXDB: <http://www.axmedis.org/tiki/tiki-index.php?page=AXMEDIS+Database+accounting+and+reporting+tools>
- COPOP: <http://www.axmedis.org/tiki/tiki-index.php?page=COPOP+Client+and+Server+and+Distribution+Portal>
- Database: [http://www.axmedis.org/tiki/tiki-index.php?page\\_ref\\_id=341](http://www.axmedis.org/tiki/tiki-index.php?page_ref_id=341)

The **AXMEDIS Content Processing Area** (AXCP Area) is based on a GRID solution for automating all the activities to be performed for the production, and processing of content. The major tools are the **AXCP GRID Node (Engine)** and **AXCP Scheduler**, which are respectively the single node (computer) of the GRID and the organizer of processes on the GRID Nodes. They implement a scalable solution to process from smaller collections to huge amount of content per period of days, minutes. The processing algorithms can be specified in terms of script code (in Spider Monkey) allowing the manipulation of complex AXMEDIS data types and simple digital resources and content in general, and for the direct access to the AXMEDIS database and processing queries with the help of the AXMEDIS Query Support. The solution allows the writing of any kind of content processing algorithms, to activate them automatically on some query result, and these can be put in execution as independent processes on a scalable GRID for massive production and processing of digital resources in respect of the DRM.

- AXCP: <http://www.axmedis.org/tiki/tiki-index.php?page=Content+Processing>
- AXCP [http://www.axmedis.org/tiki/tiki-index.php?page\\_ref\\_id=335](http://www.axmedis.org/tiki/tiki-index.php?page_ref_id=335)
- Adaptation: [http://www.axmedis.org/tiki/tiki-index.php?page\\_ref\\_id=338](http://www.axmedis.org/tiki/tiki-index.php?page_ref_id=338)
- Fingerprint: [http://www.axmedis.org/tiki/tiki-index.php?page\\_ref\\_id=339](http://www.axmedis.org/tiki/tiki-index.php?page_ref_id=339)

The available data types, operators and accessible algorithms allow manipulation of any digital resource in a large number of formats. Algorithms can be defined for massive content composition (packaging, combination, etc.) and content layout formatting (synchronization, image and screen layout, from image sequence to video, etc.), content adaptation (change in resolution, subsampling, change in format, etc.), transcoding, coding, decoding, fingerprint extraction, estimation of descriptors, license adaptation and transcoding, license production and verification, etc.

The users of the **AXMEDIS Content Processing Area (AXCP)** can create Java Script rules for any kind of processing procedures and algorithms.

- AXCP: <http://www.axmedis.org/tiki/tiki-index.php?page=Content+Processing>
- Rules: <http://www.axmedis.org/tiki/tiki-index.php?page=AXMEDIS+Content+Processing+Scripts>

**To manipulate/produce:**

- Any digital resource:
  - o such as images (more than 150 different formats), audio (more than 50 formats), video (more than 50 formats), documents (TXT, PS, HTML, PDF, RTF, DOC, etc.), multimedia (more than 20 formats including MPEG-4, HTML, LOM, etc.);
  - o for their transcoding, adaptation, feature and descriptor extraction, recognition, certification, etc.;
  - o with functionalities of many well known and powerful processing libraries such as: FFMPEG lib, LibSNDFile, TreTagger, DocFrac, GhostScript, XPDF, HTMLDOC, ImageMagik, MP4Box, Xerces, XALAN, CCPP, etc. (if you are interested in adding more libraries please contact AXMEDIS);
- Packages and their composition and formatting
  - o AXMEDIS objects with AXInfo Metadata and indexing,
  - o MPEG-21 Objects,
  - o including digital resources, metadata (e.g., Dublin Core, etc.),
  - o protection information, etc.
- Protected objects and resources, managing protection information:
  - o by using MPEG-21 IPMP model, and format
  - o by using algorithms for encryption/decryption, scramble, compression, key production, different sizes for keys, etc.
- Licenses on the basis of the business models chosen:
  - o By stating grants, conditions, etc.,
  - o by verifying license consistency with respect to the potentially available rights, with the license in production, etc.,
  - o by using formalism of MPEG-21 REL, and with OMA ODRL – MPEG-21 REL transcoding
- Automatic content and information access
  - o database accesses (ODBC, etc.) with direct facilities;
  - o database access by means of crawling facilities to access to a larger set of possible database models. They may contain digital content, resources, files, metadata, administrative and licensing information, etc., and can be physically located in several different computer systems and based on several different database models: ODBC, MySQL, ORACLE, MS-SQL, Tamino Lobster XML, etc., or files systems. The access to this information is performed by means of Focuseek Crawler;
  - o file system and operating system access;
  - o http and ftp accesses;
  - o AXMEDIS database access with query support, actualization of selections, active queries, etc.
  - o Device capabilities format and processing facilities, to take into account for adaptation and/or processing;
  - o User Profile format and processing facilities, to take into account for adaptation and/or processing;
  - o WSDL facilities for the activation of WEB services dynamically on the basis of their definition;
  - o XML facilities for the application of styles and general processing;
  - o SMIL facilities for the application of templates and styles and processing;
  - o etc.

The algorithms and procedures used in the AXCP Area can be expanded by using the AXMEDIS Plug In technology that allows customizing and easily expanding the processing capabilities of the AXMEDIS GRID. Algorithms for the extraction of fingerprint, descriptors, adaptation, content processing, DRM adaptation, metadata adaptation, are built

as pluggable algorithms. ***Any other library, model and format and related algorithms for their manipulation can be plugged in the AXCP in a very easy manner.***

The AXMEDIS **Workflow Management tools** include a set of micro tools and interfaces which are pervasively connected to all the AXMEDIS tools and plug-ins to allow interfacing the whole content factory to Workflow tools such as Open Flow and BizTalk. The control is performed to define AXMEDIS factory workflow policies and to manage inter-factory workflows policies.

- AXWF: <http://www.axmedis.org/tiki/tiki-index.php?page=AXMEDIS+Workflow+and+Workflow+manager>
- [http://www.axmedis.org/tiki/tiki-index.php?page\\_ref\\_id=350](http://www.axmedis.org/tiki/tiki-index.php?page_ref_id=350)

The **AXMEDIS Editor** is the authoring tool for manually producing AXMEDIS objects when needed and for supporting the designer to create the scripts for the AXCP that could be considered macros of the AXMEDIS Editor.

[http://www.axmedis.org/tiki/tiki-index.php?page\\_ref\\_id=337](http://www.axmedis.org/tiki/tiki-index.php?page_ref_id=337)

The editor is based on the AXMEDIS Object Model (AXOM) and on MPEG-21 model and format.

[http://www.axmedis.org/tiki/tiki-index.php?page\\_ref\\_id=333](http://www.axmedis.org/tiki/tiki-index.php?page_ref_id=333)

The editor includes modules and tools to manipulate and create MPEG-21 and AXMEDIS objects and related information and digital resources such as:

- resource hierarchy viewer and editor;
- visual and behavioral viewer and editor to show/manipulate visual and temporal aspects of related digital resources according to SMIL;
- metadata editor and viewer, to manipulate and view general XML metadata and specific AXInfo metadata;
- DRM viewer and editor to create and verify the DRM licenses;
  - o [From paper Contracts to Licenses](#)
  - o [AXMEDIS License Definition and Usage](#)
  - o [AXMEDIS License Translation and DRM interoperability](#)
- Protection Information viewer and editor to specify, apply and browse protection aspects on the basis of the MPEG-21 IPMP format with extension of AXMEDIS;
- Plug-ins to use algorithms for content processing as those mentioned and used in the AXCP Area mentioned above;
- Plug-ins to allow the integration of AXMEDIS Editor within other editing and viewing applications such as: Video Editors, Image Editors, etc.;
- an interface to connect the AXMEDIS Editor with other external powerful editor tools;
- an interface with workflow (OpenFlow and BizTalk);
- Internal viewers and players for digital resources such as document, images, video, MPEG-4, and audio resources, etc., for more than 250 different file formats.

The **AXMEDIS Accounting Area** includes a set of tools which allow content producers, distributors or collecting societies to collect administrative information and report about their content in order to gather information about the list of rights that have been exploited on their AXMEDIS objects by the final users and by the business users. This information is collected into the AXMEDIS database for further analysis. The acquisition of accounting information is performed by collecting it from the AXMEDIS Certifier and Supervisor, AXCS. The local database and the AXCS provide support to make queries to obtain statistics data on content usage in the area, in the channel, for a type of content, for a period, etc. A specific tool allows extracting data from the AXMEDIS Database to migrate them towards the administrative side of the CMS, such as high level administrative information to prepare the bill at the content users, distributors, etc., to interface with customer relationships services.

Action logs: [http://www.axmedis.org/tiki/tiki-index.php?page\\_ref\\_id=347](http://www.axmedis.org/tiki/tiki-index.php?page_ref_id=347)

## AXMEDIS FRAMEWORK

The AXMEDIS Framework is the set of information and tools that is at the basis of the above mentioned applications and solutions. Figure 1 shows a coarse view of the AXMEDIS Framework structure. It contains all the necessary tools to set up a large set of services and solutions in the area of content production, protection and distribution. The AXMEDIS Framework is an infrastructure on which several other models for content modeling, protection, production, DRM and distribution can be built in a very simple manner reusing the components and functionalities provided.




Fig.1 - AXMEDIS Framework structure, a simplified view

The general infrastructure gives a common ground on which other content based applications and tools can be built by small and large industries deciding to adopt the AXMEDIS framework for their business and by research institutions. In addition to the modules and tools described before, the most relevant parts of the **AXMEDIS Framework** are:

- requirements for many innovative solutions and their revisions,
- test cases and uses cases and their revisions,
- content for validations of tools and solutions, both single resources and metadata and demonstrative AXMEDIS objects. They range from collection of resources to full cross media content with templates and styles,
- general documentation of AXMEDIS tools and supports, including the:
  - whole specification of the AXMEDIS framework and the
  - detailed technical documentation of the source code,
  - user and installation manuals, technical references, etc.
- CVS/SVN tree with source codes of the several modules of the AXMEDIS framework, including libraries, applications and tools,
- examples of AXCP scripts modeling algorithms for content compositions and formatting, for transcoding and adaptation, for extraction of fingerprint and descriptors, content processing, license manipulation and verification, license adaptation, etc., for many different formats of digital resources and for any categories of them: audio, video, document, multimedia, images, animations, text, metadata, etc.,
- examples of content, from single content element, to collection, advertising integration, cross media, with SMIL HTML, etc.
- examples and models for licenses (MPEG-21 REL and OMA),
- example and models for protection information,
- examples of workflow usage and programming for controlling AXMEDIS Factories,
- examples of queries and selections for accessing to the database,

- tutorials about AXMEDIS framework exploitation and tool usage:
  - on general aspects and on state of the art of the sector,
  - on AXMEDIS framework, general aspects,
  - on automated and manual content production,
  - on automated and manual content protection and DRM (Digital Rights Management),
  - on AXMEDIS tools,
  - on multichannel distribution tools, etc.,
- guidelines for source code production for contributing to the AXMEDIS framework,
- guidelines on content production and distribution,
- guidelines for the production of AXMEDIS Plug-ins for AXCP GRID and AXMEDIS Editors,
- guidelines for the production of licenses on the basis of contracts,
- ready to use/install AXMEDIS tools such as: AXMEDIS Players, AXEPTool P2P, AXTraker, AXMEDIS Query Support, AXMEDIA P2P tool, AXMEDIS Editors, AXMEDIS Programme and Publication tools, AXMEDIS Content Processing Tools, AXCS (Certifier and Supervisor), AXMEDIS PMS.

A more detailed technical view of the AXMEDIS Framework is reported in the following figure.




Fig.2 -- AXMEDIS Framework technical view

## ACCESSING TO THE AXMEDIS FRAMEWORK

The present status of the AXMEDIS Framework can be obtained from its coordinator or partners. Demonstrations of the AXMEDIS tools and of the whole AXMEDIS Framework are provided at AXMEDIS conferences and in other occasions listed on the AXMEDIS Portal. The AXMEDIS Framework can be accessed by all affiliated partners. The Affiliation to AXMEDIS is performed by subscribing an Affiliation Agreement with an AXMEDIS Contractor. The Affiliation Agreement and the list of Contractors are accessible on the AXMEDIS portal.

- <http://www.axmedis.org/affiliation.php>
- Affiliation Agreement: [http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=1751](http://www.axmedis.org/documenti/view_documenti.php?doc_id=1751)

- 
- There are many reasons to get affiliated to AXMEDIS, which can be summarized as follows:
- Obtaining access to a royalty free and open platform that can be customized for your production., protection and distribution needs;
- Reduction of costs for content gathering, processing, production, protection and distribution;
- Adopting a standard model (MPEG-21, OMA) for content and licenses modeling and thus for inserting DRM in your business;
- Establishing contacts with other business partners interested in exploiting similar technology;
- Acquiring a greater control about content usage;
- Creating customized Cross media players for PC, PDA and mobiles, playing MPEG-21, MPEG-4, HTML, SMIL, etc., any format;
- Exploiting and trial of new business models;
- Joining the P2P B2B Network of AXMEDIS;
- Exploiting capabilities of secure legal P2P distribution;
- Setting up and creating a customized distribution channel interoperable with others;
- Setting up some new service (empowering your present solution) on the basis of AXMEDIS technology;
- Setting up a one-stop service for content protection and DRM set up;
- Allowing reporting to your business customers which rights are exploited on their content;
- Allowing the management of rights reporting for multimedia products;
- Allowing to use a solution that can be safer and more flexible with respect to state of the art;
- Saving money by using innovative technologies for content production and distribution, integrated environment;
- Accessing extremely innovative technology to give it a trial;
- Contributing to the AXMEDIS Framework gives you continuous access to the framework at reduced costs.

**Research institutions and technology providers** are interested in getting affiliated with AXMEDIS to:


- make visible and promote their algorithms and tools for content processing and modeling that can be somehow integrated into the AXFW. These tools may be provided as demonstrators with limited capabilities;
- exploit the AXMEDIS Framework to make business with it for the reasons reported in the above list;
- add new content models and new DRM models and make them interoperable with MPEG-21 and others already in place on AXMEDIS;
- test new algorithms and tools with respect to the state of the art solutions, in a very easy and cheap manner;
- access at low cost the AXMEDIS framework by means of which several different configurations and solutions may be built to cover the needs of the value chain actors and tested with low effort;
- access tools based on MPEG-21 standard;
- collaborate with very relevant and well known research institution and companies of the areas;
- etc.

The present **status of the AXMEDIS Framework** can be obtained from the AXMEDIS project coordinator.

Demonstrations of the AXMEDIS tools and framework are provided at AXMEDIS conferences and in other occasions listed on the AXMEDIS Portal. The AXMEDIS Framework can be accessed by Affiliated Partners. The Affiliation to AXMEDIS may be performed by subscribing an Affiliation Agreement with an AXMEDIS Contractor.

## AXMEDIS CONTENT PRODUCTION

The Content Production area of AXMEDIS is mainly focussed on what it is called AXMEDIS Factory automating: (i) the packaging containing the digital resources, (ii) adapting and transcoding, (iii) protecting content and producing corresponding Prot-Info, (iv) publishing and distributing the produced packages/objects towards distribution channels (Internal, satellite, P2P, mobiles, etc.), (v) producing licenses for the users, (vi) accessing to CMS, (vi) collecting information coming from DRM servers, etc.



### Content Object Production

- Existing contents (e.g., resources and metadata located in databases, CMSs, file systems) are crawled and collected using automated processes and rules (e.g., Crawler, rule editing);
- Crawled contents or new contents can be inserted into the AXMEDIS Databases;
- Content can be automatically packaged in AXMEDIS model (e.g., in MPEG-21, OMA, ISO media);
- Content production and elements (metadata, resources, protection information and licenses) can be processed manually with authoring tools and editor or automatically produced with AXMEDIS Content Processing tools based on executable rules that can be hosted on single or massive GRID of computers;
- Authoring tools can be used to insert/revise metadata, define protection information, define DRM licenses models, to modify content or simply to view the objects;
- Various processing are offered (adaptation, transcoding, protection, etc.), either automatically or manually (using GUI editor);
- Components and digital resources can be glued together by means of SMIL, HTML, etc., presentation based templates and style that may be used to define the usage interface (format) of the whole object: karaoke, collection, menus, sliding presentation, buttons, live, animations, etc.;
- Results can be sorted in a database or on file systems or published in towards distributors or on the B2B P2P AXMEDIS network;
- They are now available on the AXMEDIS network, for further aggregation, distribution, etc., to be searched, modified, or shared;
- Queries and P2P allow retrieving and downloading content from other AXMEDIS Factories;
- Queries can be activated to automatically react to eventual changes in the sources, and thus to perform an automatic production and publishing updates;
- Queries can be performed on the basis of classification and identification metadata, but also on technical features, descriptors, licensing information (PAR), etc.;
- Once identified the objects or queries, they can be used as input parameters of processing rules for the GRID AXMEDIS Content Processing;
- All these activities can be governed by Workflow Management Tools for defining process production flow and information of the content factory and among different factories.

## AXMEDIS CONTENT PROCESSING CAPABILITIES

AXMEDIS framework and the AXMEDIS Content Processing (AXCP) GRID offers automated features and functionalities, supporting convenient scripting interface to enable automation and control with:


- **Content Ingestion and Gathering**
  - from Content Management Systems (CMS such as ORACLE, XML databases, Tamino, MySQL, MSSQL, HP DMP, ODBC, etc), file system, and protocols;
  - by processing resources and coupling them with metadata;
  - via Web Services, FTP, HTTP, WebDAV, SMB, Gopher, NNTP, and other models.
- **Content Storage and Retrieval** from/to
  - AXMEDIS database, MPEG-21 database;
  - other AXMEDIS content Factories by means of the AXMEDIS P2P tools (AXEPTool).
- **Content Processing:**
  - digital resources adaptation, extraction of descriptors, transcoding, synchronisation, metadata processing, estimation of fingerprint, watermarking, indexing, content summarization, etc.; for videos, images, documents, audio files, etc.;
  - metadata manipulation, mapping and adaptation: Dublin core, MPEG-7, etc.;
  - integration with OpenFlow and BizTalk Workflow Management systems.
- **Content Composition** for creation of content
  - components or objects by a combinations of raw assets such as text, images, audio, video, animation, metadata, descriptors, licenses, and other multimedia objects such as MPEG-4, HTML, SMIL, macromedia tool file, games, etc.;
  - as linear or hierarchical/nested combination of content components.
- **Content Packaging** such as
  - MPEG-21, with any digital resource inside, from other MPEG-21 to HTML, SMIL, groups of files and related resources;
  - OMA, Etc.
- **Content Presentation** and Interactive models such as:
  - SMIL, HTML, MPEG-4, etc.
- **Content Processing** such as
  - digital resources adaptation, extraction of descriptors, transcoding, synchronisation, estimation of fingerprint, watermarking, indexing, content summarization, etc.;
  - metadata manipulation, mapping and adaptation;
  - resource descriptors recognition for monitoring distribution channels.
- **Content Formatting**
  - structuring and styling content elements by means of SMIL based templates and applying style-sheets to define the usage interface (format, layout) of the whole collection of content elements and the interested content usage paradigms. For example, karaoke, collection browsing, selection menus, slide presentation, background window with live video, animated text, graphics etc.;
  - optimizing and defining style parameters for layout. For example automated best fit of images for a screen, optimizing the amount of text in the page using Genetic Algorithms, best time fitting, etc.
- **Content Protection**
  - protecting digital resources and objects with their complex structure;
  - creating Protection Information parameters, such as keys, or other features;
  - applying Protection Information model to content objects, segmenting digital resources, slicing objects, applying encryption, scrambling, compression, and many other algorithms;
  - posting specific protection information of a given AXMEDIS object to the AXMEDIS Certifier and Supervisor server;
  - tracking exploited rights and reporting actions performed to the content owner, distributors, collecting societies, etc.
- **Content Licensing**
  - generating license from license model and additional information, storing licenses, and posting to license server automatically;
  - supporting transcoding/translating licenses (MPEG-21 REL, OMA ODLR);
  - invoking verification algorithms about licenses and available rights to simulate the usage from the user site;

- o generation of potential available rights.
- **Content Publication and Distribution**
  - o supporting distribution towards multiple channels, for one or more: Internet, satellite, mobile, P2P distributions;
  - o producing, monitoring and editing programmes and schedules;
  - o controlling P2P network in download and publishing reducing the seeding time to zero;
  - o connecting other AXMEDIS Factories of content integrators, producers, and distributors.

## AXMEDIS CONTENT PROCESSING TOOLS

In order to exploit the features to process/manipulate content, resources, licenses, XML, presentation, WS, SMIL, databases, protection information, etc., the AXMEDIS Content Processing Area is supported by a set of tools:

- **AXMEDIS Rule Editor:** to produce, debug, test and validate the executable AXCP Rules that can be:
  - written with a simple **AXCP language for content production** which is an extension of Java script;
  - tested, debugged and validated on the AXMEDIS Rule Editor;
  - activated for content processing on any AXCP GRID Node or on a single computer;
  - used for B2B or B2C purpose;
  - used/parameterized for producing content on demand or to be integrated in your content factory;
  - activated from your Workflow Manager engine via web service;
  - activated by changes in remote objects and queries in the local database and on the P2P network.
- created as macros from AXMEDIS Editor and authoring tools;
- created to specify the internal behavior of AXMEDIS Cross media content
- **AXCP GRID:** a set of general purpose, office, industrial or specialized computers to execute AXCP Rules governed by the AXCP Rule Scheduler;
- **AXCP GRID Node:** a single general purpose, office, industrial or specialized computer of the AXCP GRID;
- **AXCP Scheduler** to manage AXCP rules of GRID nodes:
  - Scheduling them according to the content production and processing needs in terms of time and resources. Allocating tasks on the basis of Deadline Monotonic solution and optimizing with taboo Search solution (in progress);
  - Activating them as sporadic and periodic tasks, controlled by other tools and/or web services;
  - Monitoring progress of production processes and their status, etc.




The processing capabilities and functionalities reported in the previous section and that can be exploited from AXCP Tools and Rules can be simply expanded by means of realizing and/or installing a set of additional plug-ins. The AXMEDIS Plug-in technology is open.

## AXMEDIS EDITORS, THE AUTHORING TOOLS

AXMEDIS Editor is used for the manual production of AXMEDIS Objects, and allows creating and manipulating object features and their different aspects:

- **Structure and packaging**, to add, remove, move digital resources and metadata inside the AXMEDIS Object (hierarchy editor and viewer of the object), manipulation in terms of AXMEDIS elements and/or in terms of MPEG-21 standard;
- **Resource manipulation**, to use content processing plug-ins for generic and customizable resource manipulation (the same algorithms and tools used in the AXMEDIS Content Processing), so that it allow the test o AXMEDIS Content Processing algorithms;
- **Metadata editing and mapping**, allowing to edit/map the metadata (any XML format) related to digital resources and objects (metadata editor and viewer);
- **Visual editing**, allowing to define content usage paradigm (presentation level) organization of resources to present/layouting the digital content contained inside the AXMEDIS Object (visual and behavioral editor and viewer), saving in SMIL, as templates, HTML, etc.;
- **Behavioral editing**, to create Axmethods in JavaScript defining the content business intelligence and semantics, associated to actions and other events;
- **Protection editing**, allowing to specify/test protection algorithms to be used for the AXMEDIS Object protection, and thus to define the Protection Information (Protection Editor and Viewer);
- **DRM editing**, allowing to produce and verify licenses for end users and/or distributors of the AXMEDIS Object as well as the Potentially Available Rights, PAR, that could be acquired on objects shared in the P2P Network (DRM editor and viewer);
- **Workflow**, allowing editing and viewing the status and the work to be done on the AXMEDIS Objects involved in the workflow process (workflow editor and viewer).



Moreover, **AXMEDIS Editor**:

- allows to perform queries towards databases to look for content to produce AXMEDIS Objects integrating other AXMEDIS objects coming from AXMEDIS Databases, and from the AXMEDIS P2P network or even from other connected factory/legacy CMSs (Content Management Systems) in many formats;
- allows download/upload AXMEDIS Objects from/to the AXMEDIS Databases and file systems;

- can be controlled by the AXMEDIS workflow (OpenFlow and BizTalk) system to integrate manual operations on AXMEDIS objects inside the production process formalized with the workflow system;
- can be used to inspect automatically generated objects for their validation;
- can finalize/revise the production of automatically produced objects;
- can be used to create and test internal behavioral aspects of the AXMEDIS content;
- can test rules/script to be used as templates for the AXMEDIS Content Processing environment

## CONTENT ADAPTATION FACILITIES

AXMEDIS objects can be created to be distributed over heterogeneous networks and towards different kind of terminals, client tools/devices. Moreover, the people who will ultimately consume and interact with the content may have different behavior and preferences, and the best formats to provide them the best experience on their terminal could be different. Consequently, digital items may need to be adapted to fit any particular usage environment. This is the goal of AXMEDIS content adaptation tools which aim at achieving interoperable transparent access to (distributed) advanced multimedia content by shielding Users from network and terminal installation, management and implementation issues.


**Adaptation** may involve:

- transcoding of digital resources that means to change the format (for example, from TIF to GIF, from MPEG-4 to video, from a video to MPEG-4, from MPEG-4 video to a MPEG-2, from audio to symbolic music, from audio to MIDI, from audio in PCM to a ringtone format for mobiles, etc.), re-sampling, shrinking, stretching; In some cases, some features related to resolution, interactivity, are lost in the process in favor of having the content usable in another format. Typically the content is produced in a format that is transcoded scaling down its features and not the vice versa;
- manipulation of licenses, reduction of license scope, reduction of time or territorial information, transformation of format, translation of license (such as passing from ODRL to MPEG-21 REL), etc.;
- manipulation of metadata, metadata mapping, metadata reduction, translation of metadata, etc.

The **adaptation process** can be performed:

- during the content production (for digital resources, licenses and metadata) by exploiting functionalities accessible from the AXMEDIS Editors and/or for the AXMEDIS Content Processing tools
- directly on the player terminal/device (mainly for digital resources and metadata). In this case, ISO/IEC 21000 (MPEG-21) specified a set of normalized tools for the adaptation of digital content describing the usage environment of a digital item to command adaptation tools. Within the AXMEDIS players, MPEG-21 DIA usage environment descriptions are used to drive the adaptation tools considering:
  - Terminal capabilities (codec, formats, input-output, etc., supported by the terminal),
  - Network characteristics (for example, the minimum guaranteed bandwidth of a network),
  - User characteristics (presentation preferences, auditory or visual impairment etc.),
  - Natural environment characteristics (for example, the illumination characteristics that may affect the perceived display of visual information).

The conceptual architecture of the adaptation engine is shown below: a digital item is subject to adaptation thanks to dedicated plug-ins to produce the adapted digital item; the adaptation performed by the plug-ins is parameterized according to MPEG-21 DIA usage environment descriptions.




## CONTENT FINGERPRINT AND DESCRIPTORS EXTRACTION

Among the several content processing algorithms that can be applied in AXMEDIS, a large set can be classified as extractors or estimators of Fingerprint and/or Descriptors of content.

Content fingerprints and descriptors can be used in the AXMEDIS framework for different purposes:

- Classification and recognition of content and/or digital resources;
- Identification of a single piece of content/resource and thus for content certification;
- Authentication/verification of content integrity.



They can be of classified as:

- **High-level descriptors** to describe content with a set of high-level features independent on the format and content resolution. They are typically high level features immediately related with concepts understandable by humans, such as: rhythm and tonality for music, subject for text, etc. They can be very easily used as Descriptors by humans to make queries in the data bases, and thus to retrieve similar content;
- **Digital fingerprints** (or **perceptual hash values**). They can be compared with human fingerprints and may be used to identify a specific content and are robust against data transformation;

- **Low-level descriptors** to describe digital information at lower level and sometime these descriptors are not independent on the format and resolution, such as: energy for music, spectra for images, dynamic, duration, etc. Similar content may share similar low-level descriptors. In some cases, they are used at the basis to estimate high-level descriptors. They can be used for recognition of content as well;
- **Low-level fingerprints** to estimate a value from a specific digital resource, in many cases estimated with algorithms that do not take into account the content type, such as: cryptographic hash value that can be estimated for any digital file. They can be used for content and digital resource verification of consistency and authentication.

In AXMEDIS, Content Fingerprints and Descriptors can be:

- manually selected and estimated via the AXMEDIS Editors;
- automatically estimated and stored in the object metadata or other places by means of an AXMEDIS Content Processing Rule script. For example: during the acquisition/crawling of content from CMS, during content composition and/or formatting, during any content processing also included in the production on demand;
- estimated to verify integrity of content when the content is opened by an AXMEDIS Editor, or by an AXMEDIS Player, or processed by a AXMEDIS P2P tool such as AXEPTool or AXMEDIA, etc., that is any time that an AXMEDIS object is loaded into the AXOM core component of AXMEDIS Framework.



## AXCS CLIENT CLASSES

Please note that a set of JavaScript classes for AXCS has been implemented. These classes are not included in this manual for security reasons.

If you need additional information regarding the AXCS client classes please contact:

Ing. Ivan BRUNO, Ph. D

Distributed Systems and Internet Technology Lab

Department of Systems and Informatics

University of Florence

Via S. Marta 3 - 50139 Florence, Italy

Tel. 0554796567 Cell. +393497891166

[ivanb@dsi.unifi.it](mailto:ivanb@dsi.unifi.it)

## AXOM, AXMEDIS MODEL AND JAVASCRIPT CLASSES

The set of JavaScript Classes that wraps the main classes of the AXMEDIS Object Model includes the:

**AxmedisObject** - for managing an instance of the AXMEDIS Object

**AxInfo** - for managing the metadata of the AXInfo section.

**AxDublinCore** - for managing an instance of Dublin Core metadata section

**AxResource** - for managing digital resources embedded or to be embedded in the AXMEDIS object.

**AxMetadata** - for managing an instance of an AxMetadata object to cope with generic metadata

**ProtectionViewer** - for viewing the names and IDs of available protection tools

**Example** - Example of usage and scripts

### AXMEDISOBJECT

It is the mapping of an AXMEDIS Object in JavaScript. According to the specification of the AXMEDIS OBJECT MANAGER and Axmedis Data Model, it provides and wraps methods to:

- Create an empty AXMEDIS object with own AXOM by instantiating a new Axmedis Object.
- Create and fill an AXMEDIS object with own AXOM by loading content from an URL.
- Add/Remove an Element/Object to the AXMEDIS object. The addition of an element returns the new object reference inside the Axmedis Object.
- Get all Elements/Objects. It returns a Javascript array of Element/Objects.
- Add Resource, it adds a digital resource (audio, video, text, etc...) to a specific Element/Object. It returns the new resource object reference inside the Axmedis Object.
- Remove a Resource (audio, video, text, etc...) by using the object Resource reference.
- Get Resources. It returns a Javascript array of Resource objects.
- Add an AXInfo, Dublin Core or generic metadata object. It returns the new metadata object reference inside the Axmedis Object.
- Get the AXInfo, the Dublin Core metadata
- Remove any metadata object.

#### Exposed properties:

*string AXOID*

It provides the current axoid

*number childrenCount*

It represents the number of Children items

*string URI*

Where the object is located

*string contentID*

The content identifier

#### Exposed methods:

*AxmedisObject()*

Empty constructor for an empty AXMEDIS Object.

*AxmedisObject (string URI)*

Constructor with an URI parameter. The Axmedis Object is loaded by using the URI. It can specifies or a file system or a database location.

*AxmedisObject (string AXOID, int version, boolean lock, string AXDBLoadEndPoint, string AXDBUser, string AXDBPasswd, string AXDBLockUnloadEndpoint)*

Constructor with AXMEDIS Database parameters. The Axmedis Object is loaded by using the *AXOID*, the *version*. The *lock* flag when *true* allows locking the object. The *version* set to -1 allows retrieving the last version of the object.

*setAXOID(string axoid)*

It sets the axoid of the object.

*string getAXOID()*

It returns the current AXOID.

*addMetadata(AxInfo obj)*

It adds an AxInfo metadata objects AxInfo.

*addMetadata(AxDublinCore obj)*

It adds an AxDublinCore metadata.

*addMetadata(AxMetadata obj)*

It adds an AxMetadata object.

*array getGenericMetadata()*

It returns an array of generic metadata objects or null.

*AxDublinCore getDublinCore()*

It returns an AxDublinCore metadata object.

*AxInfo getAxInfo()*

It returns an AxInfo metadata object.

*removeMetadata (AxInfo obj)*

It removes an AxInfo metadata objects AxInfo.

*removeMetadata (AxDublinCore obj)*

It removes an AxDublinCore metadata.

*removeMetadata (AxMetadata obj)*

It removes a generic metadata object.

*addContent(AxResource res)*

It adds an AxResource content instance

*addContent(AxmedisObject res)*

It adds an AxmedisObject content instance

*addContent(Document res)*

It adds a Document coming from Searchbox tool transforming it in AxResource

*insertContent(AxResource res1, AxResource res2, boolean insertBefore)*

It inserts the *res1* before/after *res2* in the root AxmedisObject. The *insertBefore* flags allows inserting before (*true*) or after

*insertContent(AxmedisObject res1, AxResource res2, boolean insertBefore)*

It inserts the *res1* before/after *res2* in the root AxmedisObject. The *insertBefore* flags allows inserting before (*true*) or after

*insertContent(AxmedisObject res1, AxmedisObject res2, boolean insertBefore)*

It inserts the *res1* before/after *res2* in the root AxmedisObject. The *insertBefore* flags allows inserting before (*true*) or after

*insertContent(AxResource res1, AxmedisObject res2, boolean insertBefore)*

It inserts the *res1* before/after *res2* in the root AxmedisObject. The *insertBefore* flags allows inserting before (*true*) or after

*boolean moveContent(AxResource res1, AxmedisObject parentOfRes2, AxResource res2, boolean insertBefore)*

It moves the *res1* before/after *res2* whose AxmedisObject parent is specified by *parentOfRes2*. In a common list of resources the AxmedisObject parent is the root object and then the object itself. The *insertBefore* flags allows inserting before (*true*) or after

*array getContent()*

It returns an array of AxResource and AxmedisObject content or null

*removeContent(AxResource res)*

It deletes an existing AxResource content instance

*removeContent(AxmedisObject res)*

It deletes an existing AxmedisObject content instance

*boolean setProtectionInfo(string toolID, number order, array parameters)*

It allows setting the Protection Information Parameter according to the *toolID* (protection algorithm), the *order* of application of protection when multiple protection algorithms are applied and the *parameters* required by the algorithm. In the following table, details about available algorithm are shown:

| TOOLID | DESCRIPTION                                            | PARAMETERS (ITEMS OF ARRAY)         |
|--------|--------------------------------------------------------|-------------------------------------|
| 0003   | Performs encryption and decryption using Caesar cipher | int16 OFFSET                        |
| 0004   | Performs encryption and decryption using Blowfish      | 0. string KEY (key of dec/enc)      |
| 0005   | Performs encryption and decryption using AES           | 1. string IV (initilization vector) |
| 0006   | Performs encryption and decryption using 3DES          | 2. int16 KEYLENGTH                  |
| 0007   | Performs encryption and decryption using CAST-128      | 3. int16 IVLENGTH                   |

**Note:** using the toolId it is necessary to apply the URN prefix "urn:axmedis:ipmp:tool.id:" as shown below:

```
var obj = new AxmedisObject();
...
//Applying Cipher algortihm to obj
```

```
var params = new Array();
params[0] = 20; //offset
var order = 1;
var toolId = "urn:axmedis:ipmp:tool:id:0003"; //prefix and tool code
obj.setProtectionInfo(toolId,order,params);
```

Please refer to the Cryptlib manual for further implementation details. ([www.cryptlib.com](http://www.cryptlib.com)).

*save(string path)*

It saves the axmedis object onto filesystem

*boolean uploadToDB()*

It uploads the axmedis object into the default database specified into the configuration

*boolean uploadToDB(string saverEndPoint, string user, string passwd,  
boolean usingftp, string externalurl, string fileName, string internalurl, string lockEndPoint)*

It uploads the axmedis object into a specified AXMEDIS database with a specified *fileName*

*obtainDefinitiveAXOID(string AXCSObjRegEndpoint, string AXCSObjRegUsr, string AXCSObjRegPsw)*

The AXMEDIS Object is univocally defined by asking for a Definitive AXOID to the AXCS. AXCS to be used is defined by the location of server (*AXCSObjRegEndpoint*), an authorised username (*AXCSObjRegUsr*) and password (*AXCSObjRegPsw*)

*boolean registerToAXCS(string AXCSObjRegEndpoint, string AXCSObjRegUsr, string AXCSObjRegPsw)*

The AXMEDIS Object is registered to AXCS by defining the location of server (*AXCSOBJEREGENDPOINT*), an authorised username (*AXCSObjRegUsr*) and password (*AXCSObjRegPsw*)

*dispose()*

The AXMEDIS Object is closed and destroyed to release memory. Only root objects are disposable.

## AXINFO

It maps and allows managing the metadata of the AXINFO in JavaScript. This class manages the access to individual elements and fields in AXINFO metadata, this class maps all the functionalities provided by AxInfo class exposing setter and getter methods for accessing to data. It allows to manage:

- ObjectCreator information
- Owner information
- Distributor information
- Object Status information
- PromoOf information
- Workflow information
- Fingerprints information
- PAR information

### Exposed properties

*//Contributor*

*number objectContributorCount*

the number of ObjectContributor present

//Owner section

*string ownerID*

the code identifying the owner

*string ownerIDCoding*

coding used to identify the owner

*string ownerName*

the name of the owner

*string ownerURL*

URL of the owner

*string ownerCompany*

company of the owner

*string ownerCompanyUrl*

company URL of the owner

*string ownerNationality*

nationality of the owner

// Distributor section

*number distributorCount*

number of Distributors present

// Object Status section

*string objectAccessMode*

the access mode: "READ\_ONLY" or "READ\_WRITE" string.

*Date objectCreationDate*

the local date and time of object creation

*Date objectLastModificationDate*

the local date and time of object modification

*number objectVersion*

version of the object

*number objectRevision*

revision of the object

*string objectStatus*

current status of the object

*string objectType*

object type ("BASIC" or "COMPOSITE")

*string objectProtectionStamp*

the protection stamp

```
// PromoOf section
number promoOfAXOIDCount
count of AXOID in the PromoOf section

// Workflow section
string workflowItemID
WorkflowWorkItemID

string workflowWorkspaceInstanceID
WorkflowWorkspaceInstanceID

// Internal PAR
boolean hasInternalPAR
how many Internal PAR sections are present (0 or 1)

string internalPARStatus
the internal PAR status
// PAR section
boolean hasPAR
how many PAR sections are present (0 or 1)

string PARStatus
the PAR status

string PARLicensingURL
the licensing URL

// Status section
boolean isProtected
if the object is protected or not. True means protected.

boolean isGoverned
if the object contains a licence or not.
```

## Exposed methods

*AxInfo()*

Empty constructor

*AxInfo(AxInfo info)*

Copy constructor. It create a copy of info object

ObjectContributor Management

*number addObjectContributor(number pos)*

Adds a new ObjectContributor in the position given (starting from 0), position -1 means to add at the end. The return value indicates the position in which it is added.

*removeObjectContributor (number pos)*

Removes an ObjectContributor from the position specified

*number getObjectContributorCount()*

Returns the number of ObjectContributor present

*number findObjectContributorByAXCID(string axcid)*

Returns the position of an ObjectContributor with a specific AXCID. It returns -1 if not found.

*number findObjectContributorByName(string nam)*

Returns the position of an ObjectContributor with a specific Name. It returns -1 if not found.

*string getObjectContributorAXCID(number refNum)*

allow getting the AXCID value for an ObjectContributor identified by position refNum

*setObjectContributorAXCID(number refNum, string axcid)*

allow setting the the AXCID value for an ObjectContributor identified by position refNum

*string getObjectContributorName(number refNum)*

allow getting the Name value for an ObjectContributor identified by position refNum

*setObjectContributorName(number refNum, string name)*

allow setting the Name value for an ObjectContributor identified by position refNum

*string getObjectContributorURL(number refNum)*

allow getting the URL value for an ObjectContributor identified by position refNum

*setObjectContributorURL(number refNum, string URL)*

allow setting the URL value for an ObjectContributor identified by position refNum

*string getObjectContributorCompany(number refNum)*

allow getting the Company value for an ObjectContributor identified by position refNum

*setObjectContributorCompany(number refNum, string company)*

allow setting the Company value for an ObjectContributor identified by position refNum

*string getObjectContributorCompanyURL (number refNum)*

allow getting the CompanyURL value for an ObjectContributor identified by position refNum

*setObjectContributorCompanyURL(number refNum, string URL)*

allow setting the CompanyURL value for an ObjectContributor identified by position refNum

*string getObjectContributorNationality(number refNum)*

allow to get and set the Nationality value for an ObjectContributor identified by position refNum

*setObjectContributorNationality(number refNum, string nationality)*

allow setting the Nationality value for an ObjectContributor identified by position refNum

Owner Management

*string getOwnerID()*

allow getting the code identifying the owner

*setOwnerID(string value)*

allow setting the code identifying the owner

*string getOwnerIDCoding()*

allow getting the coding used to identify the owner

*setOwnerIDCoding(string value)*

allow setting the coding used to identify the owner

*string getOwnerName()*

allow getting the name of the owner

*setOwnerName(string value)*

allow setting the name of the owner

*string getOwnerURL()*

allow getting the URL of the owner

*setOwnerURL(string value)*

allow setting the URL of the owner

*string getOwnerCompany()*

allow getting the company of the owner

*setOwnerCompany(string value)*

allow setting the company of the owner

*string getOwnerCompanyURL()*

allow getting the company URL of the owner

*setOwnerCompanyURL(string value)*

allow setting the company URL of the owner

*string getOwnerNationality()*

allow getting the nationality of the owner

*setOwnerNationality(string value)*

allow setting the nationality of the owner

*number addOwnerDescription(number pos)*

adds a new description of the owner at the position specified or at the end if position is -1. The return value indicates the position where it is added.

*removeOwnerDescription(number pos)*

removes the description specified

*string getOwnerDescription(number pos)*

allow getting the value of the description

*setOwnerDescription(number pos, string description)*

allow setting the value of the description

*string getOwnerDescriptionLanguage(number pos)*

allow getting the value of the description language

*setOwnerDescriptionLanguage(number pos, string description)*

allow setting the value of the description language

Distributor Management

*addDistributor()*

adds a Distributor if not present.

*removeDistributor()*

removes the Distributor

*number getDistributorCount()*

returns the number of Distributors present

*string getDistributorAXDID()*

allow getting the AXDID value for the Distributor

*setDistributorAXDID(string value)*

allow setting the AXDID value for the Distributor

*string getDistributorName()*

allow setting the Name value for the Distributor

*setDistributorName(string value)*

allow getting the Name value for the Distributor

*string getDistributorURL()*

allow getting the URL value for the Distributor

*setDistributorURL(string value)*

allow setting the URL value for the Distributor

*string getDistributorNationality()*

allow getting the Nationality value for the Distributor

*setDistributorNationality(string value)*

allow setting the Nationality value for the Distributor

Object Status

*string getAccessMode()*

it returns the access mode: "READ\_ONLY" or "READ\_WRITE" string.

*setAccessMode(string value)*

allow setting the Access the object specifying strings "READ\_ONLY" or "READ\_WRITE"

*Date getCreationDate()*

get the local date and time of object creation

*Date getLastModificationDate()*

get the local date and time of object modification

*number getVersion()*

get the version of the object

*number getRevision()*

get the revision of the object

*string getObjectStatus()*

allow getting current status of the object, the status values are factory dependent and set by the workflow therefore cannot be defined a priori.

*setObjectStatus(string value)*

allow setting the current status of the object, the status values are factory dependent and set by the workflow therefore cannot be defined a priori.

*string getObjectType()*

allow to get object type ("BASIC" or "COMPOSITE")

*boolean getObjectIsProtected()*

allows getting if the object is protected or not. True means protected.

*setObjectIsProtected(Boolean value)*

allows to get and set if the object is protected or not

*string getProtectionStamp()*

allows getting the protection stamp

*setProtectionStamp(string value)*

allows setting the protection stamp

*boolean getObjectIsGoverned()*

allow getting if the object contains a licence or not. The license is not stored in the axinfo, the setter should be used to update the axinfo when the licence is added/removed from the object

*setObjectIsGoverned(in value:bool)*

allow setting if the object contains a licence or not. The license is not stored in the axinfo, the setter should be used to update the axinfo when the licence is added/removed from the object

Object Creator Management

*string getObjectCreatorAXCID()*

allow getting the AXCID value for the ObjectCreator

*setObjectCreatorAXCID(string val)*

allow setting the AXCID value for the ObjectCreator

*string getObjectCreatorName()*

allow getting the Name value for the ObjectCreator

*setObjectCreatorName(string name)*

allow setting the Name value for the ObjectCreator

*string getObjectCreatorURL()*

allow getting the URL value for the ObjectCreator

*setObjectCreatorURL(string url)*

allow setting the URL value for the ObjectCreator

*string getObjectCreatorCompany()*

allow getting the Company value for the ObjectCreator

*setObjectCreatorCompany(string company)*

allow setting the Company value for the ObjectCreator

*string getObjectCreatorCompanyURL()*

allow getting the CompanyURL value for the ObjectCreator

*setObjectCreatorCompanyURL(string URL)*

allow setting the CompanyURL value for the ObjectCreator

*string getObjectCreatorNationality()*

allow getting the the Nationality value for the ObjectCreator

*setObjectCreatorNationality(string nationality)*

allow setting the Nationality value for the ObjectCreator

PromoOf Management

*addPromoOfAXOID(string axoid, number position)*

adds a new AXOID in the PromoOf section, the position indicates where to put the AXOID, -1 means at the end

*removePromoOfAXOID(number position)*

removes the AXOID in the position specified

*number getPromoOfAXOIDCount()*

get the count of AXOID in the PromoOf section

*string getPromoOfAXOID(number position)*

allow getting the AXOID in a specified position

*setPromoOfAXOID(number position, string value)*

allow setting the AXOID in a specified position

#### Workflow Status

*string getWorkflowWorkItemID()*

allow getting the WorkflowWorkItemID

*setWorkflowWorkItemID (string value)*

allow setting the WorkflowWorkItemID

*string getWorkflowWorkspaceInstanceID()*

allow getting the WorkflowWorkspaceInstanceID

*setWorkflowWorkspaceInstanceID (string value)*

allow setting the WorkflowWorkspaceInstanceID

#### Internal Potential Available Rights Management

*addInternalPotentialAvailableRights()*

adds a new Internal PAR section

*removeInternalPotentialAvailableRights()*

removes the Internal PAR section

*getInternalPotentialAvailableRightsCount()*

gets how many Internal PAR sections are present (0 or 1)

*string getInternalPotentialAvailableRightsStatus()*

allow getting the internal PAR status

*setInternalPotentialAvailableRightsStatus(string value)*

allow setting the internal PAR status

*License getInternalPotentialAvailableRightsLicense()*

gets the license

Potential Available Rights Management

*addPotentialAvailableRights()*

adds a new PAR section if not present

*removePotentialAvailableRights()*

removes the PAR section

*getPotentialAvailableRightsCount()*

gets how many PAR sections are present (0 or 1)

*string getPotentialAvailableRightsLicensingURL()*

allow getting the licensing URL

*setPotentialAvailableRightsLicensingURL (string value)*

allow setting the licensing URL

*string getPotentialAvailableRightsStatus()*

allow getting the PAR status

*setPotentialAvailableRightsStatus(string value)*

allow setting the PAR status

*License getPotentialAvailableRightsLicense()*

gets the license

Object History Management

*string getHistoryOfVersion(number version)*

gets the history of a version as an XML string

## AXRESOURCE

The class models the AxResource type of the Axmedis Framework, it is used to store digital resource (audio, video, image, text, etc...) both raw data and Axmedis digital component.

This class wraps the AxResource class and provides functionalities exposing setter and getter methods to:

- access to the mime type
- access to the byte stream of the resource
- create a new resource and to embed a file or a reference inside a resource object

### Exposed attributes

*string mimeType*

The MimeType associated with the extension of digital resource

*string ref*

reference

*string contentID*

content identifier

*string encoding*

encoding type

*string localPath*

resource identifier

### Exposed methods

*AxResource ()*

Default constructor

*load (string path)*

It loads a Raw Resource from filesystem

*save (string path)*

It saves a Raw Resource onto filesystem

## AXDUBLINCORE

The class models the AxDublinCore type of the Axmedis Framework, it is used to store metadata in Dublin Core format.

This class provides functionalities exposing setter and getter methods to:

- retrieve the description of metadata
- to store the metadata
- to get the number of elements
- to remove an element

## Exposed properties

*string metadataID*

## Exposed methods

*addDCElement(string type, string value, string language)*

Add a new element specifying type, value and language

*addDCElement(string type, string value)*

Add a new element specifying type, value. The language has an empty value

*removeDCElement(string type, number refNum)*

Delete an element specifying type and reference number.

*string getDCElementValue(string type, number refNum)*

Return an element specifying type and reference number.

*string getDCElementValue(string type)*

Return an element specifying type. The reference number is 0

*setDCElementValue(string type, number refNum, string value)*

Modify the element specifying type, reference number and value

*string getDCElementLanguage(string type, number refNum)*

Return the language of the element specifying type and reference number.

*string getDCElementLanguage(string type)*

Return the language of the element specifying type. The reference number is 0

*setDCElementLanguage(string type, number refNum, string language)*

Modify the language of element specifying type, reference number and language

*number getDCElementCount(string type)*

Return the number of elements specifying type.

## AXMETADATA

The class models the AxMetadata type of the Axmedis Framework, it is used to store metadata in XML format.

This class provides functionalities exposing setter and getter methods to:

- retrieve the XML description of metadata
- store the XML of metadata

**Exposed properties***string namespace*

The used namespace in the XML description. It is a readonly attribute.

**Exposed methods***AxMetadata ()*

Empty constructor

*AxMetadata (string xml)*

Constructor with parameter. It builds an object storing the XML passed as a string

*addXML (string xml)*

It stores an XML description of metadata passed as a string

*string getXML ()*

It returns the string with XML of the metadata description

*string getMetadataID ()*

It returns the string with the ID of metadata

*setMetadataID (string id)*

It sets the ID of metadata

**PROTECTIONVIEWER**

This class models the ProtectionViewer type and provides information about available protection tools, e.g tool names and IDs.

**Exposed methods***string getToolNames (void)*

This method returns the names of available protection tools.

*string getToolIDs(void)*

This method returns the IDs of available protection tools.

**EXAMPLES OF USAGE**

```
// Function for creating the Dublin Core information
function createDC(obj,title)
{
  dc = obj.getDublinCore();
  dc.addDCElement("creator","AXCP Rule Editor");
  dc.addDCElement("title",title);
  dc.addDCElement("type","conversion to "+format);
  dc.addDCElement("description","Testing JSScript with resized and converted images");
}
function adaptAxImages(axobj,height,width,mimeType)
{
  print("Creating adapted image");
  var h1 = new Array(1);
  var w1 = new Array(1);
```

```

h1[0]=0;
w1[0]=0;
var resource = axobj.getContent();
var i = 0;
for (i in resource)
{
var res = resource[i];
val = resource[i].mimeType.search("image");
if(val==0)
{
ImageProcessing.GetInfo(resource[i],h1,w1);
print("Original resource size is "+h1[0]+"x"+w1[0]);
print("Resizing the resource at "+height+"x"+width);
ImageProcessing.Resize(resource[i],height,width,false,resource[i]);
ImageProcessing.GetInfo(resource[i],h1,w1);
print("New resource size is "+h1[0]+"x"+w1[0]);
if(resource[i].mimeType != format)
{
print("Converting the resource in "+format);
ImageProcessing.Conversion(resource[i],mimeType,resource[i]);
}
}
}
}
function cloneAxmedisObject(sourceObj,targetObj)
{
var metadata = sourceObj.getGenericMetadata();
if(metadata!=null)
{
for(j in metadata)
targetObj.addMetadata(metadata[j]);
}
targetObj.addMetadata(sourceObj.getAxInfo());
var resources = sourceObj.getContent();
if(resources!=null)
{
for(k in resources)
targetObj.addContent(resources[k]);
}
}
// Function for creating the Axmedis Object by composing and converting
resources
function test()
{
var imgFormat = getMimeType(format);
selection.resolveQuery("test","test",0);
var documentList = selection.getAXDBResult();

for (i in documentList)
{
uri ="axdb://" +documentList[i];
var axmedisObject = new AxmedisObject(uri);
var dublicore = axmedisObject.getDublinCore();

```

```
var title = dublinCore.getDCElementValue("title")+ "_Resized";
var newObj = new AxmedisObject();
cloneAxmedisObject(axmedisObject, newObj);
createDC(newObj, title);
adaptAxImages(newObj, h, w, imgFormat);
print("Storing Object on disk");
newObj.save(resourcePath+title+".axm");
}
return true;
}
//Entry point of the script
test();
```



## AXCP PROCESS JAVASCRIPT CLASS

This class allows invoking AXCP rules in the AXCP Grid by a running AXCP rule. The class could be use to design parallel computing by using different AXCP rules and combining them.

The class was design to work in two modality: asynchronously and synchronously.

In the asynchronous mode, the caller-axcp rule is not blocked and can continue to execute the script, in the synchronous mode the caller-rule waits for the end. In both cases, the caller will receive back the notification with the return values or possible execution errors. When asynchronous mode is selected the programmer has to write a polling procedure to test the status of the process and then understand if the rule is terminated or not.

List of classes and link to internal sections

### AXCP Process

#### Example of usage

## AXCPPROCESS

This class allows invoking AXCP rules in the AXCP Grid by a running AXCP rule.

### Exposed properties:

*string AXRID*

This is the rule id of the axcp rule to be invoked

*string Status*

The status of the executionof the axcp rule

*string Credentials*

The user credentials needed to invoke the rule in the Grid

*string EndPointUrl*

The url of the machine that is waiting for the notification by the Grid

*integer Mode*

Specify the modality: 0 (Asynch) or 1 (Synch)

*string GridUrl*

The url of the AXCP Scheduler/Grid

### Exposed methods:

*AXCPProcess(string url, string credentials)*

Constructor of the class. The url is the IP address of the AXCP Grid and credentials are the user/tool identifier registered in the AXCP Grid.

*boolean run(array pid)*

Method to put in execution the rule on Grid. It returns *true* if the call on grid was sent successfully and return in *pid[0]* the pid of the AXCP Process.It returns *false* if the call fails and with *getLastError* method the programmer can access to the error.

*boolean create(string axrid, array args, string time, integer mode)*

Method to create and initialize an AXCP Process.

- \* axrid is the rule id of the AXCP rule to invoke.
- \* args is the array containing the arguments of the rule.
- \* time is the xml string containing the schedule of the rule. If it is an empty string the rule will be execute as soon as possible.
- \* mode specifies the modality: 0 (Asynch) or 1 (Synch)

It returns false if something goes wrong during the creation: i.e. the rule is not available on the Grid or the scheduler is down, etc...

#### *integer wait()*

The call puts in wait status the execution of the caller-rule. It returns 0 if the process failed or 1 in event of success. The value is returned when the Grid has terminated the execution of the rule.

#### *string getLastError()*

Method to access to the last occurred error.

#### *string getReturnValue()*

Method to get the return value provided by the AXCP Process.

### Examples of usage

This script shows steps to create and put in execution an AXCP Rule in the Grid. The AXCP process is synchronous and the wait is invoked to block the script and stay in waiting status until the AXCP ends the execution.

#### Definition of a schedule

```
var startDate = "2007-12-06"; //ISO format for date and time
var startTime = "12:27:08";
var expirationDate = "2008-01-06";
var expirationTime = "12:27:08";
var periodUnit = "Hour"; //{Minute, Hour, Day, Week, Month, Year}
var periodicity = 2; // an integer
var schedule =
<Schedule><Run><Date>{startDate}</Date><Time>{startTime}</Time><Periodicity
Unit={periodUnit}>{periodicity}</Periodicity><Expiration_Date>{expirationDate}</
Expiration_Date><Expiration_Time>{expirationTime}</Expiration_Time></Run><Status
>Active</Status></Schedule>;
```

#### Example of a script

```
//Entry point of the script
var axrid = "axcprule:94ca8f4c-c788-4bb0-a3a1-7d59fb133be8";
var uri = "127.0.0.1:9000";
var credentials = "admin";
var axcp = new AXCPProcess(uri,credentials);
var args = new Array(); //An empty array for rule without parameters
/* If rule has n parameters
args[0]=...;
args[1]=...;
...
args[n]=...; */
var time = schedule.toString(); // time="" means ask to the Grid for running as
soon as possible.
```

```
var mode = 0; //synchronous mode
//Creation of the process
var r = axcp.create(axrid,args,time,mode);
var pid = new Array();
axcp.run(pid);
//Blocking call for synchronous AXCP Process
var code = axcp.wait();
if(code)
    print(axcp.getReturnValue());
else
    print(axcp.getLastError());
```



## NETWORK

Javascript connection classes are a set of classes that provide the communication support to the AXCP Engine by modeling in terms of primitive functionalities the network and database access. They consist in:

**Form** - The class models a simple form of a http web page

**HttpConnection** - The class models the http connection by providing primitive methods for accessing and retrieving information by means the http protocol

**FtpConnection** - The class models the http connection by providing primitive methods for accessing and retrieving information by means the http protocol

**OdbcConnection** - The class models the http connection by providing primitive methods for accessing and retrieving information by means the http protocol

**WebServiceConnection** - The class models a meta class for managing web services by loading WSDL description and dynamically creating services (methods).

**Mail** - Class for managing emails.

**Dns** - Class for managing DNS stuff.

**Example** - Example of usage and scripts

## FORM

This class models a form.

### Exposed Properties

*string formName*

It is the name of the form

*string formType*

It is the type of form

*string formValue*

It is the value of form to post

### Exposed methods

No methods

## HTTPCONNECTION

The class provides the support to the http connection.

### Exposed methods

*HttpConnection()*

Create a new empty HttpConnection object

*string getResultMsg()*

Return the last Result Message: an Exit Succes is returned otherwise the message string provides the type of fault.

*string getContent()*

Return the html page as string

*boolean setLogin(string username, string password)*

Set the account parameter for login

*boolean getLogin()*

Get the status of Login parameters, it returns true if they are set, false otherwise.

*boolean clearLogin()*

Reset the account parameters for login

*boolean setPort(string port)*

set a Port at the port number value

*boolean clearPort()*

Clear the port number resuming the default port.

*boolean getToString(string url)*

Get function, copy content at the specified url to a String. It is used in conjunction with getContent().

*boolean getToFile(string url, string filePath)*

Get function, copy content at the specified url to a File at filePath

*boolean putFromFile(string url, string filePath)*

Put function, put a content From a File at filePath to a specified url

*boolean putFromString (string url, string buffer)*

Put function, put content From a String buffer to a specified url

*boolean post(string url, array jsform)*

Post at the specified url the array of JSForm data It allows performing the POST http command to the specified Url. We suppose to use this command to send to the server contents of some form-fields inside a html page. Before using this command it is necessary to create an array of JSForm object to use with the POST command..

## FTPCONNECTION

The class provides the support to the Ftp connection.

### Exposed methods

*FtpConnection ()*

Create a new empty FtpConnection object

*string getResultMsg()*

Return the last Result Message: an Exit Succes is returned otherwise the message string provides the type of fault.

*string getContent()*

Return the content as string

*setLogin(string username, string password)*

Set the account parameter for login

*boolean getLogin()*

Get the status of Login parameters, it returns true if they are set, false otherwise.

*clearLogin()*

Reset the account parameters for login

*setPort(string port)*

set a Port at the port number value

*clearPort()*

Clear the port number resuming the default port.

*download(string Url,string FilePath)*

It performs the download of a file. The location of file is provided by the Url parameter, the file is stored on file system at the FilePath location.

*upload(string Url,string FilePath)*

It allows uploading a file from the FilePath location on own file system into a Url of the ftp server.

## ODBCCONNECTION

The class provides the support to an Odbc based connection

### Exposed methods

*OdbcConnection()*

Create a new empty OdbcConnection object

*setOdbcConnection(string OdbcSource, string UserName, string PassWord)*

It allows setting the connection parameters. It has to be called before opening a Database connection.

*openDbConnection()*

It opens a Database connection after the call of setDbConnection.

*boolean execQuery(string query)*

It allows making a SQL query. when it returns *true* results are provided in an internal table and can be retrieved by calling the access methods: *nextRow* and *getRow*

*boolean nextRow()*

It allows browsing the table of results row by row. It set the internal pointer to the current row. It returns *true* when the next row is available, *false* otherwise

*Array getRow()*

It allows retrieving content from the last pointed row. Values are returned in a array of string. The length of the array depends on the number of column of the table.

*string getErrorMsg()*

It returns the last error message.

*closeDbConnection()*

It closes the Database connection..

## WEBSERVICECONNECTION

Class name in Javascript is WebServiceConnection

### Exposed Propertie

*wsdlURI*

It is the URI used to load the WSDL

### Exposed methods

*WebServiceConnection(string URI)*

Costructor method loads the WSDL specified by the URI string input parameter.

All other methods are defined dynamically according to the loaded WSDL,

All input parameters are string.

## MAIL

This class allows to send emails in HTML format with multi attachments (SMTP)

### Exposed properties:

*string server*

The SMTP mail server.

*string to*

The mail to recipient(s).

*string from*

The mail sender.

*string fromName*

The mail sender name.

*string cc*

The mail cc recipient(s).

*string ccn*

The mail ccn recipient(s).

*boolean notification*

The mail read receipt.

*string text*

The mail text.

*string attachment*

The mail attachment(s) pathfile(s).

*string subject*

The mail subject.

*string error*

The mail server response error.

*string contentType*

The mail attachment contentType.

*string port*

The SMTP port.

*int sleep*

The sleep time to wait before closing the socket with the mailserver in milliseconds (default 1000).

### **Exposed methods:**

*boolean setServer(string mailServer)*

Sets the mail server.

*string getServer()*

Gets the mail server.

*string setTo(string to)*

Sets the mail recipient(s) (separated by blank spaces).

*string getTo()*

Gets the mail recipient(s).

*string setFrom(string from)*

Sets the mail sender.

*string getFrom()*

Gets the mail sender.

*string setFromName(string name)*

Sets the mail sender name.

*string getFromName()*

Gets the mail sender name.

*string setReadReceipt(boolean notification)*

Sets the mail read receipt.

*boolean getReadReceipt()*

Gets the mail read receipt.

*string setCc(string cc)*

Sets the mail Cc(s) (separated by blank spaces).

*string getCc()*

Gets the mail Cc(s).

*string setCcn(string ccn)*

Sets the mail Ccn(s) (separated by blank spaces).

*string getCcn()*

Gets the mail Ccn(s).

*string setText(string text)*

Sets the mail text.

*string getText()*

Gets the mail text.

*string setAttachment(string attachment)*

Sets the mail attachment pathfile(s) (each path file can't contain blank spaces).

*string getAttachment()*

Gets the mail attachment(s) pathfile(s).

*string setSubject(string subject)*

Sets the mail subject.

*string getSubject()*

Gets the mail subject.

*string setImage(string pathfile)*

Embed an image in the mail where the content-id is the file name.

*string getError()*

Gets the mail server response error.

*boolean encode64(string pathfile)*

Encode an attachment (pathfile) in base64.

*boolean setContentType(string content)*

Sets the attachment content type.

*boolean getContentType(string content)*

Gets the attachment content type.

*boolean setSleep(int sleep)*

Sets the sleep time.

*boolean getSleep()*

Gets the sleep time.

*boolean send()*

Sends the mail (mail server, sender, recipient and text are required).

## DNS

The class provides the support to DNS stuff.

### Exposed methods:

*string dnsLookup(string hostname)*

Performs the DNS lookup on a domain name.

*string reverseDnsLookup(string ip)*

Performs the reverse DNS lookup on ip.

*Array getMxRecord(string hostname)*

Gets the MX records list from a domain name.

*Array getNameServer(string hostname)*

Gets the authoritative name servers from a domain name.

*string getPublicIP()*

Gets the public ip.

*string geoIP()*

Gets the country of an ip.

## EXAMPLES OF USAGE

```
var ftp = new FtpConnection();
ftp.setLogin (UserName, Password);
ftp.download (URL, DestinationPath);
print(ftp.getResultMsg());
var http = new HttpConnection();
var content = new String();
http.setPort(80);
http.getToString(URL);
content = http.getContent();
print(content);
var http = new HttpConnection();
var formArray = new Array(2);
var content = new String();
formArray[0] = new Form("FormName", "FormType", "FormValue");
formArray[1] = new Form("FormName", "FormType", "FormValue");
http.post(URL, formArray);
content = http.getContent();
print(http.getContent());
var webDav = new WebDavConnection();
webDav.mkCol(URL);
content = webDav.getContent();
print(content);
```

```

var odbc = new OdbcConnection();
var RowArray = new Array(3) ;
odbc.setOdbcConnection(DbName, UserName, Password);
odbc.openDbConnection();
odbc.executeQuery(QUERY) ;
RowArray[0] = odbc.getRow();
odbc.nextRow();
RowArray[1] = odbc.getRow();
print(odbc.getErrorMsg());
odbc.closeDbConnection();
var Array = new Array();
var WebService = new WebServiceConnection(URL);
Array = WebService.generateAxoid("mario ", "xxxxx", "Pluto");

```

---

```

var mail = new Mail();
var notification = true;
mail.setServer("mailserver.axmedis.org"); // set mail server (required)
mail.setTo("user1@axmedis.org user2@axmedis.org user3@axmedis.org"); // set mail
recipient(s) separated by a blank space (required)
mail.setFrom("axcp@axmedis.org"); // set mail sender (required)
mail.setReadReceipt(notification); // set mail read receipt (optional)
mail.setCc("user@axmedis.org"); // set mail Cc(s) separated by a blank space
(optional)
mail.setCcn("user@axmedis.org"); // set mail Ccn(s) separated by a blank space
(optional)
mail.setSubject("subject"); // set mail subject (optional)
mail.setText("mail"); // set mail text (required)
mail.setImage("D:/signature.jpg"); //set an embedded image in the mail
mail.setAttachment("C:/file1.txt C:/file2.txt C:/file3.txt"); // set mail
attachment(s) separated by a blank space (optional)
mail.send();
var encoded = mail.encode64("C:/file.txt");

```

---

```

var dns = new Dns();
print(dns.dnsLookup("axmedis.org"));
print(dns.getPublicIP());
print(dns.reverseDnsLookup("150.210.15.1"));
print(dns.getMxRecord("axmedis.org"));
print(dns.getNameServer("axmedis.org"));
print(dns.geoIP("axmedis.org"));

```

---

## SEARCHBOX JAVASCRIPT CLASSES

The searchbox bridge provides the following set of JavaScript classes:

**AXSearchbox** - The main object for accessing searchbox.

**Document** - Used to handle documents as opaque objects.

**MetadataValue** - Used to hold metadata.

**QueryParser** - Used to specify the query string parser to use.

**QueryInfo** - Used to specify the information returned as result of a query.

**QueryView** - Used to restrict the set of documents returned as result of a query.

**QueryAtomType** - Used to specify the type of a QueryAtom.

**QueryAtom** - Used to build a query in RPN notation.

**QuerySliceWeight** - Used to specify slice weights.

**QuerySpec** - Used to submit a query.

**QueryResult** - Used to return information on a query result

**Example** - Example of usage and scripts

### AXSEARCHBOX

The main object for accessing searchbox.

#### Exposed Properties:

*host [string]*

Host where searchbox server is running.

*port [string]*

Port where searchbox server is listening.

*username [string]*

Username for authentication.

*password [string]*

Password for authentication.

#### Exposed Methods:

*integer query(in QuerySpec query, out QueryResults[] results)*

Performs the query specified by query and returns matching documents into results. The maximum number of results is returned.

*string addDocument(in integer arcid, in string url, in Document doc)*

Adds a document to the specified arcid. The URL of the document is specified in url and the document in doc. The ID of the document is returned. The caller must have write access rights for the archive where the document is stored.

*void removeDocument(in string docid)*

Removes a document from the archive it belongs. The ID of the document is specified in docid. The caller must have write access rights for the archive where the document is stored.

*Document getDocument(in string docid)*

Returns the cached copy of the page with specified docid. The document is returned. The caller must have read access rights for the archive where the document is stored.

*string getDocumentFFF(in string docid)*

Returns the FFF representation of the page with specified docid. The FFF XML is returned. The caller must have read access rights for the archive where the document is stored.

*DocumentMetadata getDocumentMetadata(in string docid)*

Returns an object that describes the metadata associated to the document (either applied via MetadataTemplates, or stored in the FFF). The caller must have read access rights for the archive where the document is stored.

*string getDocumentURL(in string docid)*

Returns the URL of the document docid. The caller must have read access rights for the archive where the document is stored.

*string normalizeURL(in string url)*

Returns the normalized URL.

*void applyMetadataTemplate(in string docid, in integer templateid, in MetadataValue[] metadata)*

Applies a MetadataTemplate to a document, with the specified variable metadata. The caller must have write access rights for the archive where the document is stored.

*void deapplyMetadataTemplate(in string docid, in integer templateid) - Deapplies a metadata template from a document. The caller must have write access rights for the archive where the document is stored.*

*integer[] enumAppliedMetadataTemplates(in string docid)*

Returns the IDs of the applied MetadataTemplates for the specified document. The caller must have read access rights for the archive where the document is stored.

## DOCUMENT

Used to handle documents as opaque objects.

### Exposed Properties:

*mimeType [string]*

MIME type of the document.

*size [integer]*

size (in bytes) of the document.

### Exposed Methods:

*void read(in string filename)*

Reads document from file.

*void write(in string filename)*

Writes document to file.

*void readFromBuffer(in integer address, in integer size)*

Reads a document from a memory buffer at the specified address with the specified size.

*void writeToBuffer(in integer address, in integer size)*

Writes a document in a memory buffer at the specified address with the specified maximum size.

## METADATAVALUE

Used to hold metadata.

### Exposed Properties:

*key [string]*

Metadata key.

*slice [integer]*

Slice where metadata is stored.

*value [string]*

Metadata value.

## DOCUMENTMETADATA

Used to describe the metadata associated with a document.

### Exposed Methods:

*string getValue(in string key)*

Gets the first value of the metadata with the specified key. Returns an empty string if the metadata was not found.

*string[] getValues(in string key)*

Gets all the values of the metadata with the specified key.

*MetadataValue getMetadataValue(in string key)*

Gets the first MetadataValue object for the metadata with the specified key. Returns null if the metadata was not found.

*MetadataValue[] getMetadataValues(in string key)*

Gets all the MetadataValue objects for the metadata with the specified key.

*MetadataValue[] getAllMetadataValues(in string key)*

Gets all the MetadataValue objects for every metadata of the document.

## QUERYPARSER

Used to specify the query string parser to use.

### Static Exposed Properties:

NOPARSER - Don't parse, the query is submitted using QueryAtoms.

RPNPARSER - Use the RPN parser.

ALGPARSER - Use the ALG parser.

NETPARSER - Use the NET parser.

**QUERYINFO**

Used to specify the information returned as result of a query.

**Static Exposed Properties:**

INFO\_NONE - For each result no additional info is returned.

INFO\_URL - For each result the URL is returned.

INFO\_TITLE - For each result the URL and the title is returned.

INFO\_CONTEXT - For each result the URL, the title, the mime type and the contexts where the keywords specified into the query have been found are returned.

INFO\_TEMPLATE\_METADATA - For each result the URL, the title, the mime type, the contexts where the keywords specified into the query have been found and the metadata added by templates to the document are returned.

INFO\_ALL\_METADATA - For each result the URL, the title, the mime type, the contexts where the keywords specified into the query have been found and all the metadata of the document are returned.

**QUERYVIEW**

Used to restrict the set of documents returned as result of a query.

**Static Exposed Properties:**

VIEW\_PUBLISHED - The query is applied to all the documents currently in the archive.

VIEW\_CORECHANGED - The query is applied only to the documents currently in the archive that have changed in the core of the text. Only applicable to an historicizing archive.

**QUERYSORT**

Used to specify the sorting of documents returned as result of a query.

**Static Exposed Properties:**

SORT\_STANDARD - The standard sorting is used.

SORT\_RELEVANCE - The documents are ordered by relevance score.

SORT\_SCORE - The documents are ordered by their intrinsic score.

SORT\_TIME\_NEWER - The documents are ordered by change timestamp, more recently changed documents first.

SORT\_TIME\_OLDER - The documents are reverse-ordered by change timestamp, least recently changed documents first.

**QUERYATOMTYPE**

Used to specify the type of a QueryAtom.

**Static Exposed Properties:**

ATOM\_WORD - QueryAtom is a keyword to find.

ATOM\_WILDCARD\_WORD - QueryAtom is a keyword with wildcards to find.

ATOM\_NOT - QueryAtom is a logic NOT.

ATOM\_AND - QueryAtom is a logic AND between other QueryAtoms.

ATOM\_OR - QueryAtom is a logic OR between other QueryAtoms.

ATOM\_NEAR - QueryAtom is logic NEAR between words.

ATOM\_META - QueryAtom is a meta-keyword to find.

ATOM\_META\_RANGE - QueryAtom is a meta-keyword range to find.

ATOM\_WILDCARD\_META - QueryAtom is a meta-keyword with wildcards to find.

**QUERYATOM**

Used to build a query in RPN notation.

**Exposed Properties:**

*type [integer]*

Current QueryAtom type (from QueryAtomType).

*meta [string]*

Contains the meta-keyword type. Only for META QueryAtoms.

*param [string]*

If the current type is WORD or META it contains the keyword (or meta-keyword) to find. Otherwise, if the current type is AND, OR or NEAR it contains the decimal representation of the number of QueryAtom involved in the expression, and if the current type is META\_RANGE it contains the lower boundary of the range. For the NOT type, only the value "1" is allowed in this field.

*param1 [string]*

If the current type is META\_RANGE it contains the upper boundary of the range. Otherwise, if the current type is NEAR it contains the decimal representation of the sloppyness allowed. An empty or 0 sloppyness makes the NEAR match an exact phrase, a sloppyness greater than 0 sets the maximum number of keyword swaps that can be made to match the query.

**QUERYSLICEWEIGHT**

Used to specify slice weights.

**Exposed Properties:**

*slice [integer]*

Dict ID. The following dict IDs can be used:

1. Author
2. Keyword
3. Abstract
4. Invisible
5. Marginal normal text
6. Marginal emphasized text
7. Marginal link text
8. Marginal remote link text
8. Marginal header text
10. Central normal text
11. Central emphasized text
12. Central link text
13. Central remote link text
14. Central header text
15. Title

*weight [integer]*

Slice weight. Must be greater or equal to 0.

**QUERYSPEC**

Used to submit a query.

## Exposed Properties:

*archives [array of integers]*

IDs of the archives you want to query. Leave empty if you want to query a collection or a watch.

*collection [integer]*

ID of the collection you want to query. If you want to query archives or a watch, use 0.

*watch [integer]*

ID of the watch you want to query. If you want to query archives or a collection, use 0.

*firstDoc [integer]*

Index of the first document (starting from 0) returned. It must be less than lastDoc.

*lastDoc [integer]*

Index of the last document (starting from 0). It must be greater than firstDoc.

*minTime [integer]*

Oldest Timestamp (expressed in number of seconds since January 1st 1970 GMT) of query results. All older documents will be rejected.

*maxTime [integer]*

Newest Timestamp (expressed in number of seconds since January 1st 1970 GMT) of query results. All newer documents will be rejected.

*minScore [integer]*

Minimum score of query results. All documents with lower score will be rejected.

*info [integer from QueryInfo]*

Detail level of query results.

*view [integer from QueryView]*

Document set restrictions of query.

*sort [integer from QuerySort]*

Result document set sorting type.

*parser [integer from QueryParser]*

Parser to use to parse the query string.

*query [array of QueryAtoms]*

Query in RPN notation all list of QueryAtoms. The QueryAtom sequence must produce a stack with only one element. Only used if NOPARSER is specified as QueryParser.

*queryString [string]*

Query string to be parsed. Only used if RPNPARSER, ALGPARSER or NETPARSER is specified as QueryParser.

*weights [array of QuerySliceWeights]*

Slice weights. You can pass an empty vector to use the default slice weights. To disable a slice in the current query,

you must pass an entry for the slice with a weight of 0. If you don't pass an entry for a certain slice, that slice will have its default weight.

## QUERYRESULT

Used to return information on a query result.

### Exposed Properties:

*id [string]*

ID of the document, guaranteed to be unique across archives.

*url [string]*

URL of the document.

*title [string]*

Title of the document.

*mimeType [string]*

Mime type of the document.

*contexts [array of strings]*

Contexts of the document where the keywords have been found.

*timestamp [integer]*

Document timestamp (expressed in number of seconds since January 1st 1970 GMT).

*serverTime [integer]*

Document timestamp (expressed in number of seconds since January 1st 1970 GMT), as reported by the server.

*score [integer]*

Document score (expressed as percentage \* 10000).

*archives [array of integers]*

The archives the document belongs to.

*categories [string]*

Private use.

*metadata [array of MetadataValues]*

Metadata associated with the document.

*templates [array of integers]*

IDs of the MetadataTemplates applied to the document.

## EXAMPLES OF USAGE

```
var sb = new AXSearchbox();
sb.host = "localhost";
sb.port = "2200";
sb.username = "admin";
sb.password = "password";
```

```

var qs = new QuerySpec();
var a = new Array(1);
a[0] = 1;
qs.archives = a;
qs.parser = QueryParser.ALGPARSER;
qs.info = QueryInfo.INFO_CONTEXT;
qs.view = QueryView.VIEW_PUBLISHED;
qs.sort = QuerySort.SORT_STANDARD;
qs.queryString = "string";
qs.firstDoc = 0;
qs.lastDoc = 1;
var qr = new Array();
var maxres = sb.query(qs, qr);
var i, j; for(i = 0; i < qr.length; ++i)
{
print(qr[i].id+" "+qr[i].url);
var doc = sb.getDocument(qr[i].id);
var links = sb.getDocumentOutlinks(qr[i].id);
var meta = sb.getDocumentMetadata(qr[i].id);
var metavalues = meta.getAllValues();
print("-> "+doc.mimeType+" ["+doc.size+"]");
for(j = 0; j < links.length; ++j)
{
print("0-> "+links[j]);
}
if(metavalues != null)
{
for(j = 0; j < metavalues.length; ++j)
{
print("M->"+metavalues[j].key+"["+metavalues[j].slice+"]="+metavalues[j].value);
}
}
}
}

```

## LICENSE AND JAVASCRIPT CLASSES

JavaScript License classes are a set of classes that provide the support of the license and PAR to the AXCP Engine by modelling in terms of primitive functionalities the license and the PAR classes. They consist in:

**Condition** - This class is the abstract class for all conditions related to license.

**Fee** - Fee is a type of condition.

**Grant** - A Grant is a container element that relates to a principal with a right over a resource. It can contain some conditions.

**Principal** - The Principal is the entity that will be able to exercise the right.

**GrantGroup** - A GrantGroup is a virtual container of Grants.

**Interval** - An Interval is a type of condition. It express valid interval of time to exercise the right.

**Issuer** - Issuer is the creator of the MPEG21 REL licence. It is the entity that provides the rights.

**License** - License is the certificate provided to the user for particular content.

**LicenseManager** - LicenseManager is the class that manages the license database.

**LicensePattern** - This class manages the pattern for the license.

**OMALicense** - The license object contains all the information related to an OMA license (such as permissions, rights, etc.).

**Number** - Number is a type of condition of a MPEG21 REL license. It expresses how many times the right can be exercised.

**Resource** - Resource is the object over which the right can be exercised on.

**Right** - Right expresses the action that can be taken to an object.

**Territory** - Territory is a type of condition.

**PAR** - This class provides the model for a PAR object.

**PARGrant** - A PARGrant is a container element that relates to a principal with a right over a resource. It can contain some conditions.

**PARGrantGroup** - A PARGrantGroup is a virtual container of grants. It is the way that MPEG21-REL uses to define a set of grants.

**PARResource** - Resource is the object on which the right can be exercised. It is a part of the grant of an AXMEDIS PAR. The resource expresses an object. Depending of the right, this object can be different. If the right is "issue", the Resource is a GrantGroup. If the right is not "issue", the Resource contains the identifier.

**PARRight** - Right is a part of the grant of a MPEG21 REL license. There are a set of rights that has been declared by MPEG21 REL.

**PMSClient** - A PMSClient is the client interface for the PMS. It is responsible for distributing all the protection related jobs amongst the different modules and the PMS server.

**Contract** - Represents a human-readable contract generated from a license. In practice, classes derived from Contract will be used, whereas this class is an abstract class (pure virtual).

**RightsExpressionTranslator** - This class provides method for converting license formats.

In order to avoid too many parameters for the wrapper methods the following classes were created, which provide JS Objects that can be used as parameters in JavaScript. The actual parameters are extracted from these objects in the wrapper method and passed to the C++ class methods.

**RightsParameters** - This class covers the parameters that are related to the rights granted to a user by a license.

**RightsFeeParameters** - This class covers the parameters that are related to the fee affiliated with rights.

**RightsIntervalParameters** - This class covers the parameters that are related to the time interval mentioned in the rights granted to user.

**RightsLimitParameters** - This class covers the parameters that are related to the number of times that each right can be used.

**RightsRegionParameters** - This class covers the parameters that are related to specific region specified in the rights.

**PARGrantParameters** - This class covers the parameters that are related to PARGrant.

**AxToolInfoParameters** - This class covers the parameters that are related to AXMEDIS Tool.

**ProtInfoParameters** - This class covers the parameters that are related to AXMEDIS Protection Information.

**AXIDParameters** - This class covers the parameters that are related to different AXMEDIS identifiers (IDs).

**OpInfoParameters** - This covers the parameters that are related to operation and execution information.

**CONDITION**

This class is the abstract class for all conditions related to license.

**Exposed Properties**

*tipo*

Stores the type of condition.

**Exposed methods**

*TypeCondition getTypeCondition ()*

This method returns the condition fee, territory, number or interval.

**FEE**

Fee is a type of condition.

**Exposed methods**

*char getServiceReference ()*

Returns the service reference value.

*void setServiceReference(char \*c)*

Returns the service reference value.

*char \*getCurrency(void)*

This method returns the type of the currency.

*bool setCurrency(char \*c)*

This method establishes the type of the currency.

*float getAmount(void)*

This method returns the amount of the fee.

*void setAmount(float c)*

This method establishes the amount of the fee.

*char \*getTo(void)*

This method returns "TO MPEG21" REL element.

*void setTo(char \*c)*

This method establishes "TO MPEG21" REL element.

*FeeType getFeeType()*

This method returns the type of fee.

*void setFeeType(FeeType f)*

This method establishes the type of fee.

**GRANT**

A Grant is a container element that relates to a principal with a right over a resource. It can contain some conditions.

## Exposed methods

*void addCondition(Condition \*c)*

This method adds a condition to the vector with conditions of the grant.

*Principal getPrincipal(void)*

This method returns the principal.

*void setPrincipal(Principal p)*

This method establishes the principal of the grant.

*Right getRight(void)*

This method returns a copy of the right of the Grant.

*void setRight(Right p)*

This method establishes the right of the license.

*Resource getResource(void)*

This method returns the resource of the grant.

*void setResource(Resource p)*

This method establishes the resource of the grant.

*vector getConditions()*

This method returns a copy of the vector of conditions of the grant.

*string getId(void)*

This method returns the ID.

*void setId (string i)*

This method establishes the ID.

*string getLicId(void)*

This method returns the license Temporal Id.

*void setLicId(string i)*

This method establishes the license Temporal Id.

## PRINCIPAL

The Principal is the entity that will be able to exercise the right.

## Exposed methods

*char\* getName(void)*

This method returns the principal identifier or name.

*void setName(const char \*n)*

The method establishes the principal identifiers.

## GRANTGROUP

A GrantGroup is a virtual container of Grants.

### Exposed methods

*vector& getGrants()*

This method returns the vector of the reference to the grants (it is a constant reference).

*void addGrant(Grant g)*

This method adds a new grant to the vector of grants.

*string getId(void)*

This method returns the id.

*void setId(string i)*

This method establishes the id.

## INTERVAL

An Interval is a type of condition. It expresses a valid interval of time to exercise the right.

### Exposed Properties

*notBefore\_prop notAfter\_prop*

### Exposed methods

*setNotBefore(string date)*

This method establishes the beginning date of the interval.

*string getNotBefore()*

This method returns beginning date of the interval.

*setNotAfter(string enddate)*

This method establishes the ending date of the interval.

*string getNotAfter()*

This method returns the ending date of the interval.

## ISSUER

Issuer is the creator of the MPEG21 REL licence. It is the entity that provides the rights.

### Exposed Properties

*issue\_time,details,issuer,id*

### Exposed methods

*char \*getIssueTime(void)*

This method returns the time of issuance (when the license was created).

*void setIssueTime(char \*c)*

This method set the time of issuance (when the license was created). Format : YYYY-MM-DDTHH:MMSS

*char \*getIssuer(void)*

This method returns the issuer.

*void setIssuer(char \*c)*

This method establishes the issuer.

*char \*getDetails(void)*

This method returns some details, additional information.

*void setDetails(char \*c)*

This method establishes the details of the issuance.

*string getId(void)*

This method returns the ID of the issuer.

*void setId(string i)*

This method establishes the ID of the issuer.

## LICENSE

License is the certificate provided to the user for particular content.

### Exposed methods

*void addGrant(Grant g)*

This method adds a grant to a grant group.

*Issuer getIssuer(void)*

This method returns the issuer of the license.

*void setIssuer(Issuer i)*

This method establishes the issuer of the license.

*Grantgroup getGrantgroup()*

This method returns a copy of the grant group of the license.

*void setGrantGroup(GrantGroup gg)*

This method establishes the grant group of the issuance.

*string getXMLLicense()*

This method returns the license in XML string format.

*sendLicenseToPMS(string endP,string clientcert,string passClientcert,string caCert)*

This method sends the license to the PMS server.

*License RetrieveLicenseFromFile(string filepath)*

This method retrieves the license from a file.

*StoreLicenseToFile(string filepath)*

This method stores the license in the file.

## LICENSEMANAGER

LicenseManager is the class that manages the license database.

### Exposed methods

*string StoreLicense(License lic)*

This method stores the license.

*string StoreLicense(string lic)*

This method stores the license. It is the overloaded method.

*string StoreLicense(License lic, string licenseDBid)*

This method stores the license. it is the overloaded method which takes the two arguments mentioned above.

*string StoreLicenseInSecureCache(string lic, string licID)*

This method stores the license in the secure cache.

*StoreLicenseToFile(License &lic, string filepath)*

This method stores the license to a file.

*License RetrieveLicenseFromFile(string filepath, int &errorcode)*

This method retrieves the license from a file.

*License StringXMLLicense2LicenseModel(string XMLLicense, int &errorcode)*

This method converts the license from a string to a license model.

*PAR RetrievePARFromFile(string filepath, int &errorcode)*

This method retrieves the PAR from a file.

*PAR StringXMLPAR2PARModel(string XMLLicense, int &errorcode)*

This method converts the license from a string to a licensemodel.

*string StorePAR(PAR parp)*

This method stores the PAR.

*string StorePAR(string parp)*

This method stores the PAR. It is an overloaded method.

*string RetrieveLicense(string licenseld)*

This method retrieves the license.

*string RetrievePAR(string PARId)*

This method retrieves the PAR.

*int DataLicense(string licenseld, char \*\*p, int \*s);*

This method gets data from license.

*string LicenseManager StorePAR(string AXOID,string par)*

This method stores the PAR.

*string LicenseManager StorePAR(string AXOID,PAR parp)*

This method stores the PAR.

*string LicenseManager::RemovePAR(string AXOID)*

This method removes the PAR.

## LICENSEPATTERN

This class manages the pattern for the license.

### Exposed methods

*License generateLicenseFromPattern(string AXUID,string AXOID)*

This method generates a new license object from a license pattern changing the principal of the grants to AXUID and the resource to AXOID.

## OMALICENSE

The OMAlicense object will contain all information related to an OMA license (such as permissions, rights, etc.).

### Exposed Properties

### Exposed methods

## NUMBER

Number is a type of condition of a MPEG21 REL license. It expresses how many times the right can be exercised.

### Exposed Properties

serviceReference count

### Exposed methods

*SetServiceReference(string sreference)*

This method establishes the service reference.

*string sreference getServiceReference()*

This method returns the service reference.

*setCount(int count)*

This method establishes number of counts that the right can be exercised.

*int getCount()*

This method returns the number of times that the right can be exercised.

## RESOURCE

Resource is the object on which the right can be exercised.

### Exposed Properties

resourceID,item,ggResource,tipo,diType

## Exposed methods

*string getResourceID()*

This method returns the resource (digital item) identifier.

*string setResourceID(setResource id)*

This method establishes resource (digital item) identifier.

*string getItem()*

This method returns the item identifier (if existing).

*setItem(String item)*

This method establishes the item identifier. It is useful to select one item of the whole digital item.

*Grantgroup getGrantGroup()*

This method returns the grant group of the identifier.

*setGrantGroup(GrantGroup ggroup)*

This method establishes the grant group if the right is "issue".

*isNullGrantGroup()*

This method the grant group if the right is "issue".

*GetTipo()*

This method returns the resource type (DI or grant group).

## RIGHT

Right expresses the action that can be taken to an object.

## Exposed Properties

right

## Exposed methods

*Right getRight()*

This method returns the right of the license.

*string setRight(setResource id)*

This method establishes the right of the license.

## TERRITORY

Territory is a type of condition.

## Exposed Properties

territory

## Exposed methods

*string getLocation()*

This method returns the location.

Expressed like: "country{Spain}region{Catalonia}..."

Values: country, region, state, city, street, postalCode

*string setRight(setResource id)*

This method establishes the right of the license.

## PAR

This class provides the model for PAR object

### Exposed methods

*addPARGrant(PARGrant g)*

This method adds a grant group to the PAR.

*setPARGrantGroup(PARGrantGroup gg)*

This method establishes the grant group of the PAR.

## PARGRANT

PARGrant is a virtual container of grants. It is how MPEG21 REL defines a set of grants.

### Exposed methods

*void addCondition(Condition \*c)*

This method adds a condition to the vector of conditions of the grant.

*void setRight(Right p)*

This method establishes the right of the grant.

*void getRight(Right p)*

This method returns the right of the grant.

*void setPARResource(PARResource p)*

This method establishes the resource of the grant.

*PARResource getPARResource(void)*

This method returns a copy of the resource of the Grant.

*vector getConditions()*

Returns a copy of the vector of conditions of the Grant.

*void setId(string i)*

This method establishes the ID.

*string getId(void)*

This method returns the ID.

*string getId(void)*

This method returns the ID.

*void setPARId(string i)*

This method establishes the PAR temporary ID.

*string getPARId(void)*

This method returns the PAR temporary ID.

## PARGRANTGROUP

The grant is the basic element to represent the rights offered in an AXMEDIS PAR. The grant relates a principal (owner of the right), a right and a resource, with a set of conditions.

### Exposed methods

*vector getPARGrants()*

Returns a reference to the vector of grants. It is a constant reference.

*void setId(string i)*

This method establishes the ID.

*string getId(void)*

This method returns the ID.

*void addPARGrant(PARGrant g)*

This method adds a new grant to the vector of grants of the grant group.

## PARRESOURCE

Resource is the object on which the right can be exercised. It is a part of the grant of an AXMEDIS PAR. The resource expresses an object.

### Exposed methods

*string getPARResourceID(void)*

This method returns the resource (digital item) identifier.

*void setPARResourceID(string id)*

This method establishes the resource (digital item) identifier.

*string getItem(void)*

This method returns the item identifier (if existing).

*void setItem(string i)*

This method establishes the item identifier.

*PARGrantGroup getPARGrantGroup(void)*

This method returns a copy of the grant group if the right is "issue".

*void setPARGrantGroup(PARGrantGroup gg)*

This method establishes the grant group if the right is "issue".

*TypePARResource getTipo(void)*

This method returns the resource type (DI or GRANTGROUP).

## PARRIGHT

Right is a part of the grant of a MPEG21 REL license. There are a set of rights that can be declared by MPEG21 REL.

**Exposed methods***char \*getRight(void)*

This method returns the right.

*bool setRight(char \*n)*

This method establishes the right.

**PMSCLIENT**

A PMSClient is the client interface for the PMS. It is responsible for distributing all protection related jobs amongst the different modules and the PMSServer.

**Exposed methods***string initLicenseEndUser(string IssuerAXUID)*

This method initialises the creation of a license. This is the first Web service to be called in the process of an end user license creation. The service *initLicenseEndUser* returns the temporary identifier of the license. This identifier is usable while the license is being created. When the license is finished and stored this identifier is not used any more and it is deleted from the database.

*string addGrantEndUser(RightsParameters rpar,RightsIntervalParameters rintervalpar,RightsLimitParameters rlimitpar,RightsRegionParameters rregionpar,RightsFeeParameters rfearpar)*

This is the Web service that adds (one each time) the rights granted in a license. This service has to be called as many times as rights granted by the license. The different parameters allow introducing: the right, the resource over which the right will be exercised, the user who will obtain the right, and finally, the different conditions to be accomplished. The actual input parameters of the method are

string licenseTmpId

string principal

string AXOID

init diType

init diSubType

string right

bool validityInterval

string notBefore

string notAfter

bool countLimit

int limit

bool validityRegion

string country

string region

int feeType

float fee

string currency

string bankAccount

string adaptationRules

but to avoid to have too many arguments from the JavaScript, some parameter classes are provided whose summary is given below (at the end).

*string finaliseLicenseEndUser(string licenseTmpId)*

This method finalises the license. This is the last service to be invoked in a license creation process. The service builds the license and, if it is correct, then stores it in the database.

*string initLicenseDistributor(string IssuerAXUID)*

This method initialises the creation of a license. This is the first Web service to be called in the process of a distributor license creation. This service receives information about the creator of the license. The service `initLicenseEndUser` returns the temporary identifier of the license. This identifier is usable while the license is being created. When the license is finished and stored this identifier is not used any more and it is deleted from the database.

*string addGrantforDistributor(RightsParameters rpar,RightsIntervalParameters  
rintervalpar,RightsLimitParameters rlimitpar,RightsRegionParameters rregionpar,RightsFeeParameters rfeepar)  
(*

This method is the Web service that adds (one each time) the different rights for distributors and the distribution conditions for each one. The parameters established in this service affect only to the issuer right (the one defining distribution). This service has to be called as many times as distributors the license has. The different parameters allow introducing: the distribution conditions, the content that will be distributed and the identification of the distributor. The actual input parameters of the method are

string licenseTmpId  
string principal  
string AXOID  
init diType  
init diSubType  
string right  
bool validityInterval  
string notBefore  
string notAfter  
bool countLimit  
int limit  
bool validityRegion  
string country  
string region  
int feeType  
float fee  
string currency  
string bankAccount

but to avoid too many arguments from the JavaScript, some parameter classes are provided whose summary is given below.

*string addGrantforEndUser(RightsParameters rpar,RightsIntervalParameters  
rintervalpar,RightsLimitParameters rlimitpar,RightsRegionParameters rregionpar,RightsFeeParameters rfeepar)  
(*

This method is the service that adds (one each time) the rights that a distributor can distribute. In other words, this function adds the rights that can be included in an EndUser license created by a specific distributor. This service has to be called as many times as different rights will be available in the future EndUser licenses. The different parameters allow introducing: right and the different conditions to be accomplished. The resource is established before in the `addGrantforDistributor` service. The actual input parameters of the method are

string licenseTmpId  
string distGrantId  
string right  
bool validityInterval  
string notBefore

```

string notAfter
bool countLimit
int limit
bool validityRegion
string country
string region
int feeType
float fee
string currency
string bankAccount
string adaptationRules

```

but to avoid too many arguments from the JavaScript, some parameter classes are provided whose summary is given below (at the end).

*string finaliseLicenseDistributor(licenseTpld)*

This method is a Web service which finalises the license. This is the last service to be invoked in a license creation process. The service builds the licenses and, if it is correct, then stores it in the database.

*string initPAREndUser()*

This method is a Web service which initialises the creation of a PAR. This is the first Web service to be called in the process of an end user PAR creation.

*string addPARGrantEndUser(PARGrantParameters pgrantpar, RightsParameters rpar, RightsIntervalParameters rintervalpar, RightsLimitParameters rlimitpar, RightsRegionParameters rregionpar, RightsFeeParameters rfearpar)*

This method is the Web service that adds (one each time) the different rights for distributors and the distribution conditions for each one. The parameters established in this service affect only to the issue right (the one defining distribution). This service has to be called as many times as distributors the license has. The different parameters allow introducing: the distribution conditions, the content that will be distributed and the identification of the distributor. The actual input parameters of the method are

```

string PARTmpld
string AXOID
init diType
init diSubType
string right
bool validityInterval
string notBefore
string notAfter
bool countLimit
int limit
bool validityRegion
string country
string region
int feeType
float fee
string currency
string bankAccount
string adaptationRules

```

but to avoid too many arguments from the JavaScript, some parameter classes are provided whose summary is given below (at the end).

*string finalisePAREndUser(string PARTmpld)*

This method is a Web service which builds the PAR and, if it is correct, then stores it in the database. This is the last service to be invoked in a PAR creation process.

*string initPARDistributor()*

This method is a Web service which initialises the creation of a PAR. This is the first Web service to be called in the process of a distributor PAR creation. This service receives information about the creator of the license. The service returns the temporary identifier of the PAR. This identifier is usable while the PAR is being created. When the PAR is finished and stored this identifier is not used any more and it is deleted from the database.

*string addPARGrantforDistributor(PARGrantParameters pgrantpar,RightsParameters rpar,RightsIntervalParameters rintervalpar,RightsLimitParameters rlimitpar,RightsRegionParameters rregionpar,RightsFeeParameters rfear)*

This method is the service that adds (one each time) the different rights for distributors and the distribution conditions for each one. The parameters established in this service affect only to the issue right (the one defining distribution). This service has to be called as many times as distributors the PAR has. The different parameters allow introducing: the distribution conditions, the content that will be distributed and the identification of the distributor. The actual input parameters of the method are

string PARTmpld  
string AXOID  
init diType  
init diSubType  
string right  
bool validityInterval  
string notBefore  
string notAfter  
bool countLimit  
int limit  
bool validityRegion  
string country  
string region  
int feeType  
float fee  
string currency  
string bankAccount

but to avoid too many arguments from the JavaScript, some parameter classes are provided whose summary is given in the end.

*string addPARGrantforEndUser(PARGrantParameters pgrantpar,RightsParameters rpar,RightsIntervalParameters rintervalpar,RightsLimitParameters rlimitpar,RightsRegionParameters rregionpar,RightsFeeParameters rfear)*

This method is the service that adds (one each time) the rights that a distributor can distribute. In other words, this function adds the rights that can be included in an end user PAR created by a specific distributor. This service has to be called as many times as different rights will be available in the future end user licenses. The different parameters allow introducing: right and the different conditions to be accomplished. The resource is established before in the addGrantforDistributor service. The actual input parameters of the method are

string PARTmpld  
string distGrantId

```

string right
bool validityInterval
string notBefore
string notAfter
bool countLimit
int limit
bool validityRegion
string country
string region
int feeType
float fee
string currency
string bankAccount
string adaptationRules

```

but to avoid too many arguments from the JavaScript, some parameter classes are provided whose summary is given below (at the end).

*string finalisePARDistributor(string licenseTmpId)*

This method is the service which finalises the license. This is the last service to be invoked in a PAR creation process. The service builds the PAR and, if it is correct, then stores it in the database.

*string getLicense(string licenseId)*

The method getLicense retrieve a license from the database (locally or remotely).

*string sendLicense(string XMLLicense)*

This method sends an XML license created with the AX Editor to the PMS Server. The server will verify that license and will store it.

*std::string getPAR(string PARId)*

This method retrieve a PAR from the database (locally or remotely).

*string sendPAR(string XMLPAR)*

The method sendPAR sends an XML PAR created with the AX Editor to the PMS Server. The server will verify that PAR and will store it.

*int authorise(AXIDParameters axidpar, OpInfoParameters opinfopar, ProtInfoParameters protinfopar) (*

This method verifies and authorise that an action can be exercised. The actual input parameters of the method are

```

string axcid
string axdid
string axoid
string axtid
string axuid
string axwid
string estimatedHwFingerprint
string executionTimestamp
string objectVersion
string operationDetailsID
string operationID
string ownerName

```

string protectionStamp

string protectionInfoRequired

but to avoid too many arguments from the JavaScript, some parameter classes are provided whose summary is given below (at the end).

*CertificationResult certify(string axid, AXTOOLInfoParameters axpar, string axdom )*

This method is used to certify a tool, user and device in the AXCS via the PMS Server. It first checks the user information and then, it performs some checks in the following order: whether tool is registered, tool status, tool registration deadline and tool fingerprint.

If all the above information is right, it creates a new entry in the CerTools table of the AXCS database and returns a {@link CertificationResult} struct with all its fields filled. Otherwise, it returns a {@link CertificationResult} struct with an error code that identifies what happened. The actual input parameters of the method are

axid

axrtid

axdom

toolFingerprint

registeredToolFingerprint

regDeadline

*VerificationResult verify(string axid,AXTOOLInfoParameters axtoolinfopar )*

This method is used to verify a tool, user and device against the AXCS via the PMS Server. It first checks the user information and then, it performs some checks in the following order: whether the tool is present in the CerTools table, tool status, tool user, tool domain, tool registration deadline, the hash of the tool fingerprint and tool operation history (LastFPPA) consistency. The latter check is performed through the AXMEDIS Supervisor. The actual input parameters of the method are

axid

axtid

toolFingerprintDigest

but to avoid many parameters a parameters class AXTOOLInfoParameters is provided. its summary is given below (at the end)..

*VerificationResult reverify(string axid,AXTOOLInfoParameters axtoolinfopar )*

This method is used to reverify a tool, user and device against the AXCS via the PMS Server. This method is intended to be used by the Protection Processor when the result of the verify method determines that the toolFingerprintDigest parameter did not match the expected one. In this case, the full tool Fingerprint must be sent instead of the Hash. The actual input parameters of the method are

axid

axtid

toolFingerprintDigest

but to avoid many parameters a parameters class AXTOOLInfoParameters is provided. Its [definition](#) is given in the end of this document.

*VerificationResult verifyUser(string axid, string axdom)*

This method is used to verify a user against the AXCS via the PMS Server. Verifies if the user is registered in the specified domain (if present) and checks that the user status and registration deadline are valid, so that the user can still use the AXMEDIS tools and the AXMEDIS framework.

*string getProtectionInfoLOCAL(string object, string version, string protstamp)*

This method is used to get the AXMEDIS protection information of a specific object from the AXCS Objects database in Local Secure Cache.

*bool deleteProtectionInfo(string object, string version, string protstamp)*

This method is used to get the AXMEDIS protection information of a specific object from the AXCS Objects database in Local Secure Cache.

*int updateProtectionInfoREMOTE(string id, ProtInfoParameters protinfo)*

This method is used to update the AXMEDIS protection information of a specific object in the Objects database in the AXCS (via the PMS Server). When someone calls this method passing the identifiers of one object and the new AXMEDIS protection information, the Supervisor accesses the AXCS database and updates AXMEDIS protection information of the corresponding object. The actual input parameters of the method are

id

version

protstamp

protinfo

but to avoid many parameters from JavaScript, the ProtInfoParameters class is provided in JavaScript. Actual parameters are extracted from this class object.

*bool verifyPAR (string par)*

This method is used to verify a PAR syntactically against the schemes defined within the PAR.

*bool verifyTempDistLicenseAgainstPAR (string distrLicense, string par)*

This method verifies if the license can be generated according to the PARs stored in a database and the parent license(e.g Distributor or Creator).

*bool verifyTempDisLicenseAgainstPARDataBase (string distrLicense, string pardatabase, string pardatabasehost, string pardatabaseuser, string pardatabasepass)*

This method verifies if the license can be generated according to the PARs stored in a Database and the parent licenses (e.g Distributor or creator licenses).

*bool verifyLicense (string license)*

The methods checks if a License XML string is well formed against schemas.

*string generateTranslation (string \_license, string \_originalRel, string \_destinationRel)*

This method will convert the original license from its REL to the destination one. The Input parameter "\_originalRel" can only be either "MPEG\_21" or "OMA".

## CONTRACT

Represents a human-readable contract generated from a license. In practice, classes derived from Contract will be used, whereas this class is an abstract class (pure virtual).

## Exposed methods

*bool generateTxtContract(string templatefilename, string contractfilename)*

Generates a text contract from a license and a template contract.

## RIGHTSEXPRESSIONTRANSLATOR

This class provides access method for converting license formats.

## Exposed methods

*string generateTranslation(string \_license, string \_originalRel, string \_destinationRel)*

This method converts the "original license" from its REL to the destination one.

*bool setRight(char \*n)*

This method establishes the right.

## RIGHTSPARAMETERS

This class covers the parameters that are related to the rights granted to a user by a license.

## Exposed Properties

*string licenseTmpId*

This property represents the Temporary Licence Identifier.

*string AXUIDPrincipal*

This property represents the AXUID of the user (user of the license).

*string AXOID*

This property represents the resource Identifier.

*int diType*

This property represents type of resource Identifier.

*int diSubType*

This property represents subtype of resource Identifier.

*string right*

This property represents The right that will be granted in the license. Can take the following values: adapt, delete, diminish, embed, enhance, enlarge, execute, install, modify, move, play, print, reduce, uninstall that correspond to rights described in "MPEG-21 multimedia extension".

*string adaptationRules*

This property corresponds to the different condition adaptation rules of the content.

*string distGrantId*

This property represents the temporary grant identifier.

## Exposed methods

*string getLicenseTmpId(void) const*

This method returns the temporary license Identifier property.

*void setLicenseTmpId(const std::string c)*

This method establishes the temporary license Identifier property.

*string getAXUIDPrincipal(void)*

This method returns the AXUIDPrincipal property.

*void setAXUIDPrincipal(string axuidprincipal);*

This method establishes the AXUIDPrincipal property.

*string getAXOID(void)*

This method returns AXOID property.

*void setAXOID(string axoid);*

This method establishes the AXOID property.

*int getDiType(void)*

This method returns the DiType property.

*void setDiType(int d);*

This method establishes the Ditype property.

*int getDiSubType(void)*

This method returns the Disubtype property.

*void setDiSubType(int s)*

This method establishes the Disubtype property.

*string getRight(void)*

This method returns the right property

*void setRight(string r)*

This method establishes the right property.

*string getAdaptationRules(void)*

This method returns the adaptation rules property.

*void setAdaptationRules(string a)*

This method establishes the adaptation rules property.

## RIGHTSFEEPARAMETERS

This class covers the parameters that are related to the Fee affiliated with rights.

### Exposed Properties

*int feetype*

This property shows if a fee has to be paid to exercise the right.

*float fee*

This property represents the fee to exercise the right..

*string currency*

This property represents the currency of the fee.

*string bankaccount*

If the fee type is not 0, this property represents the bank account where the payment will be done.

**Exposed methods***int getFeeType(void)*

This method returns the fee type property.

*void setFeeType(int ftype)*

This method establishes the fee type property.

*float getFee(void)*

This method returns the fee property.

*void setFee(float f)*

This method establishes the fee property.

*string getCurrency(void)*

This method returns the currency property.

*void setCurrency(string c)*

This method establishes the property.

*string getBankAccount(void)*

This method returns the bank account property.

*void setBankAccount(int ftype)*

This method establishes the bank account property.

**RIGHTSINTERVALPARAMETERS**

This class covers the parameters that are related to the time interval mentioned in the rights granted to user.

**Exposed Properties***bool validityinterval*

If this property is TRUE the right can be exercised within a time period. If it is FALSE it could be exercised always.

*string notbefore*

If validityInterval is TRUE, this property corresponds to the date from which the right will be effective. It has to have the next format: YYYY-MM-DDTHH:MM:SS

*string notafter*

If validityInterval is TRUE, this parameter corresponds to the date until the right will be effective. It has to have the next format: YYYY-MM-DDTHH:MM:SS

**Exposed methods***bool getValidityInterval(void)*

This method returns the validityinterval property.

*void setValidityInterval(bool vinterval)*

This method establishes the validityinterval property.

*float getNotBefore(void)*

This method returns notbefore property.

*void setNotBefore(string nbefore)*

This method establishes the notbefore property.

*string NotAfter(void)*

This method returns notafter property.

*void setCurrency(string c)*

This method establishes the notafter property.

## RIGHTSLIMITPARAMETERS

This class covers the parameters that are related to the no of counts that each right can be use for.

### Exposed Properties

*bool countlimit*

This property shows if the right will be effective for a specific number of uses (TRUE) or could be exercised any number of times.

*int limit*

If countlimit is TRUE, this property corresponds to the number of times that the right can be exercised.

### Exposed methods

*bool getCountLimit(void)*

This method returns the countlimit property.

*void setCountLimit(bool climit)*

This method establishes the countlimit property.

*int getLimit(void)*

This method returns limit property.

*void setNotBefore(int )l*

This method establishes limit property.

## RIGHTSREGIONPARAMETERS

This class covers the parameters that are related to specific region specified in the rights.

### Exposed Properties

*bool validityregion*

This property shows if the right can be exercised only in a specific region or everywhere.

*string country*

If validityregion is TRUE, this property corresponds to the country where the right can be exercised.

*string region*

If validityregion is TRUE, this parameter corresponds to the region where the right can be exercised.

### Exposed methods

*bool getvalidityregion(void)*

This method returns the validityregion property.

*void setvalidityregion(bool vregion)*

This method establishes the validityregion property.

*string getCountry(void)*

This method returns country property.

*void setCountry(string c)*

This method establishes the country property.

*string getRegion(void)*

This method returns region property.

*void setRegion(string r)*

This method establishes the region property..

## PARGRANTPARAMETERS

This class covers the parameters that are related to PAR grant.

### Exposed Properties

*string PARTmpId*

This property represents the temporary PAR identifier.

### Exposed methods

*string getPARTmpId(void)*

This method returns the PARTmpId property.

*void setPARTmpID(string partmpid)*

This method establishes the the PARTmpId property.

## AXTOOLINFOPARAMETERS

This class covers the parameters that are related to AXMEDIS Tool ID.

### Exposed Properties

*string axtid*

This property represents the identifier of the registered AXMEDIS tool ID.

*string axrtid*

This property corressponds to the registered AXMEDIS Tool.

*string toolfingerprint*

This property corresponds to the full fingerprint (software and hardware parts) of the installed tool

*string regdeadline*

This property corresponds to the registration deadline of the installed tool.

*byteArray toolfingerprintdigest*

This property corresponds to the md5 hash of the full fingerprint (software and hardware parts) of the installed tool.

### Exposed methods

*getAxtid(void)*

This method returns the axtid property.

*void setAxtid(string ax)*

This method establishes the axtid property.

*string getAxtid(void)*

This method returns axrtid property.

*void setAxtid(string ax)*

This method establishes the axrtid property.

*string getToolFingerPrint(void)*

This method returns the toolfingerprint property.

*void setToolFingerPrint(string r)*

This method establishes the toolfingerprint property.

*string getRegDeadLine(void) )*

This method returns the regdeadline property.

*void setRegDeadLine(string rdeadline)*

This method establishes the regdeadline property.

*byteArray\* getToolFingerPrintDigest(void)*

This method returns the toolfingerprintdigest property.

*void setToolFingerPrintDigest(byteArray tfingerprintdigest)*

This method establishes the toolfingerprintdigest property.

## PROTINFOPARAMETERS

This class covers the parameters that are related to Protection Information

### Exposed Properties

*string id*

This property corresponds to the AXMEDIS object ID.

*string version*

This property corresponds to the AXMEDIS Obejct version.

*string protstamp*

This property corresponds to the protection stamp

*string protinfo*

This property corresponds to the protection information to be updated.

*bool protinfoeq*

This property shows if the object is protected.

## Exposed methods

*string getId(void)*

This method returns the axtid property.

*void setId(string ob)*

This method establishes the axtid property.

*string getVersion(void)*

This method returns version property.

*void setVersion(string ax)*

This method establishes the version property.

*string getProtStamp(void)*

This method returns the protstamp property.

*void setProtStamp(string pstamp)*

This method establishes the protstamp property.

*string getInfo(void) )*

This method returns the protinfo property.

*void setProtInfo(string pinfo)*

This method establishes the protInfo property.

*bool getProtInfoReq(void)*

This method returns the protinfreq property.

*void setProInfoReq(bool pinforeq)*

This method establishes the protinfreq property.

## OPINFOPARAMETERS

This class covers the parameters that are related to Protection Information

## Exposed Properties

*string estimatedHwFingerprint*

This property corresponds to the estimated hardware Finger Print.

*string executionTimeStamp*

This property corresponds to the execution time stamp.

*string operationDetailsID*

This property corresponds to the operations details ID.

*string ownerName*

This property corresponds to the owner name.

*string operationID*

This property represents the operation ID.

## Exposed methods

*string getEstimatedHwFingerPrint(void)*

This method returns the estimatedHwFingerprint property.

*void setEstimatedHwFingerPrint(string ehwfpint)*

This method establishes estimatedHwFingerprint property.

*string getExecutionTimeStamp(void)*

This method returns executionTimeStamp property.

*string getExecutionTimeStamp(void)*

This method establishes the version property.

*void setExecutionTimeStamp(string extimestamp)*

This method returns the executionTimeStamp property.

*string getOperationDetailsID(void)*

This method returns the operationDetailsID property.

*void setOperationDetailsID(string opdetaiisid)*

This method establishes the operationDetailsID property.

*string getOperationID(void) const*

This method returns the operationID property.

*void setOperationID(string opid)*

This method establishes the operationID property.

*void string getOwnerName(void)*

This method returns the ownerName property.

*void setOwnerName(string oname)*

This method establishes the ownerName property.

## AXIDPARAMETERS

This class covers the parameters that are related to different AXMEDIS IDs

## Exposed Properties

*string axcid*

This property corressponds to the creator ID.

*string axdid*

This property corressponds to the distributor ID.

*string axoid*

This property corresponds to the AXMEDIS object ID.

*string axtid*

This property corresponds to the AXMEDIS Tool ID.

*string axuid*

This property represents the AXMEDIS resource ID.

*string axwid*

This property represents the work ID.

## Exposed methods

*string getEstimatedHwFingerPrint(void)*

This method returns the estimatedHwFingerprint property.

*void setAXCID(string ehwfprint)*

This method establishes axcid property.

*string getAXCID(void)*

This method returns axcid property.

*string getAXDID(void)*

This method establishes axdid property.

*void setAXDID(string extimestamp)*

This method returns the axdid property.

*string getAXOID(void)*

This method returns the axoid property.

*void setAXOID(string opdetailsid)*

This method establishes the axoid property.

*string getAXTID(void) const*

This method returns the axtid property.

*void setAXTID(string opid)*

This method establishes the axtid property.

*void string getAXUID(void)*

This method returns the axuidproperty.

*void setAXUID(string oname)*

This method establishes the axuid property.

*void string getAXWID(void)*

This method returns the axwid property.

*void setAXWID(string oname)*

This method establishes the axwid property.

## SELECTION JAVASCRIPT CLASSES

The class provides the access to **SELECTION** structure defined for accessing to the Main Query Support and retrieving axoids of Axmedis Objects. This class is not completed but it allows to query for Axmedis Objects stored into the Axmedis Database. To this end it is necessary to put in the configuration file of tools the following lines:

```
<Module category="" id="AXMEDIS_SELECTION">
<Parameter name="MAIN_QUERY_SUPPORT_WSDL" type="string">
http://axdb.axmedis.org:8080/MainQuerySupportWSF/mqs?WSDL</Parameter>

<Parameter name="SELECTION_ARCHIVE_WSDL" type="string">
http://axdb.axmedis.org:8080/UserSelectionArchiveF/sa?WSDL</Parameter>
</Module>
```

Alternatively, the selection object can be configured by code using directly the URI properties.

**AxSelection** - Description of AxSelection javascript class

**Example** - Example of usage and scripts

### AXSELECTION

The AxSelection class allows managing selection XML data structure. It provides access to the Main Query Support Web Service in order to query for Axoids by means complex set of queries.

#### Exposed properties:

*number queryCount*

It provides the number of queries in the selection (*read only*)

*string querySupportURI*

It provides the URI of the Main Query Support Web Service

*string archiveURI*

It provides the URI of the Selection Archive Web Service

#### Exposed methods:

*AxSelection(...)*

Default constructor.

*AxSelection(string xmlString)*

Constructor with parameter. It builds the selection instance by using the xml description stored in *xmlString*

*resolve(string user, string pwd)*

The method resolve the whole selection. The *user* and *pwd* are needed to access to Main Query Support service

*resolveQuery(string user, string pwd, int queryIndex)*

The method resolve the query specified by the *queryIndex*. The *user* and *pwd* are needed to access to Main Query Support service

*array getAXDBResult()*

It returns an array of axoids related to Axmedis Objects stored into the Axmedis DB and retrieved by the last query or selection.

*array getP2PResult()*

It returns an array of axoids related to Axmedis Objects available into AXEPTTOOLS (P2P) and retrieved by the last query or selection.

*array getCMSResult()*

It returns an array of axoids related to media objects available into CMS and retrieved by the last query or selection.

*boolean load(string filepath)*

The method load the selection from the File System specified by the *filepath*.

*boolean loadFromDB(string user, string pwd, int selId)*

The method load the selection from the Selection Archive specified by the *selId*. The *user* and *pwd* are needed to access to Main Query Support service

*string getXMLQuery(number queryIndex)*

It returns the xml of a query by means the *queryIndex*

*boolean addXMLQuery(string xmlQuery)*

It adds the xml of a query to selection.

*boolean removeQuery(number queryIndex)*

It deletes the query specified by the *queryIndex*

## EXAMPLES OF USAGE

```
// Axoids retrieving using selection
function test()
{
    var selection = new AxSelection(selXmlString);
    selection.resolveQuery("test", "test", 0);
    var documentList = selection.getAXDBResult();

    for (i in documentList)
    {
        [...] your code for managing axoids
    }
    return true;
}
```

## FORMATTING ENGINE FUNCTIONS

The set of JavaScript classes that wrap the main classes of the AXMEDIS Format Engine includes the:

**FormatManager** - for managing an instance of the FormatManager and access the high level formatting functions.

**ResourceList** - for managing the list of resources to be formatted.

**TemplateList** - for managing the template library.

**StyleList** - for managing the style-sheet library.

Some examples of usage and scripts are also provided.

### FORMATMANAGER

#### Resources management:

*bool loadResourceDescriptors(string dir)*

Add XML descriptors, contained in the given directory, to the list. For testing only.

*ResourceList getResourceList()*

Return the ResourceList object used by FormatManager.

*bool clearResources()*

Empty the list of resources.

*int resourceNumber()*

Return the number of descriptors contained in the resources list.

#### Profiles management:

*DeviceInfo getDeviceInfo()*

Return the DeviceInfo object used by FormatManager.

*bool loadDeviceInfo(string filePath)*

Load the XML device profile contained in the given file.

#### Templates management:

*TemplateList getTemplateList()*

Return the TemplateList object used by FormatManager.

*bool loadTemplateDescriptors()*

Add XML descriptors, contained in the default directory, to the list.

*bool createTemplateDescriptor(string id, string location, string category, string hierarchy, string meta, string formats, string devices)*

Create an XML descriptor in the default directory, using the id as filename.

*bool createDescriptorsFromSMIL(string smilFile, string genTempFile, string genStyleFile, string templateFile, string styleFile, string id)*

Create a template and a style-sheet using a complete SMIL file. Also create the XML descriptors in the default directory, using the id as filename, and add them to the lists (gentemplatefile and genstylefile are the XSL files used to generate template and style-sheet).

*int templateNumber()*

Return the number of descriptors contained in the templates list.

### Style-sheets management:

*StyleList* *getStyleList()*

Return the StyleList object used by FormatManager.

*bool* *loadStyleDescriptors()*

Add XML descriptors, contained in the default directory, to the list.

*bool* *createStyleDescriptor(string id, string location, string tmplId, string meta, string devices)*

Create an XML descriptor in the default directory, using the id as filename.

*int* *styleNumber()*

Return the number of descriptors contained in the style-sheets list.

### Filtering:

*string* *getBestTemplateId()*

Return the ID of the "best" template.

*string[]* *getBestTemplates()*

Return the IDs of the automatically selected templates.

*string* *getBestStyleId(string tmplId)*

Return the ID of the automatically selected style-sheet, given a template.

### Output management:

*bool* *saveSMIL(string tmplId, string styleId, string filePath)*

Create a SMIL document at the filePath, using the given template and style-sheet.

*bool* *saveOptimizedSMIL(string tmplId, string styleId, string filePath, int x, int y)*

Optimize (for an x/y screen) and create a SMIL document at the filePath, using the given template and style-sheet.

## RESOURCELIST

*bool* *loadFile(string dir)*

Load XML resource descriptors contained in the given directory.

*ResourceDescriptor* *addResource(string resourceType, string location, string category, string parent, string related, string meta)*

Create a new ResourceDescriptor and add it to the ResourceList. Type-specific data should be entered subsequently using 'getters' methods.

*int* *getSize()*

Return the number of items contained in the list.

*ResourceDescriptor* *getResource(int index)*

Return the descriptor of the list having the given index.

*string* *getType(int)*

Return the type of the resource referred by the descriptor of the list having the given index.

## DEVICEINFO

*string getDeviceClassType()*  
getDeviceClassType.

*int getHorizontalScreenSize()*  
getHorizontalScreenSize.

*int getVerticalScreenSize()*  
getVerticalScreenSize.

## TEMPLATELIST

*int getSize()*  
Return the number of items contained in the list.

*setDescrDir(string)*  
Set the default directory for descriptors.

## STYLELIST

*int getSize()*  
Return the number of items contained in the list.

*setDescrDir(string)*  
Set the default directory for descriptors.

## EXAMPLES OF USAGE

This script illustrates an example of usage of the classes described below.

```
function format()
{
    var templPath =
    "../../../Framework/doc/test/contentformatter/files/templateDescriptor";
    var stylePath =
    "../../../Framework/doc/test/contentformatter/files/styleDescriptor";
    var resPath =
    "../../../Framework/doc/test/contentformatter/files/resourceDescriptor/play-
    stop";
    var devFile =
    "../../../Framework/doc/test/contentformatter/files/profiles/device1.xml";
    var outFile =
    "../../../Framework/doc/test/contentformatter/files/output/output.smi";

    var fm = new FormatManager();

    // load templates
    fm.getTemplateList().setDescrDir(templPath);
    if (fm.loadTemplateDescriptors(templPath))
    {
        if (fm.templateNumber() == 0) {
            print ("Error: template list is empty.");
            return -1;
        }
        else
            print(" - templates loaded: " + fm.templateNumber());
    }
    else {
        print("Error while loading templates.");
    }
}
```

```

        return -1;
    }

    // create a new template descriptor
    if(fm.createTemplateDescriptor("play-stop",           // id
(descriptor filename)
                                "play-stop_template.smi", // template
filename
                                "video-clip",             // category
                                "",                       // hierarchy
                                "Simple video player",    // meta
                                "SMIL",                  // output
formats (comma separated)
                                "PC,PDA"))               // devices
(commma separated)
    {
        print(" - template descriptor created");
        print(" - now templates loaded are: " + fm.templateNumber());
    }
    else {
        print("Error while creating new template descriptor.");
        return -1;
    }

    // load style-sheets
    fm.getStyleList().setDescrDir(stylePath);
    if (fm.loadStyleDescriptors(stylePath))
    {
        if (fm.styleNumber() == 0) {
            print ("Error: style list is empty.");
            return -1;
        }
        else
            print(" - styles loaded: " + fm.styleNumber());
    }
    else {
        print("Error while loading styles.");
        return -1;
    }

    // create a new style-sheet descriptor
    if(fm.createStyleDescriptor("play-stop",           // id (descriptor
filename)
                                "play-stop.xml",        // style-sheet filename
                                "play-stop",            // template id
                                0,                      // parameters
                                "Simple video player",   // meta
                                "PC"))                  // devices (comma
separated)
    {
        print(" - style-sheet descriptor created");
        print(" - now style-sheets loaded are: " + fm.styleNumber());
    }
    else {
        print("Error while creating new template descriptor.");
        return -1;
    }

    // load profiles
    if (fm.loadDeviceInfo(devFile))
        print(" - device profile loaded");

```

```

else {
    print("Error while loading profiles.");
    return -1;
}

// load resources
if (fm.loadResourceDescriptors(resPath))
{
    if (fm.resourceNumber() == 0) {
        print("Error: resource list is empty");
        return -1;
    }
    else
        print(" - resources loaded: " + fm.resourceNumber());
}
else {
    print("Error while loading resources.");
    return -1;
}

// filtering
var tplId = fm.getBestTemplateId();
print (" - selected template is: " + tplId);

var stlId = fm.getBestStyleId(tplId);
print (" - selected style-sheet is: " + stlId);

// create output file
if (fm.saveSMIL(tplId, stlId, outFile))
    print(" - output file created succesfully")
else {
    print ("Error while creating output file.");
    return -1;
}

print(" - end");
return 0;
}

```

## PROFILING JAVASCRIPT CLASSES

The JS Profiling provides the following set of JavaScript classes:

**AxUserProfile** - Class for managing User profiles

**AxDeviceProfile** - Class for managing Device profiles

**AxNetworkProfile** - Class for managing Network profiles

**Example** - Example of usage and scripts

### AXUSERPROFILE

The class for managing User profiles.

#### Exposed Methods:

*AxUserProfile()*

Constructor.

*boolean loadXMLFile(string url)*

Loads and parses an XML profile from a file.

*boolean loadXMLString(string xmlString)*

Loads and parses an XML profile from an input String (in XML format).

*boolean createXMLfile(string url)*

Creates a new (basic) XML UserProfile, where the new file location is specified as a URI.

*string getXML()*

Returns the (XML formatted) contents of the XML profile in String form.

*boolean setXML(string xmlString)*

Write the string as the contents of the loaded XML profile, over-writing what was there previously.

*string getAttribute(string domPath, string ID)*

Returns the corresponding value of the specified attribute from the XML profile. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*boolean setAttribute(string domPath, string value, string ID)*

Sets a specified attribute value to the given value. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*boolean addAttribute(string domPath, string attributeName, string attributeValue, string ID)*

Adds a given attribute to the specified element. The ID parameter is optional.

*boolean deleteAttribute(string domPath, string ID)*

Deletes specified attribute from given element. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*string getValue(string domPath, string ID)*

Returns the corresponding value of the element from the XML profile. The ID parameter is optional.

*boolean setValue(string domPath, string value, string ID)*

Sets the value of the specified element in the XML profile. The ID parameter is optional.

*boolean createElement(string domPath, string ID)*

Create an XML element using the DOM path. The new element name is specified at the end of the DOM path. The ID parameter is optional.

*boolean deleteElement(string domPath, string ID)*

Delete an XML element based on the DOM path. The ID parameter is optional.

*boolean save()*

Closes the XML profile. If any element is changed then the changes are saved first..

## AXDEVICEPROFILE

The class for managing Device profiles.

### Exposed Methods:

*AxUserProfile()*

Constructor.

*boolean loadXMLFile(string url)*

Loads and parses an XML profile from a file.

*boolean loadXMLString(string xmlString)*

Loads and parses an XML profile from an input String (in XML format).

*boolean createXMLfile(string url)*

Creates a new (basic) XML UserProfile, where the new file location is specified as a URI.

*string getXML()*

Returns the (XML formatted) contents of the XML profile in String form.

*boolean setXML(string xmlString)*

Write the string as the contents of the loaded XML profile, over-writing what was there previously.

*string getAttribute(string domPath, string ID)*

Returns the corresponding value of the specified attribute from the XML profile. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*boolean setAttribute(string domPath, string value, string ID)*

Sets a specified attribute value to the given value. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*boolean addAttribute(string domPath, string attributeName, string attributeValue, string ID)*

Adds a given attribute to the specified element. The ID parameter is optional.

*boolean deleteAttribute(string domPath, string ID)*

Deletes specified attribute from given element. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*string getValue(string domPath, string ID)*

Returns the corresponding value of the element from the XML profile. The ID parameter is optional.

*boolean setValue(string domPath, string value, string ID)*

Sets the value of the specified element in the XML profile. The ID parameter is optional.

*boolean createElement(string domPath, string ID)*

Create an XML element using the DOM path. The new element name is specified at the end of the DOM path. The ID parameter is optional.

*boolean deleteElement(string domPath, string ID)*

Delete an XML element based on the DOM path. The ID parameter is optional.

*boolean save()*

Closes the XML profile. If any element is changed then the changes are saved first.

## AXNETWORKPROFILE

The class for managing Network profiles.

### Exposed Methods:

*AxUserProfile()*

Constructor.

*boolean loadXMLFile(string url)*

Loads and parses an XML profile from a file.

*boolean loadXMLString(string xmlString)*

Loads and parses an XML profile from an input String (in XML format).

*boolean createXMLfile(string url)*

Creates a new (basic) XML NetworkProfile, where the new file location is specified as a URI.

*string getXML()*

Returns the (XML formatted) contents of the XML profile in String form.

*boolean setXML(string xmlString)*

Write the string as the contents of the loaded XML profile, over-writing what was there previously.

*string getAttribute(string domPath, string ID)*

Returns the corresponding value of the specified attribute from the XML profile. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*boolean setAttribute(string domPath, string value, string ID)*

Sets a specified attribute value to the given value. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*boolean addAttribute(string domPath, string attributeName, string attributeValue, string ID)*

Adds a given attribute to the specified element. The ID parameter is optional.

*boolean deleteAttribute(string domPath, string ID)*

Deletes specified attribute from given element. The attribute name is specified at the end of the DOM path. The ID parameter is optional.

*string getValue(string domPath, string ID)*

Returns the corresponding value of the element from the XML profile. The ID parameter is optional.

*boolean setValue(string domPath, string value, string ID)*

Sets the value of the specified element in the XML profile. The ID parameter is optional.

*boolean createElement(string domPath, string ID)*

Create an XML element using the DOM path. The new element name is specified at the end of the DOM path. The ID parameter is optional.

*boolean deleteElement(string domPath, string ID)*

Delete an XML element based on the DOM path. The ID parameter is optional.

*boolean save()*

Closes the XML profile. If any element is changed then the changes are saved first

#### EXAMPLES OF USAGE

```
var userprof = new AxUserProfile();
userprof.loadXMLFile("userprofile.xml");
userprof.setValue("Preferences/AudioPreferences/VolumeControl", "0.90",
"ID000000");
userprof.save();
```

## METADATA MAPPER JAVASCRIPT CLASS

The set of JavaScript classes that wrap the main classes for addapting AXMEDIS Metadata.

List of classes and link to internal sections

**Metadata Mapper** - Class for Adapting Metadata using an XSLT

**Example** of usage

### METADATAMAPPER

Description

#### Exposed methods:

*MetaDataMapper()*

Constructor

*string ExtractMetadata(AxObjectManager \* axom)*

Method to extract Metadata from an AXMEDIS Object returning the result as a standard string with XML.

AxObjectManager pointer to an instance of an AXMEDIS Object

*bool EmbedMetadata(AxObjectManager \* axom, string xmlMetadata)*

Method to embed Metadata into an AXMEDIS Object returning the result true if successful. AxObjectManager pointer to an instance of an AXMEDIS Object, standard string of metadata XML to embed

*void LoadXML(AxObjectManager \* axom, string xmlMetadata)*

Method to load the XSLT file with no return. Input paramters are a standard string to locate the .xsl file.

*string Transform(string xmlMetadata)*

Method to Transform XML Metadata string into a new Metadata XML string returning the standard string of the new XML Metadata. Standard string pointer of the XML Metadata string to be converted.

### EXAMPLES OF USAGE

The following script loads an AXMEDIS Object from a local file source, initialises the MetaDataMapper and extracts the metadata into an XML string. The script loads the XSLT (.xsl) from a local file source and uses this to transcode the metadata string into a new adapted metadata XML string. the string is embedded into the original AXMEDIS object and saved with a new file name.

```
function test()
{
    // Open AXMEDIS object
    var axom = new AxmedisObject("C:\\axmedis\\tiscali-medioclub-dottor-
mabuse.axm");

    // Initalise the Metadata Mapper
    var mdm = new MetaDataMapper();

    // Extract the Metadata from the AXMEDIS object
    var extractedString = mdm.ExtractMetadata(axom);

    // Load the saved xslt file
    mdm.LoadXSL("C:\\axmedis\\tiscali-test-style2.xsl");

    // Transform the metadata returning the new metadata string
    var out = mdm.Transform(extractedString);
```

```
// Embed the new metadata into an axmedis object
mdm.EmbedMetadata(axom, out);

// Save AXMEDIS object
axom.save("C:\\axmedis\\tiscali-medioclub-dottor-mabuse-adapted.axm")

return 0;
}
//Entry point of the script
test();
```



## AXEPTOOL JAVASCRIPT CLASSES

The AXEPTool provides the following set of JavaScript classes:

**AXP2PManager** - Class for managing calls to an AXEPTool WS.

**DownloadedObjectListResponse** - Class for managing a downloaded object list response from AXEPTool WS.

**DownloadStatusResponse** - Class for managing an object download status response from AXEPTool WS.

**PublicationStatusResponse** - Class for managing a publication status response from AXEPTool WS.

**PublishedObjectListResponse** - Class for managing a published object list response from AXEPTool WS.

**SystemInformationsResponse** - Class for managing system informations from AXEPTool WS.

**Example of usage**

### AXP2PMANAGER

This Class manages calls to an AXEPTool WS.

#### Exposed properties:

*string uri*

The AXEPTool's Uri.

*string trackeruri*

The Tracker's Uri.

*string lastError*

Last gsoap error.

*int timeout*

Gsoap call's timeout in seconds.

#### Exposed methods:

*string getUri()*

Gets the endpointUri of the AXEPTool.

*boolean setUri(string Uri)*

Sets the endpointUri of the AXEPTool.

*boolean setTrackerUri(string Uri)*

Sets the TrackerUri.

*string getLastError()*

Gets the last gsoap error.

*boolean setTimeout(int timeout)*

Sets the gsoap call's timeout in seconds.

*array getPublicationStatus(string Uri)*

Provides the current status of a given object which is in the Published Object Area of the P2P environment and selected by the proper identification (AXOID or local file name). It returns the amount of bytes, seeds and peers for each segment, and the list of contacting peers for a given media.

*boolean removePublishedObject(string Uri)*

Deletes the object specified by the Uri (AXOID or local file name) from the database/directory of Published objects. This is something that should not be done in P2P systems, but when they are used for B2B the directory could reach the limit of their size and housekeeping is needed.

*string getDownloadedObjectURL(string Uri)*

Retrieves the object URI (the object is given by its AXOID or local file name) from which the downloaded at 100% object can be copied into the AXMEDIS database by the AXCP. This action will be performed by the AXCP directly accessing to that URL.

*boolean removeDownloadedObject(string Uri)*

Deletes the object specified by the Uri (AXOID or local file name) from the directory of Downloaded objects. This is something that should not be done in P2P systems, but in some cases the directory could reach the limit of their size and housekeeping is needed.

*boolean downloadObject(string Uri)*

Starts the download of the object specified by the AXOID in the P2P environment. The AXOID field has to be added into the Tracker database. It could be used with traditional media if torrentfile are at disposal.

*boolean downloadObjectURL(string Uri)*

Starts the download of the object specified by the bittorrent URL in the P2P environment. It could be used with traditional media if torrentfile are at disposal.

*boolean controlDownloadingObject(string Uri, boolean start)*

Start/Stop the download of the object specified (given by its Uri, which can be its AXOID or local file name).

*array getDownloadStatus(string Uri)*

Provides the current status of a downloading object (given by its Uri, which can be its AXOID or local file name) in the P2P environment. It returns the current percentage of download, estimated time to completion (if possible), peers and seeds.

*boolean publishObject(string Uri)*

Published the object (given by its filepath) in the Published Object repository of the P2P client tool and create a bittorrent file, thus posting bittorrent file on the selected tracker URL.

*array getPublishedObjectList()*

Returns a list of objects which are present in the directory of Published objects. The list depicts all media (both AXMEDIS or general), including file name, AXOID (if any) and infoHash.

*array getDownloadingObjectList()*

Returns the list of objects in the directory of Downloaded objects.

*string getVersion()*

Gets the AXEPTool's version.

*string getStatus()*

Gets an object's status.

*string getLogs()*

Gets the AXEPTool's logs.

## DOWNLOADED OBJECT LIST RESPONSE

This Class manages the downloaded object list response.

### Exposed properties:

*array downloadedObjectList*

List of downloaded objects as a matrix of strings where each row provides values for AXOID (column 0), InfoHash (column 1) and LocalFilename (column 2).

### Exposed methods:

*string getAXOID(int index)*

Gets the AXOID of the downloaded object referred by index. If index is greater than the size of the downloaded object list the method returns an empty string.

*string getInfoHash(int index)*

Gets the infoHash of the downloaded object referred by index. If index is greater than the size of the downloaded object list the method returns an empty string.

*string getlocalFileName(int index)*

Gets the local file name of the downloaded object referred by index. If index is greater than the size of the downloaded object list the method returns an empty string.

*array getDownloadedObjectList()*

Gets the downloaded object list as a matrix of strings where each row provides values for AXOID (column 0), InfoHash (column 1) and LocalFilename (column 2).

## DOWNLOAD STATUS RESPONSE

This Class manages the Downloaded Object Status response.

### Exposed properties:

*int nseeds*

Number of seeds.

*int dbytes*

Amount of downloaded Bytes.

*int ela*

Elapsed download time.

*int eta*

Estimated download time.

*int dperc*

Downloaded percentage.

*string axoid*

Object's AXOID.

*int endDate*

End Date of download.

*string filename*

Object's Filename.

*int remaining*

Remaining time.

*int size*

Object's size in bytes.

*int startDate*

Download start date.

*string status*

Object's status.

*int uKBytes*

Amount of uploaded bytes.

*int dlrate*

Object's download rate in bytes.

*int uprate*

Object's upload rate in bytes.

*array peerslist*

The list of peers.

### **Exposed methods:**

*int getdperc()*

Gets the downloaded percentage.

*int getdBytes()*

Gets the downloaded Bytes.

*int getela()*

Gets the download elapsed time.

*int geteta()*

Gets the estimated download time.

*int getnseeds()*

Gets the number of seeds.

*string getAxoid()*

Gets the object's axoid.

*int getdlrate()*

Gets the object's download rate.

*int getuprate()*

Gets the object's upload rate.

*int endDate()*

Gets the download end date.

*string filename*

Gets the object's filename.

*int remaining*

Gets the remaining time.

*int size*

Gets the object's size.

*int startDate*

Gets the download start date.

*string status*

Gets the object's status.

*int uKBytes*

Gets the uploaded bytes.

*array getpeerslist()*

Gets the peers list.

## PUBLISHEDOBJECTLISTRESPONSE

This Class manages the Published Object List response

### Exposed properties:

*array publishedObjectList*

The list of published objects as a matrix of strings where each row provides values for AXOID (column 0), InfoHash (column 1) and LocalFilename (column 2).

### Exposed methods:

*string getAXOID(int index)*

Gets the AXOID of the published object referred by index. If index is greater than the size of the published object list the method returns an empty string.

*string getInfoHash(int index)*

Gets the infoHash of the published object referred by index. If index is greater than the size of the published object list the method returns an empty string.

*string getlocalFileName(int index)*

Gets the local file name of the published object referred by index. If index is greater than the size of the published object list the method returns an empty string.

*array getPublishedObjectList()*

Gets the Published Object List as a matrix of strings where each row provides values for AXOID (column 0), InfoHash (column 1) and LocalFilename (column 2).

## PUBLICATIONSTATUSRESPONSE

This Class manages the Publication Object Status response.

### Exposed properties:

*int numberOfSeeds*

The number of seeds.

*int uploadedBytes*

The amount of uploaded Bytes.

*string axoid*

Object's AXOID.

*string filename*

Object's filename.

*int size*

Object's size.

*string status*

Object's status.

*int dlrates*

Object's download rate in bytes.

*int urates*

Object's upload rate in bytes.

*array PeersList*

The peers list.

### Exposed methods:

*int getnseeds()*

Gets the number of seeds.

*int getbytes()*

Gets the amount of uploaded Bytes.

*string getAxoid()*

Gets the object's AXOID.

*string getFilename()*

Gets the object's filename.

*int getSize()*

Gets the object's size.

*string getStatus()*

Gets the object's status.

*int getdlrate()*

Gets the object's download rate.

*int getuprate()*

Gets the object's upload rate.

*array getPeersList()*

Gets the peers list.

*array getSegmentList()*

Gets the segments list.

## SYSTEMINFORMATIONSRRESPONSE

This Class manages the System Informations response

### Exposed properties:

*string configFile*

The AXEPTTool's configuration file.

*int cpu*

The AXEPTTool machine's cpu type.

*int memory*

The AXEPTTool machine's amount of free RAM.

*string os*

The AXEPTTool machine's Operating System.

*string username*

The AXEPTool machine's user name.

*string version*

The AXEPTool's version.

### **Exposed methods:**

*string getConfigFile()*

Gets the AXEPTool's configuration file.

*int getCpu()*

AXEPTool machine's cpu type.

*int getMemory()*

Gets AXEPTool machine's amount of free RAM.

*string getOS()*

Gets the AXEPTool machine's Operating System.

*string getUsername()*

Gets the AXEPTool machine's user name.

*string getVersion()*

Gets the AXEPTool's version.

### EXAMPLES OF USAGE

```
var start = true;
var axeptoolUri = "http://localhost:7780/WebServices/P2PMonitoring";
var trackerUri = "http://axtrk.axmedis.org:8080/AXTrackv2/";
var axmedisObjUri = "URN:AXMEDIS:00000:OBJ:C6921986-7E79-3753-863B-D6870D143510";

var manager = new AXP2PManager(axeptoolUri, trackerUri);

if(!manager.downloadObject(axmedisObjUri))
    print(manager.getLastErrorMessage());
else
    print("Object downloaded");
```

## AXMEDIS JAVASCRIPT FUNCTIONS

The set of JavaScript functions that wraps the main classes of the AXMEDIS Object Model includes the:

**I/O functions** - for managing an instance of the AXMEDIS Object

**File functions** - for managing files

**Dir functions** - for managing folders

**Process Functions** - for managing external process and applications

**Mime Type Functions** - for converting extension into mime type and viceversa

**Network functions** - for managing network utilities

**Example** - Example of usage and scripts

### I/O FUNCTIONS

*print(string msg)*

Print a string on the current I/O device. It could be the GUI, the console or other.

*alert(string msg)*

As "Print" displays a string on the current I/O device. It could be the GUI, the console or other.

### FILE FUNCTIONS

*boolean writeToFile(string filePath, string buffer)*

Write a string buffer to a file at filePath

*boolean appendToFile(string filePath, string buffer)*

Append a string buffer to a file at filePath

*boolean removeFile(string filePath)*

Remove a file

*boolean existsFile(string filePath)*

Test if a file at filePath exists

*string readFromFile(string filePath)*

Return a string buffer from a file at filePath

*boolean copyFile(string filePath, string targetPath)*

Copy the file at filePath to the targetPath returning TRUE in the success case.

*boolean renameFile(string filePath, string extension)*

Command to change the extension of a file at filePath returning TRUE in the success case.

*string getFirstFile(string path, string wildcard)*

Provide the first file in the path folder. The wildcard parameter is a filter on files extension ("\*.\*", "\*.txt", etc.). The default value for wildcard parameter is "\*.\*". If the directory has not files null is returned

*string getNextFile(string path, string wildcard)*

Provide the first file in the path folder. The wildcard parameter is a filter on files extension ("\*.\*", "\*.txt", etc.). The default value for wildcard parameter is "\*.\*". If the directory has not files null is returned. This function has to be used in conjunction with the getFirstFile.

*array getAllFiles(string path, string wildcard)*

Search all files matching the wildcard in the path dir and in all subdir recursively.

*number getFileLength(string fullPath)*

It returns the size of file in Bytes. The function returns -1 if the file does not exist.

## DIR FUNCTIONS

*boolean makeDir(string dirPath)*

Create a directory at dirPath returning TRUE in the success case.

*boolean removeDir(string dirPath)*

Remove the directory at dirPath returning TRUE in the success case.

*boolean existsDir(string dirPath)*

Test if the directory at dirPath exists

*array listDir(string path, string wildcard)*

Provide the list of directories in the path folder. The wildcard parameter is a filter on the extension of directories (\*.\*, \*.txt, etc.). The default value for wildcard parameter is "\*.\*"

## PROCESS FUNCTIONS

*boolean execute(string commandLine)*

Invoke the execution of an external process/application by means the command line and parameters.

The call is synchronous and returns TRUE in the success case.

## MIME TYPE FUNCTIONS

*string getMimeType(string ext)*

Get the mime type from the file extension

*string mimeTypeToExt(string mimetype)*

Get the extension from the mime type.

## NETWORK FUNCTIONS

*string getIPAddress()*

Get the IP Address of the machine as string

*string getHostName(string mimetype)*

Get the name of the host

## EXAMPLES OF USAGE

The script parse an xml string loaded from filesystem the xml is loaded by means the 'readFromFile' function that returns a string with the xml. The ShowXML calls the function in the showXML script. It uses the XML parser provided by the "rexml" script. Such script define an XML object in JS and gives some tools to browse and retrieve information from the xml elements.

```
var str = readFromFile(xml);
var obj = new AxMetadata();
obj.addXML(str);
```

```

var xml = obj.getXML();
ShowXML(xml);
function ShowXML(strXML) {

    var xmlDoc = new REXML(strXML);
    print("The root element " + xmlDoc.rootElement.name + " has " +
xmlDoc.rootElement.childElements.length + " child elements.");
    for (var i=0; i<xmlDoc.rootElement.childElements.length; i++)
    {
        var item = xmlDoc.rootElement.childElements[i];
        print("Child element of type " + item.type + " "+item.name );
    }
}

```

The following script shows how to browse directories in the unit C:

```

var l = listDir("c:\\"); //It provides the list of folder in c:
for (i in l)
{
    print(l[i]);
    var f = getFirstFile(l[i]);
    while(f!=null){

        print(f); // here, operations to do with the file name
        f = getNextFile();
    }
}

```

## UTILITY AND OTHER JAVASCRIPT CLASSES

The searchbox bridge provides the following set of JavaScript classes:

**ZipArchiver** - Class for managing archives (zip/unzip)

**Example** - Example of usage and scripts

### ZIPARCHIVER

The class for managing archive of file (zip/unzip).

#### Exposed Properties:

*zipFile: string*

The string contains the file as array of chars

#### Exposed Methods:

*ZipArchiver()*

It creates a ZipArchiver object. Constructor.

*boolean createNewZipArchive(string filePath)*

It creates a new zip file at the filePath location. The filePath has to contain the name of file.

*boolean openZipArchive(string filePath)*

It opens a existing zip archive at the filePath location.

*boolean addFileToZip(string zipFilePath,string filePath)*

It adds a file at the filePath location to the zipFilePath archive.

*boolean removeFileFromZip(string fileName)*

It deletes a fileName file from the archive.

*unzip()*

It allows to unzip the archive in the same folder of the archive.

*unzip(string dirPath)*

It allows to unzip the archive in the dirPath folder.

### EXAMPLES OF USAGE

```
var Zipper = new ZipArchiver();
Zipper.createZipArchive ("C:/pippo.zip");
Zipper.addFileToZip ("C:/pluto.txt");
var Zipper = new ZipArchiver();
var FilesList = new Array();
FilesList[0]="C:/pippo.txt";
FilesList[1]="C:/minnie.txt";
Zipper.addFilesToZip ("pippo zip", FilesList);
var Zipper = new ZipArchiver();
Zipper.openZipArchive("C:/pippo.zip");
Zipper.unzip();
```

## E4X SHORT GUIDE FOR JAVASCRIPT V. 1.6

**ECMAScript for XML (E4X)** is a programming language extension that adds native XML support to JavaScript (ver. 1.6). It does this by providing access to the XML document in a form that feels natural for ECMAScript programmers. The goal is to provide an alternative, simpler syntax for accessing XML documents than via DOM interfaces. E4X is standardized by Ecma International in [ECMA-357 standard](#) (currently in its first edition, June 2004). E4X is implemented (at least partially) in SpiderMonkey

### KNOWN BUGS AND LIMITATIONS

- It is not currently possible to access a DOM object through E4X (bug 270553)
- E4X doesn't support parsing XML declaration (<?xml version=...?>) (bug 336551). You may get `SyntaxError "xml is a reserved identifier"` (despite the XML being in a string).  
Workaround:

```
var response = xmlhttprequest.responseText; // bug 270553
response = response.replace('<?xml version="1.0"?>', ''); // bug 336551
var e4x = new XML(response);
```

### RESOURCES

- See the list of [E4X-related pages](#) on MDC.
- [ECMA-357 standard](#)
- [E4X at faqs.com](#)

### CONTEXT KEYWORDS

E4X adds three context keywords (each, XML, namespace). Context keywords take on a specific meaning when used in specified contexts where identifiers are not permitted by the syntactic grammar.

### STATEMENTS

The **default XML namespace** of the global scope has the initial value of no namespace. You can define its scope also. For example, if you define it within a function call, the value set will not be accessible outside the function. To deal with XML with namespaces easily, you can declare a default namespace for the current scope (e.g., function scope or global scope) using the newly introduced statement, as follows:

```
default xml namespace = expression;
```

The above statement should evaluate to a string with a URI or to a namespace object. The result is that all elements created in the current scope will be in the default namespace, provided they have no prefix in their name. The following code snippet shows the uri value when the default namespace is both defined and not defined:

```
var xmlElement1 = <p>Hello how are you</p>;
// shows '';
alert(xmlElement1.name().uri);

// set default namespace
default xml namespace = 'http://www.w3.org/1999/xhtml';
var xmlElement2 = <p>Hello how are you</p>;
// shows 'http://www.w3.org/1999/xhtml';
alert(xmlElement2.name().uri);
```

The **for-in statement** evaluates an expression and iterates through each property of the resulting XML object. When the expression evaluates to an XML object, the for-in statement converts the XML object to an XMLList and iterates over the resulting XMLList. The following snippet shows the usage of a for-in loop statement:

```
var xmlElement = <publishing>
```

```

        <author type="freelance" books="java">Rahul Gupta</author>
        <author type="employed">Jon</author>
    </publishing>;

//show  Rahul Gupta, freelance, Jon, employed
for (var childElement in xmlElement.author)
{
    alert("Element No ["+childElement +"] = " +
xmlElement.author[childElement]);
    for (var childAttribute in xmlElement.author[childElement].@type)
        alert("Attribute No ["+childAttribute +"] = " +
xmlElement.author[childElement].@type);
}

```

The **for-each-in statement** iterates through each property of the resulting XMLList object in order. The following code snippet shows the usage of for-each-in statement:

```

var xmlElement = <publishing>
    <author type="freelance" books="java">Rahul Gupta</author>
    <author type="employed">Jon</author>
</publishing>;

//shows  Rahul Gupta, freelance, Jon, employed
for each (var xmlElements in xmlElement.author) {
    alert( " Element = "+ xmlElements);
    for each (var xmlAttributes in xmlElements.@type)
        alert( " Attribute = "+ xmlAttributes.toXMLString());
}

```

The for-each-in statement behaves differently from the for-in statement. In particular, it assigns the loop variable over the range of the object rather than the domain of the object. For example, the for-each-in statement binds the loop variable to the property values of the given object rather than the property names.

## IDENTIFIERS AND PUNCTUATORS

Table 1 lists E4X identifiers and punctuators with descriptions and accompanying examples.

| Identifiers                  | Sign/Represented By | Description                                                                                                                                                                                                                              | Example                                                                                                                                                                                  |
|------------------------------|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Attribute Identifiers</b> | @                   | An attribute identifier is used to identify the name of a XML attribute. It evaluates to a value of type <code>AttributeName</code> . The preceding "@" character distinguishes an XML attribute from an XML element with the same name. | <pre> var xmlElement = &lt;publishing&gt;     &lt;author type="freelance"&gt;Rahul Gupta&lt;/author&gt; &lt;/publishing&gt;; // shows 'freelance' alert(xmlElement.author.@type); </pre> |
| <b>Qualified</b>             | ::                  | A qualified                                                                                                                                                                                                                              | <pre> var xmlElement3 = &lt;html </pre>                                                                                                                                                  |

|                             |    |                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Identifiers</b>          |    | identifier is used to identify values defined within a specific namespace. They may be used to access, manipulate, and create namespace-qualified XML elements and attribute names. | <pre> xmlns="http://www.w3.org/1999/xhtml" xml:lang="en"&gt; &lt;body&gt; &lt;a href="www.google.com"&gt; Google &lt;/a&gt; &lt;/body&gt; &lt;/html&gt; var xmlhttp = new Namespace('http://www.w3.org/1999/xhtml'); var xmlhttpElements = xmlhttp.xml::*;  //shows 1 - for body alert(xmlhttpElements.length()); </pre>                                                                                   |
| <b>Wildcard Identifiers</b> | *  | A wildcard identifier is used to identify any name. It may be used for matching namespaces, properties of XML objects, or XML attributes.                                           | <pre> var xmlElement = &lt;publishing&gt; &lt;author type="freelance" books="java"&gt;Rahul&lt;/author&gt; &lt;author type="employed"&gt;Jon&lt;/author&gt; &lt;/publishing&gt;; //shows all elements and Attributes for each (var xmlElements in xmlElement.*) { alert("Element="+ xmlElements); for each (var xmlAttributes in xmlElements.*) alert("Attribute="+ xmlAttributes.toXMLString()); } </pre> |
| <b>Descendent Accessor</b>  | .. | A descendent accessor supports the XML descendent (Child, grandchild, great-grandchild) accessor.                                                                                   | <pre> var xmlElement = &lt;publishing&gt; &lt;author type="freelance"&gt;Rahul Gupta&lt;/author&gt; &lt;author type="employed"&gt;Jon&lt;/author&gt; &lt;/publishing&gt;; // shows 'freelanceemployed' alert(xmlElement..@type); </pre>                                                                                                                                                                    |

**Table 1. E4X Identifiers and Punctuators**

## E4X - OPERATORS & OBJECTS

### OPERATORS

Table 2 lists E4X operators with descriptions and accompanying examples.

| Operator               | Sign/Represented By | Description                                                                                    | Example                                                                                                                                             |
|------------------------|---------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Delete Operator</b> | "delete" keyword    | This operator is for deleting XML properties and XML attributes from XML objects and XMLLists. | <pre> var xmlElement = &lt;publishing&gt; &lt;author type="freelance" books="java"&gt;Rahul Gupta&lt;/author&gt; &lt;/publishing&gt;; delete </pre> |

|                                         |                                                  |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                         |                                                  |                                                                                                                                                                                                                                            | <pre>xmlElement.author.@books; // will not show "java" attribute for each (var xmlAttributes in xmlElement..@*) alert("Attribute="+ xmlAttributes.toXMLString());</pre>                                                                                                                                                 |
| <b>Typeof Operator</b>                  | "typeof" keyword                                 | This operator is for determining the types of XML and XMLList objects.                                                                                                                                                                     | <pre>var xmlElement = &lt;author type="freelance" &gt;Rahul Kumar Gupta&lt;/author&gt;; // show "xml" alert(typeof(xmlElement));</pre>                                                                                                                                                                                  |
| <b>Addition Operator</b>                | +                                                | Depending on its arguments, this operator is for performing string concatenation, XML and XMLList concatenation, or numeric addition.                                                                                                      | <pre>var xmlElement = &lt;publishing&gt; &lt;book price="100"&gt;Java&lt;/book&gt; &lt;book price="150"&gt;JSP&lt;/book&gt; &lt;/publishing&gt;; totPrice= +xmlElement.book[0].@price + +xmlElement.book[1].@price; // show "250" alert(totPrice);</pre>                                                                |
| <b>Equality Operator</b>                | ==                                               | This operator is for enabling equality comparisons (including E4X objects like QName and Namespace objects, and the types XML and XMLList).                                                                                                | <pre>var xmlElement1 = &lt;book price="100"&gt;Java&lt;/book&gt;; var xmlElement2 = &lt;book price="150"&gt;Java&lt;/book&gt;; // shows "false" alert( (xmlElement1 == xmlElement2));</pre>                                                                                                                             |
| <b>Assignment Operator</b>              | =                                                | This operator is used to modify, replace, and insert properties and XML attributes in an XML object. It has two types:<br>XML Assignment<br>XMLList Assignment                                                                             | <pre>var xmlElement = &lt;publishing&gt; &lt;book price="100"&gt;Java&lt;/book&gt; &lt;book price="150"&gt;JSP&lt;/book&gt; &lt;/publishing&gt;; xmlElement.book[1].@price = 165; // shows "165" alert(xmlElement.book[1].@price);</pre>                                                                                |
| <b>Compound Assignment</b>              | op=                                              | E4X benefits from the compound assignment operator "+=". It is used for inserting the XML objects specified by the AssignmentExpression just after the XML objects specified by the LeftHandSideExpression in the context of their parent. | <pre>var xmlElement = &lt;publishing&gt; &lt;book price="100"&gt;Java&lt;/book&gt; &lt;book price="150"&gt;JSP&lt;/book&gt; &lt;/publishing&gt;; xmlElement.book[0] += &lt;book price="200"&gt;EJB&lt;/book&gt;; //shows JAVA. EJB JSP for each (var xmlElements in xmlElement.*) alert("Element="+ xmlElements);</pre> |
| <b>XML Filtering Predicate Operator</b> | xml(list)Object.(filtering predicate expression) | This operator is used to apply a condition to filter out certain elements in a child node or descendent                                                                                                                                    | <pre>var xmlElement= &lt;publishing&gt; &lt;author type="freelance"&gt;Rahul&lt;/author&gt; &lt;book price="200"&gt;EJB&lt;/book&gt; &lt;book price="150"&gt;JSP&lt;/book&gt;</pre>                                                                                                                                     |

|  |  |           |                                                                                                                                                         |
|--|--|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
|  |  | accessor. | <pre>&lt;/publishing&gt;; //show EJB for each (var xmlElements in xmlElement.*) {     if(xmlElements.@price == '200')         alert(xmlElements);</pre> |
|--|--|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|

Table 2. E4X Operators

E4X OBJECTS

E4X adds four native objects to ECMAScript:

- Namespace
- QName
- XML
- XMMLList

In addition, E4X adds new properties to the global object. It adds native XML support to the language, meaning in addition to types like Number, String, Boolean, and Object, there is the XML type for representing XML elements, attributes, comments, processing-instructions, or text nodes, and the XMMLList type for representing a list of XML objects. Both XML and XMMLList are new fundamental data types for representing XML objects and lists of XML objects. The **XML type** is an ordered collection of properties with a name, a set of XML attributes, a set of in-scope namespaces, and a parent. The following is an example of an XML object referring to one root node:

```
<rootnode>
<node></node>
<node></node>
<node></node>
</rootnode>
```

An **XML initializer** is an expression written in a form of a literal that describes the initialization of an XML object. It may specify a XML element, a XML comment, a XML PI, or a CDATA section using ordinary XML syntax. The following sample code shows one:

```
// an XML object representing a author with a name and age
var author = <author> <name>Rahul Gupta</name>
<authorType>freelance</authorType></author>;

//on XML Object representing two authors
var publishing = <publishing>
    <author type="freelance" books="java"> <name>Rahul Gupta</name>  </author>
    <author type="employed"> <name>Jon</name> </author>
</publishing>;
```

The **XMMLList type** is an ordered collection of properties. A value of type XMMLList represents a XML document, an XML fragment, or an arbitrary collection of XML objects. This is an example of an XMMLList that refers to multiple nodes:

```
<node></node>
<node></node>
<node></node>
```

A XMMLList initializer is an expression describing the initialization of an XMMLList object. It describes an ordered list of XML properties using an anonymous XML element syntax. XMMLList initializers begin with the character sequence "<>" and end with the character sequence "</>". The following snippet shows a way to initialize the XMMLList object in E4X code:

```
var xmlIstObj = <><name>Rahul Gupta</name>
<authorType>freelance</authorType></>;
```

```
var authorlistObjt = <>
  <author type="freelance" books="java"> <name>Rahul Gupta</name> </author>
  <author type="employed"> <name>Jon</name> </author>
</>;
```

The main difference between the two is that with XML you are dealing with one specific object that can contain a number of child nodes while with XMLList you are dealing with a collection of one or more XML objects.

To simplify the programmer's task, E4X intentionally blurs the distinction between a single XML object and an XMLList containing only one value. To that end, E4X extends the ECMAScript's function call semantics such that all methods available for values of type XML are also available for XMLLists of size one.

Table 3 lists E4X methods and properties with descriptions and accompanying examples.

| Methods/Properties      | Available in XML | Available in XML List | Description                                                                                                                                                                                                                                         |
|-------------------------|------------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>addNamespace(..)</b> | Y                |                       | The addNamespace method adds a namespace declaration to the in-scope namespaces for an XML object and returns the XML object.                                                                                                                       |
| <b>appendChild(..)</b>  | Y                |                       | The appendChild method appends the given child to the end of an XML object's properties and returns the XML object.<br><b>Alternatives:</b><br>Use the insertChildBefore method with the first parameter value as null.<br>Use a compound operator. |
| <b>attribute(..)</b>    | Y                | Y                     | The attribute method takes the names of the attributes to look for.<br><b>Alternative:</b> xml.@attributeName OR xml['@attributeName']                                                                                                              |
| <b>attributes(..)</b>   | Y                | Y                     | The attributes method returns a XMLList containing the XML attributes.<br><b>Alternative:</b> xml.* OR xml['*']                                                                                                                                     |
| <b>child(..)</b>        | Y                | Y                     | The child property takes the child property name to look for.<br><b>Alternative:</b> xml.ChildPropertyName OR xml['ChildPropertyName']                                                                                                              |
| <b>childIndex(..)</b>   | Y                |                       | The childIndex method returns a number representing the ordinal position of an XML object within the context of its parent. When xmlobject has no parent, the special number value NaN (not a number) is returned.                                  |
| <b>children(..)</b>     | Y                | Y                     | The children method returns a XMLList containing all the child properties.<br><b>Alternative:</b> use wild card *                                                                                                                                   |
| <b>comments (..)</b>    | Y                | Y                     | The comments method returns an XMLList containing the properties that represent XML comments. Make sure that you have the <i>XML.ignoreComments = false</i> ; setting before creating XMLObject.                                                    |
| <b>contains(..)</b>     | Y                | Y                     | The contains method takes one argument: the value to check for in xmlobject/XMLList.                                                                                                                                                                |
| <b>copy(..)</b>         | Y                | Y                     | The copy method returns a deep copy of this XML object/XMLList. You can make a copy of either all or part of XML object/XMLList.                                                                                                                    |

|                              |   |   |                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|---|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>descendants(..)</b>       | Y | Y | The descendants method returns an XMList with the descendants matching the passed name argument or with all descendants, if no argument is passed.<br><b>Alternative:</b> Use the descendants operator (..)                                                                                                                                                                                           |
| <b>elements(..)</b>          | Y | Y | The elements method takes on a parameter and returns an XMList with all matching child elements or with all child elements if no argument was passed.<br><b>Alternative:</b><br><code>xml.childElementName xml</code><br><code>[ 'childElementName' ]</code>                                                                                                                                          |
| <b>hasOwnProperty(..)</b>    | Y | Y | The hasOwnProperty method returns a Boolean value indicating whether the object/List has the property specified by parameter.                                                                                                                                                                                                                                                                         |
| <b>hasComplexContent(..)</b> | Y | Y | The hasComplexContent method returns a Boolean value indicating whether the XML object/XMList contains complex content (i.e., an XML element that has child elements).                                                                                                                                                                                                                                |
| <b>hasSimpleContent(..)</b>  | Y | Y | The hasSimpleContent method returns a Boolean value indicating whether the XML object/list contains simple content (i.e., a text node, attribute node) or represents an XML element that has no child elements.<br><b>Note:</b> The existence of attributes, comments, processing instructions, and text nodes within an XML object/list is not significant for determining if it has simple content. |
| <b>isScopeNamespaces(..)</b> | Y |   | The isScopeNamespaces method returns an array of Namespace objects representing the namespaces that are in scope for this XML object.                                                                                                                                                                                                                                                                 |
| <b>insertChildAfter(...)</b> | Y |   | The insertChildAfter method takes two arguments (p1 and p2), an existing child (p1) to insert after and the new child (p2) to be inserted. If p is null, it inserts p2 before all the children of an XML object. If p1 does not exist in this XML object, it returns without modifying the XML object.                                                                                                |
| <b>insertChildBefore(..)</b> | Y |   | The insertChildBefore method takes two arguments (p1 and p2), an existing child (p1) to insert before and the new child (p2) to be inserted. If p1 is null, it inserts p2 after all children in the XML object. If p1 does not exist in the XML object, it returns without modifying the XML object.                                                                                                  |
| <b>length(..)</b>            | Y | Y | The length method returns the number of XMLObjects the XMList contains.<br><b>Note:</b> For <i>XmlObject</i> , it always returns 1. This is to make a distinction between an XML object and an XMList object containing exactly one value.                                                                                                                                                            |
| <b>localName(..)</b>         | Y |   | The localName method returns the local name portion of the qualified name of the XML object.<br><b>Note:</b> Text nodes and comment nodes do not have a name, thus for these kinds of XML objects, null is returned.                                                                                                                                                                                  |
| <b>name(..)</b>              | Y |   | The name method returns the qualified name associated with the                                                                                                                                                                                                                                                                                                                                        |

|                                   |   |   |                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------------|---|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                   |   |   | XML object or null if the object has no name (as for text nodes and comment nodes).                                                                                                                                                                                                                                                                                                            |
| <b>namespace(..)</b>              | Y |   | The namespace method takes one optional parameter (p1). If p1 is not specified, it returns the namespace associated with the qualified name of the XML object. Otherwise, it looks for a matching namespace in the in-scope namespace of the XML object and returns it.                                                                                                                        |
| <b>namespaceDeclarations(..)</b>  | Y |   | The namespaceDeclarations method returns an array of Namespace objects representing the namespace declarations associated with the XML object in the context of its parent.                                                                                                                                                                                                                    |
| <b>nodeKind(..)</b>               | Y |   | The nodeKind method returns a string representing the type of node the XMLObject is. The possible values are element, attribute, text, comment, and processing-instruction.                                                                                                                                                                                                                    |
| <b>normalize(..)</b>              | Y | Y | The normalize method returns XMLObject after joining adjacent text nodes and eliminating empty text nodes.                                                                                                                                                                                                                                                                                     |
| <b>parent(..)</b>                 | Y | Y | The parent method returns the parent of this XML object, or null if there is no parent.<br><b>Note:</b> <i>The parent of the attribute is an element to which the attribute is attached.</i>                                                                                                                                                                                                   |
| <b>processingInstructions(..)</b> | Y | Y | The processingInstructions method takes one parameter, the PI name to look for, and returns the XMLList with all the matching PI child nodes.<br><b>Note:</b> <i>If no parameter is defined, then the wild card name '*' is used to match all PI.</i>                                                                                                                                          |
| <b>prependChild(..)</b>           | Y |   | The prependChild method inserts a specified child as the first child in xmlObject.<br><b>Alternatives:</b><br>1. Use the insertChildAfter method with the first parameter value as null.<br>2. Use a compound operator.                                                                                                                                                                        |
| <b>propertyIsEnumerable(..)</b>   | Y | Y | The propertyIsEnumerable method determines whether the specified property will be included in the set of properties iterated over when the XML object is used in a for-in statement. The method returns <b>true</b> when ToString(P) is "0"; otherwise <b>false</b> .                                                                                                                          |
| <b>removeNamespaces(..)</b>       | Y |   | The removeNamespaces method removes the namespace from the in-scope namespaces of the XML object.                                                                                                                                                                                                                                                                                              |
| <b>replace(..)</b>                | Y |   | The replace method takes two parameters (p1 and p2) and replaces the XML properties of the XML object specified by propertyName (p1) with value (p2) and returns this XML object.<br><b>Note:</b> <i>The propertyName parameter may be a numeric property name, an unqualified name for a set of XML elements, a qualified name for a set of XML elements, or the properties wildcard "*".</i> |
| <b>setChildren(..)</b>            | Y |   | The setChildren method takes two parameter (p1 and p2). It replaces the XML properties (p1) of the XML object with a new set                                                                                                                                                                                                                                                                   |

|                         |   |   |                                                                                                                                                                                                                                                                                                               |
|-------------------------|---|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                         |   |   | of XML properties from <i>value</i> (p2). <i>Value</i> may be a single XML object or an XMMList. SetChildren returns this XML object.                                                                                                                                                                         |
| <b>setLocalName(..)</b> | Y |   | The setLocalName method changes the local name of this XMMLObject with the name passed in.                                                                                                                                                                                                                    |
| <b>setName(..)</b>      | Y |   | The setName method changes the QName of the XMMLObject with the name passed in. The parameter can be a string or a QName object.                                                                                                                                                                              |
| <b>setNamespace(..)</b> | Y |   | The setNamespace method changes the namespace associated with the name of the XML object to the new specified namespace.                                                                                                                                                                                      |
| <b>text(..)</b>         | Y | Y | The text method returns an XMMList containing all XML properties of the XML object that represent XML text nodes.                                                                                                                                                                                             |
| <b>toString(..)</b>     | Y | Y | The toString method returns a convenient string representation of the XMMList/XMMLObject.<br><b>Note:</b> If you are looking for complete serialization of all XML objects in the XMMList, use toXMLString.                                                                                                   |
| <b>toXMLString(..)</b>  | Y | Y | The toXMLString method returns an XML-encoded string representation of the XMMList/XMMLObject. It always includes the start tag, attributes, and end tag of the XML object regardless of its content. Global settings such as XML.prettyPrinting and XML.prettyIndent format and indent the resultant string. |
| <b>valueOf(..)</b>      | Y | Y | The valueOf method simply returns the XML object/XML list it is called on.                                                                                                                                                                                                                                    |

Table 3. E4X Methods and Properties

**QNames (Qualified Names)** represent qualified names of XML elements and attributes. Each QName object has a local name of type string and a namespace URI of type string or null. When the namespace URI is null, the qualified name matches any namespace. A QName object can be created by using the following:

QName ( ) or QName ( Name ) or QName ( Namespace, Name )

```
var QNameVar = new QName('http://www.w3.org/1999/xhtml',
'author');
```

An XML object representing an element or attribute has an internal name property, which is a QName object having two properties, localName and uri. You can get the QName of any XMMLObject by using the name(..) method. Table 4 lists QName methods and properties with their descriptions and accompanying examples.

| Methods/Properties | Description                                                                                                                                                     | Example                                                                                                          |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <b>localName</b>   | The value of the localName property is a value of type string. When the value of the localName property is "*", it represents a wildcard that matches any name. | <pre>QNameVar = QName("http://www.w3.org/1999/xhtml", "author"); //shows author alert(QNameVar.localName);</pre> |

|            |                                                                                                                                                                                                           |                                                                                                                                    |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>uri</b> | The value of the uri property is null or a value of type string identifying the namespace of the QName. When the value of the uri property is the empty string, this QName is said to be in no namespace. | <pre>QNameVar = QName("http://www.w3.org/1999/xhtmll", "author"); //shows http://www.w3.org/1999/xhtmll alert(QNameVar.uri);</pre> |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|

**Table 4. QName Methods and Properties**

**Namespace objects** represent XML namespaces and provide an association between a namespace prefix and a unique resource identifier (URI). The prefix is either the undefined value or a string value that may be used to reference the namespace within the lexical representation of an XML value.

You can create a Namespace object using either of the following:

```
Namespace ( ) or Namespace ( uriValue ) or Namespace ( prefixValue, uriValue )
    var namespaceVar = new
Namespace("author", 'http://www.w3.org/1999/xhtmll');
```

Table 5 lists namespace methods and properties with their descriptions and accompanying examples.

| Methods/Properties | Description                                                                                                                                                                                   | Example                                                                                                                                                                                                                  |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>prefix</b>      | The value of the <i>prefix</i> property is either the <b>undefined</b> value or a string value.                                                                                               | <pre>var xmlElement = &lt;xhtml:p xmlns:xhtml="http://www.w3.org/1999/xhtmll"&gt;Hello how are you.&lt;/xhtml:p&gt;; var namespace = xmlElement.namespace(); //shows 'xhtml' alert(xmlElement.namespace().prefix);</pre> |
| <b>uri</b>         | The value of the <i>uri</i> property is a string value. When the value of the <i>uri</i> property is the empty string, the Namespace represents the <i>unnamed namespace</i> in no namespace. | <pre>var xmlElement = &lt;p&gt;Hello how are you&lt;/p&gt;; // shows '' alert(xmlElement.name().uri);</pre>                                                                                                              |

**Table 5. Namespace Methods and Properties**

When no namespace is defined for an element/XML, the uri property has as its value an empty string. Otherwise, the uri property has as its value the namespace URI. The following code shows the usage of the uri method:

```
var xmlElement = <p>Hello how are you</p>;
// shows ''
alert(xmlElement.name().uri);
xmlElement = <p xmlns="http://www.w3.org/1999/xhtmll"> Hello how are you.</p>;

// shows 'http://www.w3.org/1999/xhtmll
```

```
alert(xmlElement.name().uri);
```

## E4X - GLOBAL METHODS AND PROPERTIES

### GLOBAL METHODS AND PROPERTIES

Table 6 lists namespace global methods and properties with their descriptions and accompanying examples.

| Methods/Properties                  | Description                                                                                                                                                                                                                                                                       | Example                                                                                                                                                                                                                                                                                          |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ignoreComments</b>               | If ignoreComments is true, XML comments are ignored when constructing new XML objects.<br><br><b>Default -true</b>                                                                                                                                                                | <pre>XML.ignoreComments = false; var xmlElement = &lt;author&gt; &lt;!-- info line --&gt; Rahul Gupta &lt;/author&gt;; for each (var xmlElements in xmlElement.*)     alert(" Element = "+ xmlElements);</pre>                                                                                   |
| <b>ignoreProcessingInstructions</b> | If ignoreProcessingInstructions is true, XML-processing instructions are ignored when constructing new XML objects.<br><br><b>Default -true</b>                                                                                                                                   | <pre>XML.ignoreProcessingInstructions= false; var xmlElement = &lt;publishing&gt;     &lt;?process author="yes"?&gt;     &lt;author type="freelance"&gt;Rahul Gupta &lt;/author&gt; &lt;/publishing&gt;; for each (var xmlElements in xmlElement.*)     alert(" Element = "+ xmlElements);</pre> |
| <b>ignoreWhiteSpace</b>             | If ignoreWhitespace is true, insignificant whitespace characters are ignored when processing or constructing new XML objects. Whitespace characters are defined to be space (\u0020), carriage return (\u000D), line feed (\u000A), and tab (\u0009).<br><br><b>Default -true</b> | <pre>XML.ignoreWhitespace = false; var xmlElement = &lt;publishing&gt;     &lt;author&gt;Rahul Gupta&lt;/author&gt; &lt;/publishing&gt;; alert(xmlElement.toString());</pre>                                                                                                                     |
| <b>prettyIndent</b>                 | Child nodes will be indented relative to their parent node by the number of spaces specified by prettyIndent. This is effective only when prettyPrinting is true.<br><br><b>Default -2</b>                                                                                        | <pre>alert(xmlElement.toXMLString());  XML.prettyPrinting=true; XML.prettyIndent = 4; var xmlElement =     XML.prettyPrinting=false;</pre>                                                                                                                                                       |
| <b>prettyPrinting</b>               | If prettyPrinting is true, the ToString and ToXMLString operators will normalize whitespace characters between certain tags to achieve a uniform appearance.                                                                                                                      | <pre>var xmlElement = &lt;publishing&gt;&lt;author&gt;Rahul Gupta &lt;/author&gt;     &lt;author&gt;Jon &lt;/author&gt;&lt;/publishing&gt;;  alert(xmlElement.toXMLString());</pre>                                                                                                              |

|                      |                                                                                                                 |                                                                                                                                                                                                                                 |
|----------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                      | <b>Default -true</b>                                                                                            | <pre>XML.prettyPrinting=true; XML.prettyIndent = 4; var xmlElement = &lt;publishing&gt;&lt;author&gt;Rahul Gupta &lt;/author&gt;   &lt;author&gt;Jon &lt;/author&gt;&lt;/publishing&gt;; alert(xmlElement.toXMLString());</pre> |
| <b>isXMLName(..)</b> | isXMLName is used to determine whether it is a valid XML name that can be used as an element or attribute name. | <pre>//shows false alert(isXMLName("?xml")); //shows true alert(isXMLName("author"));</pre>                                                                                                                                     |

**Table 6. Namespace Global Methods and Properties**

## ADVANTAGES AND LIMITATIONS OF E4X

One more ECMAScript technique for handling XML is object mapping. You can map XML data onto a set of ECMAScript objects, manipulate those objects directly, and then map them back to XML. This approach has the advantage of allowing ECMAScript programmers to use their existing knowledge, but it has some problems. For example, an ECMA native object can't preserve the order of the original XML data. As E4X evolves, this approach will mature and become standardized. Table 7 summarizes the advantages and limitations of E4X.

| Area            | Description                                                                                                                                                                         |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Browser Support | As of now (Nov. 2006), Mozilla, FireFox 1.1 +, and Safari provide limited support. IE7 doesn't support E4X, but it is becoming standard so in future all browser should support it. |
| Code Size       | In general, the size of the code you produce when using E4X for a requirement tends to be smaller than the code generated with other XML-related technologies.                      |
| Learning Curve  | The learning curve is very low, as it is an extension to JavaScript.                                                                                                                |
| Cost            | Both development and maintenance costs are lower than other related technologies such as XSLT, XML queries, or DOM routines.                                                        |
| Performance     | E4X is lighter weight than similar technologies so it has better performance.                                                                                                       |

**Table 7. Advantages and Limitations of E4X**

## E4X BY EXAMPLE

Create a literal document:

```
doc = <a><b c="1"/><b c="2"/></a>;
```

Create cursor into document:

```
b0 = doc.b[0];
```

Add/assign an attribute:

```
doc.@c="new value";
```

Delete a node:

```
delete doc.@c;
```

Iterate over nodes:

```
for each (b in doc.b) { x = b.@c; }
```

Find all descendants:

```
allc = doc..@c;
```

Insert a new fragment:

```
frag = <b c="3"/>;
doc.insertChildAfter(doc.b[1], frag);
insert a new fragment at beginning:
frag = <b c="0"/>;
doc.insertChildAfter(null, frag);
Parameterized locate:
cValue=2;
bNode = doc.b.(@c==cValue);
Parameterized text in literal:
text="text here";
frag = <b c="4">{text}</b>;
Parameterized attribute in literal:
text="4";
frag = <b/>;
frag.@c=text;
Count matches:
count = doc.b.length();
```



## AXMEDIS CONTENT PROCESSING FUNCTIONALITIES IN PLUG-INS

### AUDIO ADAPTATION PLUG-IN

**Category:** ContentProcessing

**Identifier:** AudioAdaptation

**Library:** AudioAdaptation Version: 1.001

**Vendor:** Axmedis

**Main Library:** audioadaptationplugin.dll

**Description:** Plugin for audio processing

**FunctionList:**

- \* FFAudioTranscoding
- \* LSAudioTranscoding

### FFAUDIOTRANSCODING

STRING FFAudioTranscoding ( RESOURCE InputResource, STRING Mimetype, RESOURCE OutputResource, UINT32 OutputSamplingRate, UINT16 OutputNumChannels, UINT16 OutputBitRate, FLOAT ReadStartingTime, FLOAT ReadEndingTime, STRING OutputCodec )

**Version:** 1.0

**Description:** Transcoding of audio files by FFMPEG

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-wav x-ms-wma basic x-mpeg x-vorbis x-pn-realaudio x-ac3 x-dv x-mace x-adpcm x-aac 32KADPCM amr x-pn-realaudio video

**Resource Format:** x-mpeg x-mpeg2 mp4 x-raw x-h263 x-mjpeg x-ms-wmv x-ms-asf x-flv x-svq x-dv x-h264 x-indeo x-vp3 x-ffv x-vcr x-msvideo x-nut application

**Resource Format:** x-pcm vnd.rn-realmedia x-shockwave-flash

**Ranges:**

**Name:** Mimetype

**Description:** Mimetype for output resource

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** OutputSamplingRate

**Description:** Sampling rate of the output audio file (default: sampling rate of the input)

**Parameter Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputNumChannels

**Description:** Number of channels of the output audio file (default: number of channels of the input)

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputBitRate

**Description:** Bit rate of the output audio file - Only applies to compressed audio file formats (default: 64 kb)

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** ReadStartingTime

**Description:** Starting time in the input audio file (default: beginning of the file)

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** ReadEndingTime

**Description:** Ending time in the input audio file (default: end of the file)

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputCodec

**Description:** Codec of the output audio file (default: depends on the desired format of the output)

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

## LSAUDIOTRANSCODING

STRING LSAudioTranscoding ( RESOURCE InputResource, STRING Mimetype, RESOURCE OutputResource, FLOAT ReadStartingTime, FLOAT ReadEndingTime, STRING OutputCodec )

**Version:** 1.0

**Description:** Transcoding of audio files by LibSnd

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-wav x-aiff basic x-paris x-svx x-nist x-voc x-ircam x-w64 x-sd2 x-flac application

**Resource Format:** x-pcm x-pagerecall

**Ranges:**

**Name:** Mimetype

**Description:** Mimetype for output resource

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** ReadStartingTime

**Description:** Starting time in the input audio file (default: beginning of the file)

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** ReadEndingTime

**Description:** Ending time in the input audio file (default: end of the file)

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputCodec

**Description:** Codec of the output audio file (default: depends on the desired format of the output)

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

## AUDIO DESCRIPTOR PLUG-IN

**Category:** ContentProcessing

**Identifier:** AudioDescriptor

**Library:** AudioDescriptor **Version:** 1.001

**Vendor:** Axmedis

**Main Library:** audiodescriptorplugin.dll

**Description:** Plug-in for audio descriptors extraction

### FunctionList:

- \* LowLevelDescriptors
- \* Segmentation
- \* TempoEstimation
- \* MusicGenreEstimation

## LOWLEVELDESCRIPTORS

STRING LowLevelDescriptors ( RESOURCE InputResource, FLOAT HopSize, UINT16 AudioPower, UINT16 SpectralCentroid, UINT16 SpectralSpread, UINT16 SpectralEnvelope, FLOAT EnvLoEdge, FLOAT EnvHiEdge, FLOAT BandsPerOctave, UINT16 SpectralFlatness, FLOAT FlatLoEdge, FLOAT FlatHiEdge, UINT16 ScaleRatio, UINT16 EvalMeans, UINT16 EvalVariances, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Extracts MPEG-7 Low Level Descriptors from an audio file

### Parameter List

**Name:** InputResource

**Description:** The Resource to be analyzed

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-wav x-aiff wav aiff basic

**Ranges:**

**Name:** HopSize

**Description:** Time (in seconds) between successive estimation of descriptors

**Paramater Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** AudioPower

**Description:** Compute AudioPower if set to 1

**Paramater Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** SpectralCentroid

**Description:** Compute SpectralCentroid if set to 1

**Paramater Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** SpectralSpread

**Description:** Compute SpectralSpread if set to 1

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** SpectralEnvelope

**Description:** Compute SpectralEnvelope if set to 1

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** EnvLoEdge

**Description:** Lower edge of logarithmically-spaced frequency bands

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** EnvHiEdge

**Description:** Higher edge of logarithmically-spaced frequency bands

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** BandsPerOctave

**Description:** Frequency resolution of logarithmic spectrum [0.125,0.25,0.5,1,2,4,8,16,32]

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** SpectralFlatness

**Description:** Compute SpectralFlatness if set to 1

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** FlatLoEdge

**Description:** Lower edge of logarithmically-spaced frequency bands

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** FlatHiEdge

**Description:** Higher edge of logarithmically-spaced frequency bands

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** ScaleRatio

**Description:** Scaling Ratio for scaling operations (means and variances)

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** EvalMeans

**Description:** Compute means of descriptors if set to 1

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** EvalVariances

**Description:** Compute variances of descriptors if set to 1

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced MPEG-7 description will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** SUCCESS or ERROR followed by a message in case of error

## SEGMENTATION

STRING Segmentation ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Detect silence/noise/speech/music segments

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be analyzed

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-wav x-aiff wav aiff basic

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced MPEG-7 description will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** SUCCESS or ERROR followed by a message in case of error

## TEMPOESTIMATION

STRING TempoEstimation ( RESOURCE InputResource, FLOAT BpmLoLimit, FLOAT BpmHiLimit, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Estimate tempo (in BPM) of a music file

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be analyzed

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-wav x-aiff wav aiff basic

**Ranges:**

**Name:** BpmLoLimit

**Description:** Minimum acceptable tempo in beats per minute

**Paramater Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** BpmHiLimit

**Description:** Maximum acceptable tempo in beats per minute

**Paramater Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced MPEG-7 description will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** SUCCESS or ERROR followed by a message in case of error

---

## MUSICGENREESTIMATION

STRING MusicGenreEstimation ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Estimate the music genre of a music file

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be analyzed

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-wav x-aiff wav aiff basic

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced MPEG-7 description will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** SUCCESS or ERROR followed by a message in case of error

## AUDIO FINGERPRINT EXTRACTION PLUG-IN

**Category:** ContentProcessing

**Identifier:** AudioFingerprintExtraction

**Library:** AudioFingerprintExtraction **Version:** 1.001

**Vendor:** Axmedis

**Main Library:** audioFPplugin.dll

**Description:** Audio Fingerprint Extraction

**FunctionList:**

- AxAFPEExtract
- AxAFPCompare

### AXAFPEXTRACT

STRING AxAFPEExtract ( RESOURCE InputResource, RESOURCE OutputResource, RESOURCE OutputResource2, INT32 nFeatures, INT32 frameSize, INT32 frameShift, INT32 offset )

**Version:** 1.0

**Description:** Extracts a fingerprint of the first audio stream in a given Multimedia File(Audio or Video).

**Parameter List**

**Name:** InputResource

**Description:** The Resource to extract the fingerprint from

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-wav wav x-aiff x-ms-wma mpeg video

**Resource Format:** x-msvideo mpeg x-ms-wmv quicktime avi

**Ranges:**

**Name:** OutputResource

**Description:** Where the fingerprint bitmap image will be stored (choose new resource)

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** OutputResource2

**Description:** Where the binary fingerprint resource will be stored(choose new resource)

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** nFeatures

**Description:** Number of Features for the finger print. 18 is the desired Standard

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** frameSize

**Description:** Size of the windowing Size for the Subfingerprints

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** frameShift

**Description:** Frame overlap for the subfingerprints

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** offset

**Description:** Frame offset for the fingerprint calculation

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

---

## AXAFPCOMPARE

STRING AxAFPCOMpare ( RESOURCE InputResource, RESOURCE InputResource2, INT32 CLENGTH, INT32 RLENGTH, FLOAT MINBER, INT32 TIMEPOS )

**Version:** 1.0

**Description:** Compares two audio fingerprint files and returns the lowest BER and time position.

**Parameter List**

**Name:** InputResource

**Description:** The candidate object to compare

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** fingerprint

**Resource Format:** audio

**Ranges:**

**Name:** InputResource2

**Description:** The reference object to compare

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** fingerprint

**Resource Format:** audio

**Ranges:**

**Name:** CLENGTH

**Description:** Length of the candidate Object(in seconds)

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** RLENGTH

**Description:** Length of the reference Object(in seconds)

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** MINBER

**Description:** Minimal BER found (in percent)

**Paramater Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** TIMEPOS

**Description:** Time position for the minimal BER found (in seconds)

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result the comparison, SUCCESS if ok, ERROR followed by a message in case of error

## TEXT DESCRIPTORS PLUG-IN

**Category:** ContentProcessing**Identifier:** TextDescriptors**Library:** Descriptor **Version:** 1.001**Vendor:** Axmedis**Main Library:** descriptorextractorplugin.dll**Description:** Plugin for descriptors extraction from text documents**FunctionList:**

- KWFromComparisons
- KWFromSemanticAnalysis

## KWFROMCOMPARISONS

STRING KWFromComparisons ( RESOURCE InputResource, UINT16 MaxKWNumber, BOOLEAN DetailedResults, STRING Keywords )

**Version:** 1.0**Description:** Retrieves the keywords exploiting frequency lists corpus only.**Parameter List****Name:** InputResource**Description:** The Resource to be processed**Parameter Type** RESOURCE**Default Value:****Constraints:****Resource Type:** text**Resource Format:** plain**Ranges:****Name:** MaxKWNumber**Description:** How many keyword requested as a maximum.**Parameter Type** UINT16**Default Value:****Constraints:****Name:** DetailedResults**Description:** Returns keywords with ranking values**Parameter Type** BOOLEAN**Default Value:****Constraints:****Name:** Keywords**Description:** A string containing keywords separated by carriage return + newline chars**Parameter Type** STRING**Default Value:****Constraints:****Result:** Result**Result type:** STRING**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## KWFROMSEMANTICANALYSIS

STRING KWFromSemanticAnalysis ( RESOURCE InputResource, UINT16 MaxKWNumber, STRING Keywords )

**Version:** 1.0

**Description:** Retrieves the keywords exploiting frequency lists corpus and WordNet synsets relations.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** text

**Resource Format:** plain

**Ranges:**

**Name:** MaxKWNumber

**Description:** How many keyword requested as a maximum.

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Name:** Keywords

**Description:** A string containing keywords separated by carriage return + newline chars'

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## TEXT TO DOCS ADAPTATION PLUG-IN

**Category:** ContentProcessing

**Identifier:** TextDocsAdaptation

**Library:** Adaptation **Version:** 1.001

**Vendor:** Axmedis

**Main Library:** documentadaptation.dll

**Description:** Plugin for transcoding text documents

**FunctionList:**

- DocumentConversion

## DOCUMENTCONVERSION

STRING DocumentConversion ( RESOURCE InputResource, STRING ConversionFormat, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Transcodes the given text document in the supplied format.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** application

**Resource Format:** pdf text

**Resource Format:** html application

**Resource Format:** postscript application

**Resource Format:** rtf application

**Resource Format:** msword text

**Resource Format:** plain

**Ranges:**

**Name:** ConversionFormat

**Description:** The format to which the resource will be converted.

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## TEXTFINGERPRINT

**Category:** ContentProcessing  
**Identifier:** TextFingerprint  
**Library:** Fingerprint **Version:** 0.2.0  
**Vendor:** Axmedis  
**Main Library:** text-fingerprint.dll  
**Description:** Plugin for text fingerprinting  
**FunctionList:**

- MD5Hash

---

## MD5HASH

STRING MD5Hash ( RESOURCE Source )

**Version:** 1.0  
**Description:** Generates md5 hash from a textual document  
**Parameter List**  
**Name:** Source  
**Description:** The source document  
**Parameter Type:** RESOURCE  
**Default Value:**  
**Constraints:**  
**Resource Type:** text  
**Resource Format:** plain  
**Ranges:**  
**Result:** Result  
**Result type:** STRING  
**Result Description:** md5 hash

## MULTIMEDIA ADAPTATION PLUG-IN

**Category:** ContentProcessing  
**Identifier:** MultimediaAdaptation  
**Library:** MultimediaAdaptation Version: 1.001  
**Vendor:** Axmedis  
**Main Library:** multimediaadaptationplugin.dll

**Description:** Plugin for multimedia processing

**FunctionList:**

- Mp4To3gp
- Mp4ToISMA
- AddMultimediaFiles
- ToMp4
- ExtractMediaTrack
- CatMultimediaFiles
- DelayTrack
- RemoveTrack
- ExtractFromStartToEnd
- Mp4ToAvi

---

### MP4TO3GP

STRING Mp4To3gp ( RESOURCE InputResource, RESOURCE OutputResource, BOOLEAN KeepSys )

**Version:** 1.0

**Description:** Convert an mp4 file to 3gp

**Parameter List**

**Name:** InputResource

**Description:** Input File to be converted

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** mp4 video

**Resource Format:** mp4 mp4v-es

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** KeepSys

**Description:** Keep systems tracks

**Paramater Type** BOOLEAN

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of 3gp conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## MP4TOISMA

STRING Mp4ToISMA ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Convert an mp4 file to ISMA specification

**Parameter List**

**Name:** InputResource

**Description:** File to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** mp4 video

**Resource Format:** mp4 mp4v-es

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of ISMA conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## ADDMULTIMEDIAFILES

STRING AddMultimediaFiles ( RESOURCE InputResource, RESOURCE BaseResource, UINT32 Delay, DOUBLE ImportLength, STRING TrackID, UINT32 FPS, STRING Lang, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Import a media file into a multimedia file (samples are added to new tracks)

**Parameter List**

**Name:** InputResource

**Description:** The media to add

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-mpeg x-aac amr evrc smv x-vorbis x-gsm video

**Resource Format:** x-media x-nhnt x-info x-cmp x-m4v x-h263 x-h264 x-msvideo mpeg dvd mp4 mp4v-es 3gpp xmt xmta mp4-bt vrml image

**Resource Format:** jpeg png application

**Resource Format:** x-cdlink text

**Resource Format:** srt sub ttxt texml model

**Resource Format:** x3d+xml x3d+vrml

**Ranges:**

**Name:** BaseResource

**Description:** Base resource where to add the new media

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-mpeg x-aac amr evrc smv x-vorbis x-gsm video

**Resource Format:** x-media x-nhnt x-info x-cmp x-m4v x-h263 x-h264 x-msvideo mpeg dvd mp4 mp4v-es 3gpp xmt xmta mp4-bt vrml image

**Resource Format:** jpeg png application

**Resource Format:** x-cdlink text

**Resource Format:** srt sub ttxt texml model

**Resource Format:** x3d+xml x3d+vrml

**Ranges:**

**Name:** Delay

**Description:** Delay in milliseconds of the new track

**Paramater Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** ImportLength

**Description:** Number of seconds to import from input file (starting from the beginning)

**Paramater Type** DOUBLE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** TrackID

**Description:** Track to extract

**Paramater Type** STRING

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** FPS

**Description:** Frames per sample

**Paramater Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** Lang

**Description:** Language code

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of adding files, SUCCESS if ok, ERROR followed by a message in case of error

## TOMP4

STRING ToMp4 ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Import a media file into a multimedia file (samples are added to new tracks)

### Parameter List

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-mpeg x-aac amr evrc smv x-vorbis x-gsm video

**Resource Format:** x-media x-nhnt x-info x-cmp x-m4v x-h263 x-h264 x-msvideo mpeg dvd mp4 mp4v-es 3gpp xmt xmta mp4-bt vrml image

**Resource Format:** jpeg png application

**Resource Format:** x-cdlink text

**Resource Format:** srt sub txt txtxml model

**Resource Format:** x3d+xml x3d+vrml

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of mp4 conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

**EXTRACTMEDIATRACK**

STRING ExtractMediaTrack ( RESOURCE InputResource, RESOURCE OutputResource, UINT32 TrackID, STRING Mimetype )

**Version:** 1.0

**Description:** Extracts a track into a new file

**Parameter List**

**Name:** InputResource

**Description:** Input file to extract track

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** mp4 video

**Resource Format:** mp4 mp4v-es 3gpp

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource (track) will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** TrackID

**Description:** Track to extract

**Parameter Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** Mimetype

**Description:** Mimetype for output resource

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of the extraction, SUCCESS if ok, ERROR followed by a message in case of error

---

**CATMULTIMEDIAFILES**

STRING CatMultimediaFiles ( RESOURCE InputResourceA, RESOURCE InputResourceB, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Concatenates two multimedia files

**Parameter List**

**Name:** InputResourceA

**Description:** Input file A to concatenate

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-mpeg x-aac amr evrc smv x-vorbis x-gsm video

**Resource Format:** x-media x-nhnt x-info x-cmp x-m4v x-h263 x-h264 x-msvideo mpeg dvd mp4 mp4v-es 3gpp xmt xmta mp4-bt vrml image

**Resource Format:** jpeg png application

**Resource Format:** x-cdlink text

**Resource Format:** srt sub ttxt texml model

**Resource Format:** x3d+xml x3d+vrml

**Ranges:**

**Name:** InputResourceB

**Description:** Input file B to concatenate

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** x-mpeg x-aac amr evrc smv x-vorbis x-gsm video

**Resource Format:** x-media x-nhnt x-info x-cmp x-m4v x-h263 x-h264 x-msvideo mpeg dvd mp4 mp4v-es 3gpp xmt xmta mp4-bt vrml image

**Resource Format:** jpeg png application

**Resource Format:** x-cdlink text

**Resource Format:** srt sub ttxt texml model

**Resource Format:** x3d+xml x3d+vrml

**Ranges:**

**Name:** OutputResource

**Description:** Result file

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of the concatenation, SUCCESS if ok, ERROR followed by a message in case of error

## DELAYTRACK

STRING DelayTrack ( RESOURCE InputResource, UINT32 Delay, STRING TrackID, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Delay a track

**Parameter List**

**Name:** InputResource

**Description:** File to be converted

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** mp4 video

**Resource Format:** mp4 mp4v-es 3gpp

**Ranges:**

**Name:** Delay

**Description:** Delay in milliseconds of the track

**Parameter Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** TrackID

**Description:** Track to delay

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of track delay, SUCCESS if ok, ERROR followed by a message in case of error

## REMOVETRACK

STRING RemoveTrack ( RESOURCE InputResource, STRING TrackID, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Remove a track

**Parameter List**

**Name:** InputResource

**Description:** File to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** mp4 video

**Resource Format:** mp4 mp4v-es 3gpp

**Ranges:**

**Name:** TrackID

**Description:** Track to remove

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of track removing, SUCCESS if ok, ERROR followed by a message in case of error

---

## EXTRACTFROMSTARTTOEND

STRING ExtractFromStartToEnd ( RESOURCE InputResource, DOUBLE Start, DOUBLE End, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Extracts a file from start to end

**Parameter List**

**Name:** InputResource

**Description:** File to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** mp4 video

**Resource Format:** mp4 mp4v-es 3gpp

**Ranges:**

**Name:** Start

**Description:** Start of extraction in seconds

**Parameter Type** DOUBLE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** End

**Description:** End of extraction in seconds

**Parameter Type** DOUBLE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of the extraction by time, SUCCESS if ok, ERROR followed by a message in case of error

---

## MP4TOAVI

STRING Mp4ToAvi ( RESOURCE InputResource, FLOAT FPS, UINT32 Width, UINT32 Height, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Convert a MP4 BIFS pure file to AVI

### Parameter List

**Name:** InputResource

**Description:** Input MP4 BIFS pure file(no audio, no image, no video) to convert to AVI

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** video

**Resource Format:** mp4 mp4v-es

**Ranges:**

**Name:** FPS

**Description:** Extraction framerate (default:0 computed from the BIFS track duration)

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** Width

**Description:** Width of the bifs scene (default:0 original size)

**Parameter Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** Height

**Description:** Height of the bifs scene (default:0 original size)

**Parameter Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputResource

**Description:** Result file

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of the conversion to avi, SUCCESS if ok, ERROR followed by a message in case of error



## RINGTONE ADAPTATION PLUG-IN

**Category:** ContentProcessing

**Identifier:** RingtoneAdaptation

**Library:** RingtoneAdaptation **Version:** 1.001

**Vendor:** Axmedis

**Main Library:** ringtoneadaptationplugin.dll

**Description:** Plugin for Ring Tone processing

**FunctionList:**

- convert
- convert to MP3
- convert to WAV
- resample
- convert and resample
- getInfo
- clip

### CONVERT

STRING convert ( RESOURCE InputResource, STRING MimeType, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Convert from one format to another

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** basic x-wav x-aiff x-ms-wma x-mpeg x-vorbis x-pn-realaudio

**Ranges:**

**Name:** MimeType

**Description:** MimeType for output resource

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

### CONVERT\_TO\_MP3

STRING convert\_to\_MP3 ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Convert from one of the supported formats to MP3 Format

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** basic x-wav x-aiff x-ms-wma x-mpeg x-vorbis x-pn-realaudio

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

---

## CONVERT\_TO\_WAV

STRING convert\_to\_WAV ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Convert from one of the supported formats to WAV Format

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** basic x-wav x-aiff x-ms-wma x-mpeg x-vorbis x-pn-realaudio

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

---

## RESAMPLE

STRING resample ( RESOURCE InputResource, RESOURCE OutputResource, UINT32 OutputSamplingRate, UINT16 OutputNumChannels, UINT16 OutputBitRate )

**Version:** 1.0

**Description:** Resample the input file (ie changing frequency, bitrate etc). Please note that some of the bit rates and channels won't go together and that will result in an exception. In that case you have to restart the plugin.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** basic x-wav x-aiff x-mpeg x-vorbis x-pn-realaudio

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** OutputSamplingRate

**Description:** Sampling rate of the output audio file (default: sampling rate of the input)

**Parameter Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputNumChannels

**Description:** Number of channels of the output audio file (default: number of channels of the input)

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputBitRate

**Description:** Bit rate of the output audio file - Only applies to compressed audio file formats (default: 64 kb)

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

---

## CONVERT AND RESAMPLE

STRING convert\_and\_resample ( RESOURCE InputResource, STRING Mimetype, RESOURCE OutputResource, UINT32 OutputSamplingRate, UINT16 OutputNumChannels, UINT16 OutputBitRate )

**Version:** 1.0

**Description:** Convert and Resample the input file (ie converting to any supported format and changing frequency, bitrate etc, all at the same time. Please note that some of the bit rates and channels won't go together and that will

result in an exception. In that case you have to restart the plugin.

#### Parameter List

**Name:** InputResource

**Description:** The Resource to be converted and resampled

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** basic x-wav x-aiff x-ms-wma x-mpeg x-vorbis x-pn-realaudio

**Ranges:**

**Name:** Mimetype

**Description:** Mimetype for output resource

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** OutputSamplingRate

**Description:** Sampling rate of the output audio file (default: sampling rate of the input)

**Parameter Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputNumChannels

**Description:** Number of channels of the output audio file (default: number of channels of the input)

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** OutputBitRate

**Description:** Bit rate of the output audio file - Only applies to compressed audio file formats (default: 64 kb)

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

#### GETINFO

STRING getInfo ( RESOURCE InputResource, STRING Mimetype, UINT32 SamplingRate, UINT16 NumChannels, UINT16 BitRate, STRING Duration )

**Version:** 1.0

**Description:** Get all the information about the input Ring Tone

**Parameter List**

**Name:** InputResource

**Description:** The Resource whose Information is to be retrieved

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** basic x-wav x-aiff x-ms-wma x-mpeg x-vorbis x-pn-realaudio mid

**Ranges:**

**Name:** MimeType

**Description:** MimeType for input resource

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** SamplingRate

**Description:** Sampling rate of the input ring tone

**Parameter Type** UINT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** NumChannels

**Description:** Number of channels of the input ring tone

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** BitRate

**Description:** Bit rate of the input ring tone - (default: 64 kb)

**Parameter Type** UINT16

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** Duration

**Description:** Duration of the Ringtone (hrs:mins:secs: msecs)

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of the operation, SUCCESS if ok, ERROR followed by a message in case of error

**CLIP**

STRING clip ( RESOURCE InputResource, RESOURCE OutputResource, STRING Mimetype, FLOAT ReadStartingTime, FLOAT ReadEndingTime )

**Version:** 1.0

**Description:** Clip the file for the specified time (for e.g. reducing it to a 30 sec clip)

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be converted

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** audio

**Resource Format:** basic x-wav x-aiff x-ms-wma x-mpeg x-vorbis x-pn-realaudio

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** Mimetype

**Description:** Mimetype for output resource

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Name:** ReadStartingTime

**Description:** Starting time for the clip(default: beginning of the file)

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** ReadEndingTime

**Description:** Ending time for the clip (default: end of the file)

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

## AUDIO RECOGNITION AND MONITORING PLUGIN

To be added in the next version

## IMAGE PROCESSING PLUGIN

This plug in uses the ImageMagick Library, please for additional information refer to user manual of that library and tools.

### MAIN FUNCTIONALITIES

The image processing plug-in allows adapting image resources to various use case. For example it can be used to convert different image formats, to apply various effects, to resize, to mirror, etc. In total the plug-in is composed of forty-one functions that are:

- **Conversion**, to convert the image
- **Import**, to import an image
- **Resize**, to resize the image
- **Contrast**, to change the image contrast
- **Edge**, to highlight edges of the image
- **Emboss**, to highlight edges with 3D effect
- **Blur**, to blur the image
- **GaussianBlur**, to apply a Gaussian Blur to the image
- **Median**, to apply a median filter to the image
- **Mirror**, to mirror the image
- **Noise**, to add noise in the image
- **Despeckle**, to reduce the noise from the image using the despeckle filter
- **Equalize**, to apply an histogram equalization to the image
- **Enhance**, to minimize the noise of the image
- **ExtractChannel**,
- **GrayScale**, to convert a coloured image to grayscale
- **Magnify**, to scale up the image
- **Minify**, to scale down the image
- **Modulate**, to modulate hue, saturation, and brightness of the image
- **Monochrome**, to create a monochrome image
- **Negate**, to negate colours in the image
- **Normalize**, to increase contrast by normalizing the pixel values
- **OilPaint**, to create a image looks like oil painting
- **Quality**, to change the JPEG/MIFF/PNG compression
- **Quantize**, to set the preferred number of colours in the image
- **Raise**, to highlight or dark the edges of an image to give a 3D raised or lowered effect
- **ReduceNoise**, to reduce the noise of the image
- **Replace**, to replace the image
- **FloodFill**, to apply a flood-fill texture
- **Rooll**, to roll the image by a specified number of columns and rows
- **Rotate**, to rotate the image specifying a number of degrees
- **Scale**, to scale the image by using a specified ratio
- **Shear**, to create a parallelogram by sliding the image by X of Y axis
- **Shade**, to shade the image using distant light source
- **Spread**, to spread pixels randomly
- **SetOpacity** to set the opacity of the image

- **SubImage**,
- **GetInfo**, to see information about the image
- **SetMaskColour**,
- **Paste**, to paste the image
- **Test**, to test the image

A More detailed description of these functionalities is available in section **Errore. L'origine riferimento non è stata trovata.**

## CONVERSION

STRING Conversion ( RESOURCE InputResource, STRING Mimetype, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Convert an image

### Parameter List

**Name:** InputResource

**Description:** The Resource to be converted

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** Mimetype

**Description:** Mimetype for output resource

**Paramater Type** STRING

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the produced resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## IMPORT

STRING Import ( STRING Path, RESOURCE OutputResource, STRING MimeType )

**Version:** 1.0

**Description:** Import an image

### Parameter List

**Name:** Path

**Description:** Path to the image

**Paramater Type** STRING

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the imported resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** MimeType

**Description:** Test

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## RESIZE

STRING Resize ( RESOURCE InputResource, INT32 Width, INT32 Height, BOOLEAN KeepAspectRatio, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Resizes an image

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be resized

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** Width

**Description:** The new image width

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** Height

**Description:** The new image height

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** KeepAspectRatio

**Description:** Indicates to preserve image aspect ratio or not

**Parameter Type** BOOLEAN

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the resized resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## CONTRAST

STRING Contrast ( RESOURCE InputResource, INT32 AMOUNT, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Change image contrast

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** AMOUNT

**Description:** The contrast amount

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## EDGE

STRING Edge ( RESOURCE InputResource, INT32 ORDER, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Edge image (highlight edges in image). The radius is the radius of the pixel neighbourhood.. Specify a radius of zero for automatic radius selection.

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:****Resource Type:** image**Resource Format:** jpeg gif png**Ranges:****Name:** ORDER**Description:** The Order Edge**Parameter Type** INT32**Default Value:****Constraints:****Name:** OutputResource**Description:** Where the manipulated resource will be stored**Parameter Type** RESOURCE**Default Value:****Constraints:****Result:** Result**Result type:** STRING**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

**EMBOSS**

STRING Emboss ( RESOURCE InputResource, INT32 RADIUS, INT32 SIGMA, RESOURCE OutputResource )

**Version:** 1.0**Description:** Emboss image (highlight edges with 3D effect). The radius\_ parameter specifies the radius of the Gaussian, in pixels, not counting the center pixel. The sigma\_ parameter specifies the standard deviation of the Laplacian, in pixels.**Parameter List****Name:** InputResource**Description:** The Resource to be manipulated**Parameter Type** RESOURCE**Default Value:****Constraints:****Resource Type:** image**Resource Format:** jpeg gif png**Ranges:****Name:** RADIUS**Description:** The Radius Emboss**Parameter Type** INT32**Default Value:****Constraints:****Name:** SIGMA**Description:** The sigma Emboss**Parameter Type** INT32**Default Value:****Constraints:****Name:** OutputResource**Description:** Where the manipulated resource will be stored**Parameter Type** RESOURCE**Default Value:**

**Constraints:****Result:** Result**Result type:** STRING**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

**BLUR**

STRING Blur ( RESOURCE InputResource, INT32 RADIUS, INT32 SIGMA, RESOURCE OutputResource )

**Version:** 1.0**Description:** Blur image. The radius\_ parameter specifies the radius of the Gaussian, in pixels, not counting the center pixel. The sigma\_ parameter specifies the standard deviation of the Laplacian, in pixels.**Parameter List****Name:** InputResource**Description:** The Resource to be manipulated**Parameter Type** RESOURCE**Default Value:****Constraints:****Resource Type:** image**Resource Format:** jpeg gif png**Ranges:****Name:** RADIUS**Description:** The Radius Blur**Parameter Type** INT32**Default Value:****Constraints:****Name:** SIGMA**Description:** The sigma Blur**Parameter Type** INT32**Default Value:****Constraints:****Name:** OutputResource**Description:** Where the manipulated resource will be stored**Parameter Type** RESOURCE**Default Value:****Constraints:****Result:** Result**Result type:** STRING**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

**GAUSSIANBLUR**

STRING GaussianBlur ( RESOURCE InputResource, INT32 RADIUS, INT32 SIGMA, RESOURCE OutputResource )

**Version:** 1.0**Description:** GaussianBlur the image**Parameter List****Name:** InputResource**Description:** Gaussian blur image. The number of neighbor pixels to be included in the convolution mask is

specified by 'width\_'. For example, a width of one gives a (standard) 3x3 convolution mask. The standard deviation of the gaussian bell curve is specified by 'sigma'.

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** RADIUS

**Description:** The Radius GaussianBlur

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** SIGMA

**Description:** The sigma GaussianBlur

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## MEDIAN

STRING Median ( RESOURCE InputResource, INT32 RADIUS, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Median the image

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** RADIUS

**Description:** The Radius Median

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## MIRROR

STRING Mirror ( RESOURCE InputResource, BOOLEAN KeepDirection, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Mirror the image

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** KeepDirection

**Description:** The KeepDirection Mirror

**Paramater Type** BOOLEAN

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## NOISE

STRING Noise ( RESOURCE InputResource, INT32 TYPE, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Noise the image

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** TYPE

**Description:** The Type Noise

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## DESPECKLE

STRING Despeckle ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Despeckle image (reduce speckle noise)

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## EQUALIZE

STRING Equalize ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Equalize image (histogram equalization)

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## ENHANCE

STRING Enhance ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Enhance image (minimize noise)

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## EXTRACTCHANNEL

STRING ExtractChannel ( RESOURCE InputResource, INT32 CHANNEL, RESOURCE OutputResource )

**Version:** 1.0

**Description:** ExtractChannel the image

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** CHANNEL

**Description:** The Channel ExtractChannel

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## GRAYSCALE

STRING Grayscale ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Grayscale the image

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## MAGNIFY

STRING Magnify ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Magnify image by integral size

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## MINIFY

STRING Minify ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Reduce image by integral size

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## MODULATE

STRING Modulate ( RESOURCE InputResource, INT32 BRIGHTNESS, INT32 SATURATION, INT32 HUE, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Modulate percent hue, saturation, and brightness of an image. Modulation of saturation and

brightness is as a ratio of the current value(1.0 for no change). Modulation of hue is an absolute rotation of -180 degrees to +180 degrees from the current position corresponding to an argument range of 0 to 2.0 (1.0 for no change).

#### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** BRIGHTNESS

**Description:** Brightness modulate

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** SATURATION

**Description:** Saturation modulate

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** HUE

**Description:** Hue modulate

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## MONOCHROME

STRING Monochrome ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Monochrome the image

#### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## NEGATE

STRING Negate ( RESOURCE InputResource, BOOLEAN GRAYSCALE, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Negate colors in image. Replace every pixel with its complementary color (white becomes black, yellow becomes blue, etc.). Set grayscale to only negate grayscale values in image.

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** GRAYSCALE

**Description:** Where the manipulated resource will be stored

**Parameter Type** BOOLEAN

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## NORMALIZE

STRING Normalize ( RESOURCE InputResource, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Normalize image (increase contrast by normalizing the pixel values to span the full range of color values)

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## OILPAINT

STRING OilPaint ( RESOURCE InputResource, INT32 RADIUS, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Oilpaint image (image looks like oil painting)

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** RADIUS

**Description:** the radius OilPaint

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## QUALITY

STRING Quality ( RESOURCE InputResource, INT32 LEVEL, RESOURCE OutputResource )

**Version:** 1.0

**Description:** JPEG/MIFF/PNG compression level (default 75).

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** LEVEL

**Description:** the quality of the compress level

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## QUANTIZE

STRING Quantize ( RESOURCE InputResource, INT32 NCOLORS, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Preferred number of colors in the image. The actual number of colors in the image may be less than your request, but never more. Images with less unique colors than specified with this option will have any duplicate or unused colors removed.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** NCOLORS

**Description:** the number of color

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## RAISE

STRING Raise ( RESOURCE InputResource, INT32 WIDTH, INT32 HEIGHT, INT32 XOFFSET, INT32 YOFFSET, BOOLEAN RISED, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Raise image (lighten or darken the edges of an image to give a 3-D raised or lowered effect)

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** WIDTH

**Description:** The width is parts of the geometry specification are measured in pixels

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** HEIGHT

**Description:** The height is parts of the geometry specification are measured in pixels

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** XOFFSET

**Description:** The left edge of the object is to be placed xoffset pixels in from the left edge of the image.

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** YOFFSET

**Description:** The top edge of the object is to be yoffset pixels below the top edge of the image.

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** RISED

**Description:** raisedFlag

**Parameter Type** BOOLEAN

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## REDUCENOISE

STRING ReduceNoise ( RESOURCE InputResource, INT32 ORDER, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Reduce noise in image using a noise peak elimination filter.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** ORDER

**Description:** order

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## REPLACE

STRING Replace ( RESOURCE InputResource, INT32 R1, INT32 G1, INT32 B1, INT32 R2, INT32 G2, INT32 B2, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Replace the image

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** R1

**Description:** r1

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** G1

**Description:** g1

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** B1

**Description:** b1

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** R2

**Description:** r2

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** G2

**Description:** g2

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** B2

**Description:** b2

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## FLOODFILL

STRING FloodFill ( RESOURCE InputResource, INT32 X, INT32 Y, INT32 B, INT32 R, INT32 G, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Flood-fill texture across pixels that match the color of the target pixel and are neighbors of the target pixel. Uses current fuzz setting when determining color match.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** X

**Description:** x

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** Y

**Description:** y

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** B

**Description:** b

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** R

**Description:** r

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** G

**Description:** g

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

STRING Roll ( RESOURCE InputResource, INT32 X, INT32 Y, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Roll image (rolls image vertically and horizontally) by specified number of columns and rows)

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** X

**Description:** x

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** Y

**Description:** y

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## ROTATE

STRING Rotate ( RESOURCE InputResource, INT32 ANGLE, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Rotate image counter-clockwise by specified number of degrees.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** ANGLE

**Description:** Number of the degrees

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## SCALE

STRING Scale ( RESOURCE InputResource, INT32 WIDTH, INT32 HEIGHT, INT32 MODE, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Resize image by using simple ratio algorithm

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** WIDTH

**Description:** Width

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** HEIGHT

**Description:** Height

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** MODE

**Description:** Mode

**Paramater Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## SHEAR

STRING Shear ( RESOURCE InputResource, INT32 XSHEAR, INT32 Yshear, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Shear image (create parallelogram by sliding image by X or Y axis). Shearing slides one edge of an image along the X or Y axis, creating a parallelogram. An X direction shear slides an edge along the X axis, while a Y direction shear slides an edge along the Y axis. The amount of the shear is controlled by a shear angle. For X direction shears, x degrees is measured relative to the Y axis, and similarly, for Y direction shears y degrees is measured relative to the X axis. Empty triangles left over from shearing the image are filled with the color defined as borderColor.

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** XSHEAR

**Description:** XSHEAR

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** Yshear

**Description:** Yshear

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## SHADE

STRING Shade ( RESOURCE InputResource, INT32 AZIMUTH, INT32 ELEVATION, BOOLEAN COLOR, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Shade image using distant light source. Specify azimuth\_ and elevation\_ as the position of the light source. By default, the shading results as a grayscale image.. Set colorShading\_ to true to shade the red, green, and blue components of the image.

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** AZIMUTH

**Description:** AZIMUTH

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** ELEVATION

**Description:** ELEVATION

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** COLOR

**Description:** COLOR

**Parameter Type** BOOLEAN

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

## SPREAD

STRING Spread ( RESOURCE InputResource, INT32 AMOUNT, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Spread pixels randomly within image by specified amount.

### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** AMOUNT

**Description:** AMOUNT

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## SETOPACITY

STRING SetOpacity ( RESOURCE InputResource, INT32 LEVEL, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Set the opacity of the image.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** LEVEL

**Description:** LEVEL

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## SUBIMAGE

STRING SubImage ( RESOURCE InputResource, INT32 X, INT32 Y, INT32 WIDTH, INT32 HEIGHT, RESOURCE OutputResource )

**Version:** 1.0

**Description:** SubImage image.

#### Parameter List

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** X

**Description:** x coordinate of the top-level corner of the rectangle

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** Y

**Description:** y coordinate of the top-level corner of the rectangle

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** WIDTH

**Description:** Width member

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** HEIGHT

**Description:** Height member

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

#### GETINFO

STRING GetInfo ( RESOURCE InputResource, INT32 WIDTH, INT32 HEIGHT )

**Version:** 1.0

**Description:** Return the size of the image.

#### Parameter List

**Name:** InputResource

**Description:** The Resource under analysis

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** WIDTH

**Description:** The width of the Image

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** HEIGHT

**Description:** The height of the Image

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## SETMASKCOLOUR

STRING SetMaskColour ( RESOURCE InputResource, INT32 R, INT32 G, INT32 B, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Set the color

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** R

**Description:** Red

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** G

**Description:** Green

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** B

**Description:** Blue

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## PASTE

STRING Paste ( RESOURCE InputResource1, RESOURCE InputResource2, INT32 X, INT32 Y, INT32 COMPOSE, RESOURCE OutputResource )

**Version:** 1.0

**Description:** Paste image

### Parameter List

**Name:** InputResource1

**Description:** The Resource to be manipulated

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** InputResource2

**Description:** The Resource paste

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** image

**Resource Format:** jpeg gif png

**Ranges:**

**Name:** X

**Description:** X

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** Y

**Description:** Y

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** COMPOSE

**Description:** Compose

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Name:** OutputResource

**Description:** Where the manipulated resource will be stored

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

---

## TEST

RESOURCE Test ( RESOURCE InputResource, AXOM Axom )

**Version:** 1.0

**Description:** Test an image

### Parameter List

**Name:** InputResource

**Description:** The Resource to be tested

**Paramater Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** Axom

**Description:** The object

**Paramater Type** AXOM

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** RESOURCE

**Result Description:** The result of conversion, SUCCESS if ok, ERROR followed by a message in case of error

**VIDEOADAPTATION****Category:** ContentProcessing**Identifier:** VideoAdaptation**Library:** ffmpegTranscoder Version: 1.001**Vendor:** Axmedis**Main Library:** ffmpegTranscoder.dll**Description:** Plugin for video transcoding**FunctionList:**

- AX\_ffmpegTranscoder

**AX\_FFmpegTRANSCODER**

STRING AX\_ffmpegTranscoder ( RESOURCE ExtInputResource, RESOURCE ExtOutputResource, STRING outExt, STRING vidAspectRatio, INT32 vidBitrate, INT32 vidFRate, INT32 vidXFSize, INT32 vidYFSize, INT32 audioBitrate, INT32 audioSamplingrate, INT32 audioChannels, BOOLEAN disableVid, BOOLEAN disableAudio, BOOLEAN sameQ )

**Version:** 1.0**Description:** Adaptation of video files**Parameter List****Name:** ExtInputResource**Description:** The Resource to be converted**Parameter Type** RESOURCE**Default Value:****Constraints:****Resource Type:** video**Resource Format:** mpeg avi x-msvideo**Ranges:****Name:** ExtOutputResource**Description:** Where the produced resource will be stored**Parameter Type** RESOURCE**Default Value:****Constraints:****Name:** outExt**Description:** Mimetype for output resource(Default: use same mime type as input)**Parameter Type** STRING**Default Value:****Constraints:****Name:** vidAspectRatio**Description:** set aspect ratio (4:3, 16:9 or 1.3333, 1.7777)(Default: same as input)**Parameter Type** STRING**Default Value:****Constraints:****Name:** vidBitrate**Description:** set video bitrate (in kbit/s) (default: sampling rate of the input)**Parameter Type** INT32**Default Value:****Constraints:**

**Resource Type:**  
**Ranges:**  
**Name:** vidFRate  
**Description:** set frame rate (Hz value)(default: Frame rate of the input)  
**Paramater Type** INT32  
**Default Value:**  
**Constraints:**  
**Resource Type:**  
**Ranges:**  
**Name:** vidXFSize  
**Description:** Width of the frame in pixels (default: width of the input)  
**Paramater Type** INT32  
**Default Value:**  
**Constraints:**  
**Resource Type:**  
**Ranges:**  
**Name:** vidYFSize  
**Description:** Heigth of the frame in pixels (default: height of the input)  
**Paramater Type** INT32  
**Default Value:**  
**Constraints:**  
**Resource Type:**  
**Ranges:**  
**Name:** audioBitrate  
**Description:** set audio bitrate (in kbit/s)(default: bitrate of the input)  
**Paramater Type** INT32  
**Default Value:**  
**Constraints:**  
**Resource Type:**  
**Ranges:**  
**Name:** audioSamplingrate  
**Description:** set audio sampling rate (in Hz) (default: sampling rate of the input)  
**Paramater Type** INT32  
**Default Value:**  
**Constraints:**  
**Resource Type:**  
**Ranges:**  
**Name:** audioChannels  
**Description:** set number of audio channels(default: Nr. of channels of the input)  
**Paramater Type** INT32  
**Default Value:**  
**Constraints:**  
**Resource Type:**  
**Ranges:**  
**Name:** disableVid  
**Description:** disable video  
**Paramater Type** BOOLEAN  
**Default Value:**  
**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** disableAudio

**Description:** disable audio

**Parameter Type** BOOLEAN

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** sameQ

**Description:** use same video quality as source (implies VBR)

**Parameter Type** BOOLEAN

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

## VIDEOFINGERPRINTEXTRACTION

**Category:** ContentProcessing

**Identifier:** VideoFingerprintExtraction

**Library:** VideoFingerprintExtraction **Version:** 1.001

**Vendor:** Axmedis

**Main Library:** VideoFPPlugin.dll

**Description:** Video Fingerprint Extraction

**FunctionList:**

- AxVFPEExtract
- AxVFPCCompare

### AxVFPEExtract

STRING AxVFPEExtract ( RESOURCE InputResource, RESOURCE OutputResource, RESOURCE OutputResource2, INT32 frames )

**Version:** 1.0

**Description:** Extracts a fingerprint of a Video stream in a given Multimedia File.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to extract the fingerprint from

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** video

**Resource Format:** x-msvideo mpeg x-ms-wmv quicktime avi

**Ranges:**

**Name:** OutputResource

**Description:** Where the produced bitmap resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** OutputResource2

**Description:** Where the produced binary fingerprint resource will be stored

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Name:** frames

**Description:** Number of frames to be processed

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of import, SUCCESS if ok, ERROR followed by a message in case of error

## AxVFPCompare

STRING AxVFPCompare ( RESOURCE InputResource, RESOURCE InputResource2, INT32 CLENGTH, INT32 RLENGTH, FLOAT MINBER, INT32 TIMEPOS )

**Version:** 1.0

**Description:** Compares two video fingerprint files and returns the lowest BER and time position.

### Parameter List

**Name:** InputResource

**Description:** The candidate object to compare

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** fingerprint

**Resource Format:** video

**Ranges:**

**Name:** InputResource2

**Description:** The reference object to compare

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** fingerprint

**Resource Format:** video

**Ranges:**

**Name:** CLENGTH

**Description:** Nr. of Subfingerprints in the candidate Object

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** RLENGTH

**Description:** Nr. of Subfingerprints in the reference Object

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** MINBER

**Description:** Minimal BER found (in percent)

**Parameter Type** FLOAT

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Name:** TIMEPOS

**Description:** Subfingerprint position for the minimal BER found

**Parameter Type** INT32

**Default Value:**

**Constraints:**

**Resource Type:**

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result the comparison, SUCCESS if ok, ERROR followed by a message in case of error

## PLAGIARISM

**Category:** ContentProcessing

**Identifier:** Plagiarism

**Library:** Fingerprint **Version:** 0.2.0

**Vendor:** Axmedis

**Main Library:** plagiarismplugin

**Description:** Plugin for plagiarism detection

**FunctionList:**

- Compare

### Compare

STRING Compare ( RESOURCE Source, RESOURCE Target )

**Version:** 1.0

**Description:** Compare two text documents

**Parameter List**

**Name:** Source

**Description:** The source document

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** text

**Resource Format:** plain

**Ranges:**

**Name:** Target

**Description:** The target document

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** text

**Resource Format:** plain

**Ranges:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of evaluation, SUCCESS if ok, ERROR followed by a message in case of error

## LANGUAGEGUESSER

**Category:** ContentProcessing

**Identifier:** LanguageGuesser

**Library:** Descriptor **Version:** 1.001

**Vendor:** Axmedis

**Main Library:** languageguesserplugin.dll

**Description:** Plugin for extracting the language of a document

**FunctionList:**

- LanguageGuesser

### LanguageGuesser

STRING LanguageGuesser ( RESOURCE InputResource, STRING Language )

**Version:** 1.0

**Description:** Retrieves the main language of the document.

**Parameter List**

**Name:** InputResource

**Description:** The Resource to be processed

**Parameter Type** RESOURCE

**Default Value:**

**Constraints:**

**Resource Type:** text

**Resource Format:** plain

**Ranges:**

**Name:** Language

**Description:** A string representing the language (one of {de, en, es, fr, it} values)

**Parameter Type** STRING

**Default Value:**

**Constraints:**

**Result:** Result

**Result type:** STRING

**Result Description:** The result of detection, SUCCESS if ok, ERROR followed by a message in case of error

## EXAMPLES OF AXCP RULES

The following table shows AXCP rules written during the project. The aim is to provide a support for developing new AXCP rules by examples. The complexity of rules is variable and depends on the purpose/area of working.

| Rule File Name                 | Area                                              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Author |
|--------------------------------|---------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| AXCPRule.xml                   | Crawling,<br>metadata,<br>CMS access,<br>database | Example of interaction with Searchbox tool for crawling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | DSI    |
| create_object_from_dir-0-2.xml | Crawling,<br>metadata,<br>CMS access,<br>database | <p>The _main script is a tester for the dir2obj script and Dir2Obj function. It takes all subdirs in a directory and feeds them to Dir2Obj</p> <p>The function Dir2Obj adds all files in a directory with a certain mask to an AXMEDIS object. Optionally an indexfile match can be specified (e.g. "index.htm").</p> <p>If matched the file will be added as the first resource in the object</p> <p>Only htm* files are allowed for indexfile match. Dublin Core can be added. It will be taken from the file DC_file. This file must have been created from the AXMEDIS editor DC editor and viewer</p> <p>If an indexfile is searched and get_title is true title extraction will be tried on the indexfile and added as DCtitle to the object</p> <p>A css file can be added as resource. In this case the contentID will be set to "css/style.css" by default. If the output_path doesn't exist it will be created</p> <p>The function returns true upon success and saves the object. false otherwise</p> | ANSC   |
| lobster-access.xml             | Crawling,<br>metadata,<br>CMS access,<br>database | Script for accessing to TAMINO Lobster ILABS Web Services, Accessing to metadata, accessing to content producing the AXMEDIS objects                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | DSI    |
| ansc-utility-scripts-01.zip    | Utility                                           | Miscellaneous of JS scripts, to be cut and put in XML script for the AXCP editor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | ANSC   |
| dipita.xml                     | Document<br>Manipulation,<br>text<br>processing   | <p>Conversion of pdf document in TXT format and retrieving of keywords exploiting frequency lists corpus only</p> <p>Related to the TEXT processing plug in of AXMEDIS</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | DIPITA |
| massiveaudio.xml               | Production,<br>audio<br>processing                | Rule for creating the AXMEDIS Object by composing and convert, transcode audio resources by providing a directory with digital resources                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | DSI    |
| massivescaling.xml             | Adaptation<br>(Image<br>Processing<br>Plugin)     | A selection is used to build a list of AXMEDIS objects matching the query on commedia type. For each of them the embedded image scaled and converted                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | DSI    |

|                                 |                                                                                                                |                                                                                                                                                                                                                                                            |        |
|---------------------------------|----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| massivescalinghorror.xml        | Adaptation<br>(Image<br>Processing<br>Plugin)                                                                  | A selection is used to build a list of AXMEDIS objects matching the query on horror type. For each of them the embedded image is scaled                                                                                                                    | DSI    |
| massivescaling_pdf.xml          | Adaptation<br>(Image<br>Processing<br>Plugin)                                                                  | A selection is used to build a list of AXMEDIS objects matching the query on horror type. For each of them the embedded image is scaled and converted in pdf                                                                                               | DSI    |
| Plagiarism_DIPITA.xml           | Document<br>Analysis<br>processing                                                                             | Rule for performing plagiarism analysis with text documents                                                                                                                                                                                                | DIPITA |
| PostingLicense.xml              | License,<br>creation of<br>licenses, DRM                                                                       | Rule for posting xml files of AXMEDIS licenses stored on disk                                                                                                                                                                                              | DSI    |
| raw_multigeneration.xml         | Production,<br>image<br>processing                                                                             | It takes an image resource and generates multiple AXMEDIS object with different format and size of the source image                                                                                                                                        | DSI    |
| resizing_rule.xml               | Production<br>and<br>Adaptation,<br>image<br>processing                                                        | The rule generates an AXMEDIS Object with an image and a text resource. The image is resized to the height x width size and the converted into JPEG format.                                                                                                | DSI    |
| ScriptLicensingOnDemand.xml     | License, DRM<br>licensing,<br>massive                                                                          | Rule for producing and posting licenses into the PMS server                                                                                                                                                                                                | DSI    |
| ScriptLicensingPush1.xml        | License,<br>licensing, DRM                                                                                     | Rule for producing and posting licenses into the PMS server using a PUSH approach                                                                                                                                                                          | DSI    |
| ScriptProduction.xml            | Production,<br>automated<br>production,<br>object<br>production                                                | Rule for producing in massive way AXMEDIS Objects by scanning a folder on file system containing digital items                                                                                                                                             | DSI    |
| ScriptSecondProduction.xml      | Production,<br>content<br>production,<br>content<br>protection,<br>license<br>production<br>and posting<br>DRM | Composition of AXMEDIS Objects. A selection allows retrieving the list of AXOIDs. The AXMEDIS Objects of the list are used to generate a new composed object. Protect the object, produce PAR and Licenses are generated. All objects are uploaded on AXDB | DSI    |
| searchbox-tiscali-medioclub.xml | Crawling,<br>access to<br>content,<br>metadata,                                                                | Crawling for accessing to TISCALI MediaClub catalogue. Production of AXMEDIS Objects                                                                                                                                                                       | DSI    |
| TextProcessing_DIPITA.xml       | Production<br>and Document<br>Adaptation                                                                       | Document Adaptation:<br>Transcoding to HTML<br>Embedding the HTML resource in the object                                                                                                                                                                   | DIPITA |

|                                     |                                                      |                                                                                                                                                                                                                                                                                               |             |
|-------------------------------------|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
|                                     |                                                      | Transcoding to plain text<br>Embedding the plain text resource in the object<br>Language Guessing:<br>Guessing resource language<br>Adding language to Dublin Core metadata<br>Keyword Extraction:<br>Retrieving keywords<br>Adding keywords to Dublin Core metadata<br>saving object to file |             |
| OMA-management-JScript.zip          | Production, OMA, protection, distribution, licensing | Production of content in OMA format, production of licenses in OMA format, interaction with OMA tools for distribution.                                                                                                                                                                       | DSI         |
| Testing-JS-classes-licensing.zip    | License, DRM, protection                             | Rule for testing JS Classes for licenses production and management: Grant, issuer, OMA licensing (a different model), PAR management, Rights, PMS access, interval, Fee, certification, territory, etc.                                                                                       | FHGIGD, UPC |
| mp3-split_to_objects_with_smil.zip  | Production                                           | This script tests the splitting of all mp3 files in a given directory (start_dir e.g. "c:\\mp3s") which are added to an AXMEDIS object and a SMIL player is also added. For the sake of testing a basic HTML index of the files is created in the AXMEDIS object                              | ANSC        |
| ResizeForAxDeviceProfile_andLic.xml | Production, processing                               | The rule read a device profile, extract data and adapt images according to profile                                                                                                                                                                                                            | ILABS       |
| rule_theartists.zip                 | Production                                           | Create AXMEDIS Objects with SMIL presentation.                                                                                                                                                                                                                                                | ILABS       |
| smilautomaticproduction_upload.zip  | Production                                           | AXMEDIS Objects with SMIL presentation (artistic contents)                                                                                                                                                                                                                                    | ILABS       |
| split_to_dir.xml                    | Utility                                              | Splits MP3 files and saves the split ones in a subdir (same name as input) in the output_dir input and root-output dirs must be different                                                                                                                                                     | ANSC        |
| xim-sample-scripts.zip              | Miscellaneous, production                            | Set of rules written by XIM to generate AXMEDIS Objects                                                                                                                                                                                                                                       | XIM         |

## REFERENCES AND LINKS

### AXMEDIS TUTORIALS

- o General Tutorial and Overview (November 2007, Barcelona, Spain)
  - PPT: [http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3653](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3653)
  - Video on [part 1](#)
  - Video on [part 2](#)
  - Video on [part 3](#)
  - Video on [part 4](#)
  - Video on [part 5](#)
  - Video on [part 6](#)
- o Content Production Tutorial (AXMEDIS 2007 Conference)  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3869](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3869)
- o Content Distribution Tutorial (AXMEDIS 2006 Conference)  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2666](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2666)
- o Content Processing Tutorial (AXMEDIS 2006 Conference)  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3868](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3868)
- o Workflow Tutorial (AXMEDIS 2006 Conference)  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2652](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2652)
- o [AXMEDIS general overview and content production tutorial, March 2008](#)

### AXMEDIS TOOLS FOR FREE DOWNLOAD

- o General download page: <http://www.axmedis.org/documenti/documenti.php>
- o AXMEDIS content production tools include:  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3722](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3722)  
Free Download of AXMEDIS Content Production Tools (editor and GRID AXCP tools, PnP, DRM editor, etc.), all what you need to create AXMEDIS objects and process any kind of content automatically: SMIL, HTML, MPEG-21, content adptation,, fingerprint, crawling, indexing, cms, search, retrieval, control of P2P, etc. and much more. See documentation included
- o AXMEDIS players for PC:  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3715](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3715)  
AXMEDIS PC player version 1.2 January 2008. Free download, AXMEDIS player, MPEG-21 player, cross media player, SMIL, HTML, MPEG-4 ,etc
- o AXMEDIS multiskin player for PC:  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3716](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3716)  
AXMEDIS MultiSkin PC player version 1.2 january 2008. Free download, AXMEDIS player, MPEG-21 player, cross media player, SMIL, HTML, MPEG-4, with different skins available.
- o AXMEDIS Active X Player for PC for Web Pages, AXMEDIS .Net Player, MPEG-21 player, SMIL, HTML, MPEG-4, cross media, more than 200 file formats:  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3717](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3717)
- o AXMEDIS player plus EUTELSAT OPENSky client integrated  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3767](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3767)
- o AXEMEDIA: P2P client tool for establishing connection with the AXMEDIS P2P B2B network as Business User:  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3840](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3840)
- o AXMEDIA: P2P client tool for establishing connection with the AXMEDIS P2P B2B network as final users:  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3841](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3841)
- o AXMEDIS PDA player for Windows Mobiles 5 and 6:  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3842](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3842)  
It is capable to play AXMEDIS objects based on SMIL, HTML, video, audio, MPEG-4 files, etc. AXMEDIS PDA player for AXMEDIS MPEG-21 content including resources with presentations layer based on MPEG-4, HTML and SMIL  
Unzip the file, copy the CAB file and execute it on the PDA
- o Collection of Objects for AXMEDIS player for PDA (Jan 2008):  
[http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3748](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3748)

## AXMEDIS TECHNICAL NOTES

- o [AXMEDIS Content Model and Tools, Authoring Tools, Players for MPEG-21, PC, PDA, Mobile, STB, PVR, HDR, etc. \(in English\)](#)
- o [AXMEDIS Content Model and Tools, Authoring Tools, Players for MPEG-21, PC, PDA, Mobile, STB, PVR, HDR, etc. \(in Italian\)](#)
- o [AXMEDIS Content Processing GRID all features listed \(in English\)](#)
- o [AXMEDIS Content Processing GRID Tutte le caratteristiche descritte \(in Italian\)](#)
- o [AXMEDIS P2P Controlled network all features listed with cases \(in English\)](#)
- o [AXMEDIS P2P Controlled network tutte le caratteristiche, con alcune casistiche \(in Italian\)](#)
- o [AXMEDIS DRM, MPEG-21 DRM, Interoperable DRM \(in English\)](#)
- o [AXMEDIS DRM, MPEG-21 DRM, DRM interoperabile \(in Italian\)](#)
- o [Technical note on how to integrate the AXMEDIS DRM into an e-commerce portal and content distribution solution for content on demand and subscription](#)
- o [Come integrare AXMEDIS DRM in un portale per la distribuzione di contenuti digitali \(in Italian\)](#)
- o [AXMEDIS Show Case, AXMEDIS Mpeg-21 Content distribution via satellite dta broadcast, EUTELSAT OPENSky](#)
- o [Technical note on the ELION AXMEDIS content on demand trial and solution, how to exploit AXMEDIS framework to create a cross media content distribution with DRM and automated production, and connection with P2P](#)
- o [Technical note on the TEO IPTV AXMEDIS trial and solution, how to exploit AXMEDIS framework to create an IPTV with DRM and automated production, and connection with P2P.](#)

## AXMEDIS SOLUTIONS

- o Content Management Automation, AXCP:  
[http://www.axmedis.org/com/index.php?option=com\\_content&task=view&id=94&Itemid=33](http://www.axmedis.org/com/index.php?option=com_content&task=view&id=94&Itemid=33)
- o AXMEDIS controlled P2P:  
[http://www.axmedis.org/com/index.php?option=com\\_content&task=view&id=97&Itemid=34](http://www.axmedis.org/com/index.php?option=com_content&task=view&id=97&Itemid=34)
- o AXMEDIS production tools and players:  
[http://www.axmedis.org/com/index.php?option=com\\_content&task=view&id=101&Itemid=35](http://www.axmedis.org/com/index.php?option=com_content&task=view&id=101&Itemid=35)
- o AXMEDIS DRM, MPEG-21 DRM:  
[http://www.axmedis.org/com/index.php?option=com\\_content&task=view&id=99&Itemid=36](http://www.axmedis.org/com/index.php?option=com_content&task=view&id=99&Itemid=36)
- o FAQs: [http://www.axmedis.org/com/index.php?option=com\\_content&task=blogcategory&id=7&Itemid=73](http://www.axmedis.org/com/index.php?option=com_content&task=blogcategory&id=7&Itemid=73)

## AXMEDIS SHOWCASES

- o [Content Distribution to Licensed Domains via DVB-T and P2P](#) (BBC)
- o [Protected Video on Demand Distribution via P2P toward PC](#) (Tiscali)
- o [Protected Video on Demand \(VOD\) Distribution to PC](#) (ELION)
- o [Content Distribution via Satellite Data Broadcast \(DVB-S\) to PC and STB](#) (EUTELSAT)
- o [Content Distribution to Kiosks](#) (ILABS)
- o [Video on Demand \(VOD\) Distribution to Set Top Box](#) (TEO)
- o [Content Posting Tool, for Final User content production/publication/DRM](#) (SIAE)
- o [Variazioni: Enrichment of Cultural Content](#)
- o [AXMEDIS Content and Tools: Automatic Production](#)
- o [AXMEDIS Controlled P2P Network](#)

## AXMEDIS FRAMEWORK SPECIFICATION

- o AXMEDIS Framework [General aspects, Editor and Model](#)  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1891](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1891)
- o AXMEDIS Command Manager [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2686](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2686)
- o AXMEDIS Object Manager and Protection Processor:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1972](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1972)

- o AXMEDIS Editor and Viewers: [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2213](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2213)
- o AXMEDIS External Editors, Viewers and Players:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2211](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2211)
- o AXMEDIS Content Processing Area:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1958](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1958)
- o AXMEDIS External Processing Algorithms:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2017](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2017)
- o AXMEDIS CMS Crawling capabilities:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1907](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1907)
- o AXMEDIS Database and query support:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1932](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1932)
- o AXMEDIS AXEPTool and AXMedia Tools:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2718](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2718)
- o AXMEDIS Programme and Publication Tools:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1885](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1885)
- o AXMEDIS Workflow Tools:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1883](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1883)
- o AXMEDIS Certifier and Supervisor and networks of AXCS  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1952](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1952)
- o AXMEDIS Protection Support  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1882](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1882)
- o AXMEDIS Accounting and Reporting :  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1887](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1887)
- o [Definitions Terms tables links http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1388](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1388)

#### **AXMEDIS reports on basic enabling technologies**

- o Content Model and Managing, MPEG-21, authoring, etc.  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2324](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2324)
- o Content indexing and querying:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2436](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2436)
- o Content processing, Composition and Formatting  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2374](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2374)
- o Content sharing and Production on P2P:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2454](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2454)
- o Content Protection and Supervision [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2371](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2371)
- o Content Distribution via Internet  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2451](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2451)
- o Content Distribution via Mobile  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2442](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2442)
- o Content Distribution via Satellite data broadcast  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2313](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2313)
- o Usability issues  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2339](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2339)
- o AXMEDIS vs [DMP MPEG21 Analysis http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1063](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1063)

- o AXMEDIS Framework Infrastructure, guidelines and some tools  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1391](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1391)
- o AXMEDIS Framework Validation and integration  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2445](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2445)

### Basic knowledge reports

- o User requirements [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1712](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1712)
- o Use Cases [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1824](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1824)
- o Test Case [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2023](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2023)

### Content Modeling and Test Cases

- o [Content Aspect Specification](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1389) [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1389](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1389)
- o [Content Aspect Specification Appendix](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1670) [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1670](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1670)
- o [Content for Test Cases and Validation](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1393) [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1393](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1393)
- o [Content Selection Guidelines](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1390) [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1390](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1390)
- o [Multilingual Guidelines and Technical Solutions](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1427) [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1427](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1427)
- o [AXMEDIS Editorial Format Guidelines and basic examples](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1394) [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1394](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1394)

### AXMEDIS FRAMEWORK DEMONSTRATORS, CASES, TRIALS, FOR DISTRIBUTION ETC.

- o requirements and use cases of AXMEDIS ELTEO of the content distribution for DVB-T to STB of Telecom Lithuania, and content distribution of Telecom Estonia  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2978](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2978)
- o requirements and use cases of the 4HOME take up, demonstrators of BBC, TI, SDAE, including domains, AXMEDIS for broadcasting, and OMA integration and distribution  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2976](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2976)
- o Specification final version of Take up AXMEDIS ELTEO for Video on demand, STB, IPTV solutions based on AXMEDIS technology: [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=3096](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=3096)
- o Integrated CMS integration aspects: [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2853](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2853)
- o Integrated prototype: automated content production and formatting:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2939](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2939)
- o Integrated Distribution on demand via Internet  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2951](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2951)
- o Integrated distribution via satellite data broadcast:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2954](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2954)
- o Integrated distribution towards mobiles:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2945](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2945)
- o Integrated Distribution towards PDA via Kiosks:  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2944](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2944)
- o Content Posting Portal, Content Posting for Final User publication, SIAE Trial presentation:
  - [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2922](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2922)
  - [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2923](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2923)

- o VARIAZIONI project portal: <http://www.variazioniproject.org/>

#### BROCHURES AND PRESS CUTTING (A PART)

- o AXMEDIS Project Brochure  
[http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2712](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2712)
- o Annual Public Report (2007): [http://www.axmedis.org/documenti/view\\_documenti.php?doc\\_id=3621](http://www.axmedis.org/documenti/view_documenti.php?doc_id=3621)
- o Annual Public Report (2006) [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=2471](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=2471)
- o Annual Public Report (2005) [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1439](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1439)
- o AXMEDIS Project Synopsis [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1668](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1668)
- o Digital Media in Italy presentation [http://www.AXMEDIS.org/documenti/view\\_documenti.php?doc\\_id=1669](http://www.AXMEDIS.org/documenti/view_documenti.php?doc_id=1669)

#### OTHER REFERENCES

- ISO/IEC, ISO/IEC FDIS 21000-5 - Rights Expression Language. ISO/IEC JTC1/SC 29/WG 11/N5839. July 2003.
- ISO/IEC, ISO/IEC FDIS 21000-6 - Rights Data Dictionary. ISO/IEC JTC 1/SC 29/WG 11/N5842. July 2003.
- Iannella, R.: Open Digital Right Language (ODRL) Version 1.1. <http://odrl.net/1.1/ODRL-11.pdf> . August 2002.
- Open Mobile Alliance (OMA), <http://www.openmobilealliance.com/>
- OMA DRM Rights Expression Language version 2 (OMA DRM REL v.2), <http://www.openmobilealliance.com/>
- ISO/IEC, Study of ISO/IEC FCD 21000-4 IPMP Components. ISO/IEC JTC 1/SC 29/WG 11/N7426. July 2005.